

**DEPARTMENT OF PLANNING & ECONOMIC DEVELOPMENT
ENGINEERING DEVELOPMENT SERVICES**

**EXHIBIT "A"
06/01/2022**

**GB2 Microbusiness – Nursery/Cultivation and Manufacturing
2717 Giffen Avenue
CUP22-003**

Tenant Improvement Conditions

- I. Developer's engineer shall obtain the current City Design and Construction Standards and the Engineering Development Services Department's Standard Conditions of Approval dated August 27, 2008 and comply with all requirements therein unless specifically waived or altered by written variance by the City Engineer.
- II. Per City Code Section 18-12.015 (C), all properties including commercial and industrial parcels shall be subject to public improvement requirements when the value of any proposed building or site improvement exceeds \$200,000.00. A formal review of the valuation will commence during review of the building permit application. If the valuation is determined to be above the \$200,000 threshold, the project may be required to install or modify public improvements such as sidewalks, curb and gutter, pedestrian ramps, driveway approaches, planter strips and bike lanes. Additional right-of-way and easement dedications may also be required to support the current or future expansion of the roadway in order to meet adopted City Standards, General Plan requirements or area specific plans. Contact the Engineering Division of the Planning and Economic Development Department at 707-543-3200 to discuss specific requirements.
- III. In addition, the following summary constitutes the recommended conditions of approval on the subject application/development based on the plans stamped received May 4, 2022:

PUBLIC STREET IMPROVEMENTS

1. It is recommended that any non-standard sidewalk sections and driveway approaches along the property's frontage be upgraded to the current standard in order to ensure a compliant path of travel within the public right-of-way or public easements and to mitigate any potential trip hazards. Per City Code Section 13-32.020, the abutting property owner shall maintain the sidewalk in a manner that avoids creating a dangerous situation for the property owner and any members of the public utilizing the corridor.
2. An Encroachment Permit is required prior to issuance of the building permit. Any improvements proposed or required, within the public right-of-way shall be reviewed and approved with the Encroachment Permit application. Only

Construction plans submitted with the Encroachment Permit Application are final plans and shall be approved for construction. Contact Engineering Development Services at 543-3200, located at 100 Santa Rosa Avenue, Room 5, as soon as possible to begin Encroachment Permit application processing. Encroachment Permit application processing may take 4-6 weeks. Submit plans showing all work in the public right of way, or in public easements, including all work on public utilities (water meter boxes, sewer lateral cleanouts, backflow devices, etc.)

WATER AND WASTEWATER

3. Demand fees may be required and shall be determined during review of the building permit application. Submit the type of use in each portion of the building (residential, office, warehouse, lab, manufacturing, cultivation, etc.) and the square footage of each usage type with the building permit application. The applicant may contact the Water Engineering Services division at watereng@srcity.org to obtain a preliminary fee calculation.
4. All irrigation and domestic water services shall be protected with a reduced pressure backflow device per City Standard 876. Backflow additions or upgrades shall be required as part of the building permit review. The location of all existing or proposed utilities and backflow devices shall be shown on the utility plan submitted with the building permit application.
5. The existing water service shall be sized to support any additional fire and domestic demand. All modifications to the existing water system shall be performed under an encroachment permit. The water service size shall be determined based on flow calculations submitted by the sprinkler designer.
6. If the project involves the addition of a new fire service or modifications to an existing service, an approved Fire permit for the onsite dedicated fire line shall be obtained prior to issuance of the encroachment permit for the backflow device. The onsite permit application and plan should be submitted to the Fire Department prior to applying for the encroachment permit.
7. A sewer cleanout per City Standard 513/513A shall be installed on the existing sewer lateral if one does not already exist and if additional work in the public right of way, or in public easements is proposed. The location of the cleanout shall be shown on the utility plan submitted with the building permit application. The type of cleanout and the placement shall be based on the depth of the existing lateral. The installation of the clean out shall be performed under an encroachment permit.
8. If additions or modifications to the existing landscaping are proposed under the building permit application, a dedicated irrigation meter shall be installed to serve the existing or proposed landscaping if one does not already exist. The Director of Santa Rosa Water may approve a variance deferring the installation of the

irrigation meter if special circumstances exist on the property that would result in the installation creating practical difficulties or unnecessary hardships.

9. If additional fire lines and water meters are required, Santa Rosa Water may require all individual existing and new water services to be consolidated and installed as a combination service per City Standard 870. Consolidation shall require the abandonment of any unused water services at the main. This determination will be made during review of the building permit application.

ENVIRONMENTAL COMPLIANCE

10. Tenant improvements performed in conjunction with a change of use or an expansion of an existing use may result in additional requirements associated with the discharge to the City's public wastewater system. Contact the Water Department's Environmental Compliance section at 707-543-3369 to determine the necessary permitting path and to better understand the specific requirements that will be brought forward during the review of the building permit application.

FIRE – (from Paul Lowenthal dated June 1, 2022)

11. The project is subject to the building codes in effect at time of building permit application. The next code cycle is scheduled to go into effect on January 1, 2023.



06/01/2022

CLEVE GURNEY - EDS ASSISTANT ENGINEER