# STONEBRIDGE SUBDIVISION

TENTATIVE MAP

RECEIVED

**EXISTING** 

STREET LIGHT.

SANITARY SEWER LAT.


By Andrew Trippel at 12:10 pm, Oct 14, 2020

——● DRAIN INLET

## **GENERAL NOTES**

- 1. EXISTING AND PROPOSED ZONING IS PD-04-007-SR.
- 2. GENERAL PLAN DESIGNATION IS LOW DENSITY RESIDENTIAL.
- 3. WATER AND SEWER TO BE PROVIDED AND MAINTAINED BY THE CITY OF SANTA ROSA.
- 4. PROPOSED SETBACKS ARE AS SHOWN ON THE DEVELOPMENT
- 5. RESIDENTIAL LOT AREAS: SMALLEST 3,494 SF (LOT 2) LARGEST 8,958 SF (LOT 39) AVERAGE 4,203 SF
- 6. PARCEL AREAS: PARCEL A (STORMWATER TREATMENT FACILITY) - 19,557 SF
- 7. PRESERVE AREA: LOT 106 - 14.0 ACRES
- 8. ALL GRADING TO BE IN CONFORMANCE WITH CHAPTER 33 AND A33 OF THE CURRENT CALIFORNIA BUILDING CODE, AND THE GEOTECHNICAL ENGINEERING REPORT.
- REMOVE ALL ON-SITE EXISTING FEATURES INCLUDING: STRUCTURES, CONCRETE AND FENCING, UNLESS OTHERWISE
- 10. THE EXISTING LEACHFIELD AND SEPTIC TANK SHALL BE LOCATED AND ABANDONED PER SONOMA COUNTY ENVIRONMENTAL HEALTH
- 11. THERE IS AN EXISTING WELL ONSITE, AND IT SHALL BE
- 12. ALL PROPOSED UTILITIES WITHIN RIGHT-OF-WAY SHALL BE
- 13. THE SUSMP FEATURES, WHICH ARE LOCATED ON PARCEL 'A', SHALL BE MAINTAINED BY A SPECIAL TAX DISTRICT.
- 14. NO AREAS OF THIS SITE ARE SUBJECT TO INUNDATION. NO HAZARDOUS MATERIALS ARE KNOWN TO EXIST ON THIS SITE.
- 15. SITE SOILS APPEAR SUITABLE FOR RESIDENTIAL DEVELOPMENT.
- 16. STREET TREES SHALL BE PLANTED IN ACCORDANCE WITH THE CITY OF SANTA ROSA REQUIREMENTS.
- 17. STREET LIGHTING SHALL BE INSTALLED IN ACCORDANCE WITH THE CITY OF SANTA ROSA STANDARDS.
- 18. SEWER LINE THAT DEVELOPMENT IS TRIBUTARY = SOUTH FULTON TRUNK LINE EXISTING SEWAGE GENERATION - 406 GALLONS PER DAY PROJECTED SEWAGE GENERATION - 0.043 MGD
- 19. THE PROJECT SITE IS NOT IN A HIGH FIRE SEVERITY ZONE

# LEVEL BUILDING PAD 1% MIN. SWALE TO STREET CONSTRUCTED WITH FINISH GRADING (TYPICAL) <u>SECTION</u>



ALL DRAINAGE TO STREET

TYPICAL LOT GRADING NO SCALE

LATERAL

LOT LINE

LOW POINT LIGHT

ABBREVIATIONS			
}	AGGREGATE BASE	MGD	MILLION GALLONS PER DAY
;	ASPHALT CONCETE	NO	NUMBER
U	ACCESSORY DWELLING UNIT	P	PARKING
N	ASSESSOR'S PARCEL NUMBER		PROPERTY LINE
DG	BUILDING	PLNTR	
)	BLOWOFF	PSDE	PRIVATE STORM DRAIN
SL.	BUILDING SETBACK LINE	DUE	EASEMENT
	CENTERLINE	PUE	PUBLIC UTILITY EASEMENT
άG	CURB AND GUTTER	R	RADIUS
	DRAIN INLET	R/W	RIGHT OF WAY
	DOCUMENT NUMBER	S	GRADE SLOPE
٧Y	DRIVEWAY	SD	STORM DRAIN
	EXISTING	SDCB	
•	EXISTING GRADE	SDMH	
	FACE OF CURB	SS	
i	FINISHED GRADE		SANITARY SEWER CLEAN C
			SANITARY SEWER MANHOLE
	FLOWLINE	ST	STREET
3		STD	
<u>S</u> L		SW	SIDEWALK
	GATE VALVE	SWE	
,	HIGH POINT	T	TRAVEL WAY
J	IN FAVOR OF	TC	TOP OF CURB
	INVERT GRADE	TYP	TYPICAL

WATER MAIN WATER METER

WATER SERVICE

# PROJECT SITE

### **LOCATION MAP**

NO SCALE

### **BENCHMARK**

NAME: E108 ELEVATION: 136.784 DESCRIPTION: SAN MIGUEL AVE. AND FRANCISCO AVE; CITY DISK IN MONUMENT 10 FT. WEST AND 8 FT. NORTH CL INTERSECTION CITY OF SANTA ROSA DATUM

### OWNER / DEVELOPER

WOODSIDE HOLDINGS, LP C/O DAVID JACOBSON 434 LAS GALLINAS AVE., PMB 355 SAN RAFAEL, CA 94903 (415) 306-1687

CIVIL DESIGN CONSULTANTS, INC.

2200 RANGE AVENUE, SUITE 204


PARAMOUNT HOMES C/O PETER HELLMANN 1615 BONANZA STREET, SUITE 314 WALNUT CREEK, CA 94596 (510) 612-2027


### **ENGINEER**

SANTA ROSA, CA 95403

(707) 542-4820

SURVEYOR





EG —


NO SCALE



MATCH -


LOTS 1-15 & PORTION 16

### CINQUINI & PASSARINO, INC. 1360 NORTH DUTTON AVE., STE 150 SANTA ROSA, CA 95401 (707) 542-6268



EX. 15"SD





### SOUTH BOUNDARY TYPICAL SECTION

LOTS PORTION 16, 17, & PORTION 18

NO SCALE

NO SCALE


# BIO-RETENTION BED. . OVERHEAD UTILITY. JOINT TRENCH ELECTRIC (STREET LIGHT) UTILITY BOXES. . . . . . . . . . . . . . . . . . T E E M E CONTOURS (1' INTERVALS).

### SHEET INDEX

COVER SHEET

**LEGEND** 

- 2. TENTATIVE MAP OVERALL SITE PLAN
- 3. TENTATIVE MAP RESIDENTIAL SITE PLAN
- 4. TENTATIVE MAP GRADING, DRAINAGE AND UTILITY PLAN



### SOUTH BOUNDARY TYPICAL SECTION

NO SCALE LOTS 19-22 & PORTION 18

17-114 SHEET NO.

