

PROPOSED BOLLARD

0

weather quard

NOTE: THE BOLLARDS WOULD ONLY BE INSTALLED AT THE PARKING SPOTS ON THE NORTH LINE OF THE PROPERTY TO PROTECT THE FENCE O DAMAGE FROM

S FOOT NO CLIME

3440 A

ROPERTY.

3 1/2 INCH BOLLARD POLE


3 FFF1

3 FEET

HIGH STRENGTH CAST CONCRETE CAP PAINTED TO MATCH

GROUND LEVEL

8⁻⁻ 10[°] WIDE CONCRETE FOOTING APPROXIMATELY A 3 FOOT TALL FOOTING



GATE DETAIL FOR: FARROW CONSTRUCTION 3440 AIRWAY DRIVE SANTA ROSA, CA 95403

2 7/8" TUBE STEEL


8'

10" KICK PLATE **BOTH SIDES**

KENWOOD Fencego

Note: Drawing not to scale

DOUBLE CHAIN LINK GATE



PLOT PLAN FOR: FARROW CONSTRUCTION 3440 AIRWAY DRIVE SANTA ROSA, CA 95403

1" DIAMOND BLACK POWDER COATED CHAIN LINK

_ 3/8" TRUSS ROD

1 7/8" BLACK POWDER COATED STEEL FRAME WELD