

QUOTATION

HOLT
of California



3850 Channel Drive
West Sacramento, CA 95691
(916) 373-4100

PREPARED FOR

Customer: CITY OF SANTA ROSA ACCOUNTS
Address: ACCOUNTS PAYABLE PO BOX 1678
SANTA ROSA, CA 95402 1678

REFERENCE

Effective From: Monday, March 14, 2022
Effective To: Tuesday, May 31, 2022
Quote #: 599532 Rev#3
Account Manager: Mike Arroyo
Direct Phone: 707-329-5237
E-mail: marroyo@holtca.com

Holt of California Key Advantages

Proudly Serving the Valley for 90 Years!



DP30N5 - 6,000 lb. Capacity Tier 4 Final Compliant Diesel Pneumatic Tire Lift Truck

HIGHLIGHTS

Uncompromising Performance

- Powerful 4EG 4 Cylinder Diesel Engine
Maximum Torque 131 ft-lb @ 1800 rpm
Maximum Horsepower 48 Hp @ 2250 rpm
Throttle by Wire Accelerator (no cable)
Low vibration Dynamically Balanced
- Engine Protection System (EPS)
- Fuel saver mode reducing fuel consumption up to 14%
- Cyclone Air Filter
- High efficiency Aluminum Core Radiator
- Robust Powershift Automatic Transmission 1F/1R
- Transmission Oil Cooler
- Hydrostatic Power Steering
- Elevated Air Intake
- Maintenance Free Battery
- Premium long lasting Trelleborg Tires
- 500 Hour Service Intervals

Superior Operator Comfort

- Premium Full Suspension Grammer Seat
- Tilt Steering Column with Memory function
- Isolated (Rubber mounted) Key Components to reduce vibration
- Rubber floor mat
- Insulated Engine cover
- Convenience tray with clipboard holder
- Separate Brake and Inching Pedals
- Elongated Grab handle Bar
- Open Step with Anti Slip Plate
- Electronic Direction Control
- Premium tires with 3 layers construction for an extra comfortable ride

Added Operator Protection and Awareness

- LED work lights





DP30N5 - 6,000 lb. Capacity Tier 4 Final Compliant Diesel Pneumatic Tire Lift Truck

- Premium LCD/LED Display
- Presence Detection System (PDS)
- Dual Action Parking Brake Handle
- Ground speed control
- Password lock
- Anti-Restart Ignition Key Switch
- Transmission Return to Neutral for Start

KEY FEATURES & BENEFITS

EXCEPTIONAL PERFORMANCE	After years of expertise and leadership in material handling solutions, Cat® lift trucks engineered a game changing powertrain for exceptional performance in the toughest material handling conditions. The EG engine family is the industry's most powerful and respected industrial engine family in its class. The engines delivers outstanding performance while maintaining the highest standards of durability and reliability. With a proven track record for quality and dependability, the rugged PowerShift transmission delivers a remarkable performance optimizing engine power and response.
OPERATOR COMFORT	A forklift's productivity is not only measured by a strong powertrain, but also by its operator comfort and efficiency. This is why Cat® lift trucks designed an ergonomic operator compartment optimizing comfort, visibility and productivity for long and demanding shifts.
PRESENCE DETECTION SYSTEM	The Patented PDS system, standard on all Cat® lift trucks helps ensure that the operator is following the correct operating procedures. Once the operator leaves the seat and does not engage the park brake, the PDS will disengage the transmission and all hydraulic functions to the mast while activating an audible alarm and a flashing visual warning.
ENGINE PROTECTION SYSTEM	The EPS monitors the Engine Coolant Temperature, Transmission Oil Temperature and Engine Oil Pressure. The system issues a warning and cuts back on engine rpm when parameters go out of range. It also monitors the brake fluid level and warns when the level is too low. The EPS also issues periodic maintenance alerts by displaying them on the screen.
PREMIUM LED/LCD DISPLAY	The standard premium LED/LCD display is connected to the monitoring system alerting the operator if one of the systems is not in check. It includes a Speedometer, Hour Meter, Clock, Travel Direction, Low Fuel Indicator or Fuel Gage, Coolant Temperature, Battery Charging Status, Operator Passcode capability and other systems-related indicators & warnings.

CONFIGURATION

CHASSIS	2	6,000 lb. Capacity Tier 4 Final Compliant Diesel Pneumatic Tire Lift Truck
MAST	2	186.0" MFH / 85.5" OAL / 37.0" FFH Triplex
RATINGS & STANDARDS	2	UL Approved
RATINGS & STANDARDS	2	EPA Compliant
POWERTRAIN	2	Mitsubishi 4EG 3.3L 4 Cylinder Diesel Engine
POWERTRAIN	2	Single Speed Powershift Transmission
CARRIAGE	2	39.5" Wide ITA Class III Hook Type Carriage
DRIVE & STEER TIRES	2	Solid Pneumatic Single Drive And Steer Tires
LOAD BACKREST	2	48" High Load Backrest
HYDRAULIC ACTIVATION	2	4-Section Valve With Cowl Mounted Levers
HYDRAULIC HOSEING OPTIONS	2	Dual Function Internal Hoseing - Triplex Mast
HYDRAULIC STEEL SUPPLY LINES	2	Dual Function Steel Supply Lines
TILT CYLINDERS	2	Standard Tilt Cylinders
OVERHEAD GUARD	2	Standard Overhead Guard
OVERHEAD GUARD COVER	2	Tinted Thermoformed Overhead Guard Cover
PRODUCTIVITY OPTIONS	2	Premium LCD/LED Display
PRODUCTIVITY OPTIONS	2	Engine Protection System
PRODUCTIVITY OPTIONS	2	Separate Brake & Inching Pedals
PRODUCTIVITY OPTIONS	2	Ground Speed Control
PRODUCTIVITY OPTIONS	2	Fuel Saver Mode
PRODUCTIVITY OPTIONS	2	Rear Grab Handle With Horn Button
PRODUCTIVITY OPTIONS	2	Steering Wheel Knob



DP30N5 - 6,000 lb. Capacity Tier 4 Final Compliant Diesel Pneumatic Tire Lift Truck

SPECIAL APPLICATIONS OPTIONS	2	Aluminum Core Corrugated Fin Radiator
SPECIAL APPLICATIONS OPTIONS	2	Presence Detection System
SPECIAL APPLICATIONS OPTIONS	2	Heavy Duty Counterweight Grill
SPECIAL APPLICATIONS OPTIONS	2	Elevated Air Intake Pre-Cleaner
WARNING / LIGHT OPTIONS	2	Two Forward LED Working Lights On OHG
WARNING / LIGHT OPTIONS	2	Electronic Back-up Alarm
WARNING / LIGHT OPTIONS	2	Rear LED Stop/Tail/Back-up Combination Lights
WARNING / LIGHT OPTIONS	2	Premium Working Light Package. Includes the following: Rear View Mirror Kit and Rear LED Working Light.
WARNING / LIGHT OPTIONS	2	Amber Strobe Light - Mounted Below OHG
WARNING / LIGHT OPTIONS	2	Air Cleaner Service Indicator
SEAT	2	Full Suspension Vinyl Seat
ACCESSORIES	2	Orange Seat Belt
ACCESSORIES	2	Rubber Floor Mat
ACCESSORIES	2	Operator Convenience Tray With Clipboard Holder
ACCESSORIES	2	Drawbar Pin
LANGUAGE MARKINGS	2	English Language Markings North/South America
	2	RIGHTLINE ITA III SIDE SHIFTING FORK POSITIONER W/FORKS 1.75X5X48

DP30N5 INVESTMENT SUMMARY

QTY	DESCRIPTION	UNIT PRICE	EXTENDED PRICE	ACCEPTED
2	CAT 6,000 lb. Capacity Tier 4 Final Compliant Diesel Pneumatic Tire Lift Truck	\$51,754.83	\$103,509.66	
	TAX		\$9,574.64	
	TOTAL		\$113,084.30	

TOTAL INCLUDES SOURCEWELL CONTRACT PRICING (CONTRACT # 091520-MCF).

FREIGHT, DELIVERY, TAX, AND PRE-DELIVERY INSPECTION INCLUDED WITH TOTAL.

DP30N5 WARRANTY

DP30N5 Standard Warranty - 12 Months, 2000 Hours Full Coverage; 24 Months, 4000 Hours Powertrain

LEAD TIME 38 WEEKS

The additional terms and conditions stated below are part of and incorporated in this agreement. This agreement shall not be considered enforceable until accepted by Holt and executed by its officer. Any individual signing this agreement represents and warrants that he/she is at least 18 years old and has the authority to bind customer to the terms of this agreement.

ACCEPTANCE AS CONTRACT OF SALE

Authorized agent understands and agrees to the Terms and Conditions as included with this Quote

CITY OF SANTA ROSA

ACCOUNTS PAYABLE

Holt of California

Authorized Agent Signature

Authorized Agent Signature

Date Signed

Date Signed

Printed name

Mike Arroyo

Printed name

Title/Position

Territory Sales Rep

Title/Position

Customer Purchase Order Number

Please consult with your accountant, tax professional, or equivalent to confirm characterization of equipment and tax implications. Other financing options and terms may be available (including financing sales tax). Please consult with your product specialist representative for additional financing options.