

# ORDINANCE AMENDING SECTIONS OF SANTA ROSA CITY CODE TITLE 15 – SEWERS

January 28, 2025

Santa Rosa City Council Meeting

Martin J. St. George, Environmental Compliance Supervisor



OUR FUTURE IN EVERY DRÖP

# Background

- EPA Pretreatment Program
  - 5 Million Gallon per Day (MGD) Water Reclamation Facility
  - Significant Industrial Users (SIU)
- Source control for industrial users
  - Inspection, sampling, permitting
  - Enforce Federal and local limits
  - Protect the collection system and staff
  - Monitor sites for stormwater concerns

# EPA Pretreatment Audit

- The City's program is part of the EPA Pretreatment Program
- State Water Resources Control Board must audit each program once every 5 years and inspect every 1 to 2 years in between
- Last audit was completed in 2022

# Reasons for Code Edits

- First proposed edit to Section 15-04.030 Definitions. (16) “Categorical user or categorical industrial user (CIU)”
  - Corrects 3 typographical errors in the definition
  - The first edit removes the space in “pretreatment”
  - The second and third edits correct the reference to the appropriate section of Federal Code

# Reasons for Code Edits

- Second proposed edit to Section 15-08.090  
Periodic Compliance Reports
  - Revised section clarifies that the Industrial User must report their self-monitoring no-less than twice per year unless the City performs the sampling and meter reads

# Reasons for Code Edits

- Third proposed edit to Section 15-08.620  
Recordkeeping
  - Requirement to document the use of best management practices as a part of recordkeeping

# RECOMMENDATION

It is recommended by the Board of Public Utilities and Santa Rosa Water, that Council, by ordinance, adopt amendments to sections of Santa Rosa City Code Title – 15 Sewers: 15-04.030 Definitions (16); 15-08.490 Periodic Compliance Reports; and 15-08.620 Recordkeeping.



OUR FUTURE IN EVERY DRÖP

# Questions?



OUR FUTURE IN EVERY DRÖP