RECEIVED

COMP. ROOF

Ω

0

S

()

#### ALL SCHEMES BELOW WITH WHITE WINDOWS

#### SCHEME



ELDORADO STONE TUNDRABRICK ASHLAND



BOARD & BATT

BENJAMIN MOORE OC-22 CALM



COMP. ROOF

GAF TIMBERLINE HD CHARCOAL

#### SCHEME 2



BENJAMIN MOORE

HC-154

HALE NAVY

BENJAMIN MOORE HC-168 CHELSEA GRAY



STONE

ELDORADO STONE FIELDLEDGE ANDANTE



BOARD & BATT

BENJAMIN MOORE OC-37 GLACIER WHITE



COMP. ROOF

GAF

BENJAMIN MOORE TIMBERLINE HD OC-45 PEWTER GRAY SWISS COFFEE

#### SCHEME 3



LAP SIDING

BENJAMIN MOORE HC-163 DUXBURY GRAY



ELDORADO STONE TUNDRABRICK CHALK DUST



BOARD & BATT

BENJAMIN MOORE OC-22 CALM



COMP. ROOF

GAF TIMBERLINE HD CHARCOAL

#### SCHEME 4



BRICK

ELDORADO STONE TUNDRABRICK IRONSIDE



TRIM

BENJAMIN MOORE HC-86 KINGSPORT GRAY



GAF TIMBERLINE HD CHARCOAL

#### SCHEMEI



STUCCO

STUCCO

BENJAMIN MOORE HC-84 ELMIRA WHITE



ELDORADO STONE

CUT COARSE MADRONA



BENJAMIN MOORE HC-87 ASHLEY GRAY

GAF TIMBERLINE HD CHARCOAL

### SCHEME 2





ELDORADO STONE

TUNDRABRICK LATIGO




BENJAMIN MOORE AF-150 COTSWOLD



TIMBERLINE HD MISSION BROWN

#### SCHEME 3



STUCCO


BENJAMIN MOORE

STUCCO

BENJAMIN MOORE

REVERE PEWTER

HC-172



CUT COARSE RIVER REFLECTIONS CANNONADE



ELDORADO STONE



BENJAMIN MOORE 1500 SWEET SPRING

COMP. ROOF

GAF TIMBERLINE HD PEWTER GRAY

#### SCHEME 4



STONE

ELDORADO STONE CUT COARSE SEASHELL



BENJAMIN MOORE HC-87 ASHLEY GRAY



GAF TIMBERLINE HD CHARCOAL

## BOARD & BATT BENJAMIN MOORE

OC-23 CLASSIC GRAY

#### @ 2022 Kichler Lighting LLC. All Rights Reserved.

#### **SPECIFICATIONS**

Cei	rtifi	icat	ions	Qual	lificat	tions

Title 24 Compliant Yes

www.kichler.com/warranty

**Dimensions** 

Base Backplate 5.50 X 8.25
Extension 8.50"
Weight 5.56 LBS
Height from center of Wall opening 3.75"

(Spec Sheet)

Height 15.00" Width 7.50"

**Electrical** 

Input Voltage Single(120)V

**Light Source** 

Delivered Lumens 875 Dimmable Yes

Dimmable Notes This LED is compatible with most

standard incandescent dimmers, LED dimmers, and electronic low voltage dimmers. For more

information, go to Kichler.com\dimming

Expected Life Span (Hours) 40000
Lamp Included Integrated
Light Source LED
Max or Nominal Watt 17.00
# of Bulbs/LED Modules 1

Mounting/Installation

Interior/Exterior Exterior
Location Rating Wet
Mounting Style Wall Mount
Mounting Weight 4.25 LBS

**Photometrics** 

Color Rendering Index 90
Color Temperature Range 3000
Kelvin Temperature 3000K

#### **FIXTURE ATTRIBUTES**

Housing

Diffuser Description Etched Seeded
Primary Material ALUMINUM
Shade Dimensions 7.50 SQ X 13.00

**Product/Ordering Information** 

SKU 49623BKTLED
Finish Textured Black
Style Transitional
UPC 783927458771

#### **Finish Options**

Textured Black



#### **ALSO IN THIS FAMILY**







BKTLED 49624BKTLED 49622Bk


## **STRUCTURE** - model: WS-W54

### **LED Outdoor**









Fixture Type:	
Catalog Numbe	er:
Project:	
Location:	

#### **PRODUCT DESCRIPTION**

A refreshing look for refined tastes. A raindrop glass cylinder suspended within in an architectural frame. Beautifully illuminated with LED down lighting for a magical appearance of crystallized effervescence. Dark sky orientation preserves observation of star filled skies.

#### **FEATURES**

- ETL & cETL listed for wet locations
- Clear seeded crystal
- · Dark sky friendly
- Universal driver (120V, 220V, 277V)
- · Integral universal driver located in canopy
- Replaceable LED module
- 70,000 hour rated life
- Color Temp: 3000K
- CRI: 90

#### **SPECIFICATIONS**

Construction: Aluminum raindrop glass cylinder

**Light Source:** High output LED

Dimming: Dims to 10% with an electronic low voltage (ELV) dimmer

Mounting: Mounts directly to junction box

Finish: Black (BK)

#### ORDER NUMBER

Model	Widt	h	Watt	LED Lumens	Delivered Lumens	Finis	sh
WS-W54	11 16	11" 16"		915 915	530 525	вк	Black

# WS-W54 - BK

Example: WS-W5416-BK

#### REPLACEMENT GLASS

Model	Fixture		
RPL-GLA-5411	WS-W5411		
RPL-GLA-5416	WS-W5416		