

PHOTOS FOR 1750 NORTHPOINT PARKWAY FENCE INSTALLATION:

EAST END VIEW WHERE FENCE WOULD ATTACH TO THE CORNER OF BUILDING AND EXTEND SOUTH 45' TO THE END OF PARKING LOT. THERE WILL BE A 20' GATE SLIDING FROM THE BUILDING SOUTHWARD. ON THE GATE, THERE WILL BE AN FIRE/EMERGENCY INTERIOR EGRESS AND EXTERIOR KNOX LOCK BOX.



THIS IS A VIEW OF THE SLOPPED AREA BEHIND THE PROPERTY THAT LEADS TO THE CREEK. IT IS A 50' SLOPE FROM THE ASPHALT AND CURBED AREA TO THE MARSHY PART OF THE MAN-MADE ROSELAND CREEK. IT IS 50:10 SLOPE. THE VEGETATION ON THE RIGHT SHOWS THE THICKNESS OF THE TREES AND BRUSH WHICH BLOCKS OUR NEIGHBORS VIEW OF OUR FACILITY.



THIS IS ANOTHER VIEW OF BEHIND THE PROPERTY. IT SHOWS THE ASPHALT AND CURBED AREA, THE DIRT AREA WHERE THE LANDSCAPING (TREES AND SHRUBS) ARE PLANTED, AND THEN THE GRASSY SLOPED AREA. THE FIRST STAND OF TREES THAT YOU SEE IN THE GRASSY AREA IS AT THE 25' MARK FROM THE ASPHALT AND CURBED AREA OF THE PROPERTY. THERE IS NO VIEW OF THE NEIGHBORS AS THIS AREA IS ALL OVERGROWN WITH TREES AND PLANTS.



EAST END VIEW WHERE THE FENCE WOULD ATTACH TO THE CORNER OF BUILDING AND EXTEND SOUTH 45' TO THE END OF PARKING LOT. THERE WILL BE A 20' GATE SLIDING FROM THE BUILDING SOUTHWARD. ON THE GATE, THERE WILL BE AN FIRE/EMERGENCY INTERIOR EGRESS AND EXTERIOR KNOX LOCK BOX.

THE BACKSIDE OF THE FENCE WOULD RUN 240' WHICH IS THE LENGTH OF THE BUILDING ALONG THE EDGE OF THE ASPHALT AND CURBED AREA RUNNING EAST/WEST.



THIS IS THE VIEW OF THE ASPHALT AND CURBED EDGE OF THE BACK OF THE PROPERTY. TREES WOULD BE LIMBED UP AND BUSHES WOULD BE TRIMMED TO ACCOMMODATE THE 6' FENCE.



THIS IS A PICTURE OF THE PROPOSED STYLE OF FENCE. TOP TO BOTTOM VIEW.

6' 1 1/2"
Tall from top
to bottom
of fence

