		I. ALL WORK S 2019 CALIFO (CEC), 2019 CODE (CPC)
		2019 CALIFO (CEC), 2019
		(CEC), 2019
		1 7.7.17-17-27
		2019 CALIFO
		STANDARDS CALIFORNIA
		ROSA.
		2. THE GENERA
		NECESSARY
		CONSTRUCTI FENCING, AD IMPROVEMEI
		IMPROVEMEI
		3. PRIOR TO C
		SUBCONTRA EXISTING BU
		SUBCONTRA EXISTING BU THE ARCHITI VERIFY LOC INCLUDING: I AND CABLE
		VERIFY LOC
		AND CABLE
		OWNER 48 H
		4. THE DESIGN,
		TEMPORARY HAS NOT BE
		HAS NOT BE CONTRACTO OF AFOREM
		EXISTING ST
		5. STRUCTURAL
		CONFORMAN EMPLOY A F
		EMPLOY A F OBSERVATION
		OBSERV/ATI/
		INSPECTION REQUIRING, S
		APPROVAL
		INSPECTION REQUIRING, S APPROVAL ENGINEER IS BE SUBMITTE OBSERVATION APPROVED
		OBSERVATION APPROVED
		ADDITION TO
		6. DRAWINGS
		DIMENSIONS
		6. DRAWINGS S DIMENSIONS DISCREPANO THE ARCHITI
		7. DETAILS NO CONDITIONS

GENERAL NOTES

- SHALL COMPLY WITH THE CALIFORNIA RESIDENTIAL CODE (CRC), THE ORNIA BUILDING CODE (CBC),THE 2019 CALIFORNIA ELECTRICAL CODE CALIFORNIA MECHANICAL CODE (CMC), 2019 CALIFORNIA PLUMBING , 2019 CALIFORNIA ENERGY EFFICIENCY STANDARDS CODE (CEES), ORNIA FIRE CODE (CFC), 2019 CALIFORNIA GREEN BUILDING 6 CODE (CGBS OR CALGREEN) AND ALL OTHER APPLICABLE CODES AND ALL REGULATIONS SET FORTH BY THE CITY OF SANTA
- AL CONTRACTOR AND SUB CONTRACTOR SHALL TAKE ALL PRECAUTIONS TO PROTECT THE FOLLOWING ITEMS DURING TION: EXISTING LANDSCAPING, TREES AND PLANT MATERIAL, ADJACENT DJACENT PROPERTIES, EXISTING STRUCTURES, UTILITIES AND OTHER ENTS INTENDED TO REMAIN.
- OMMENCING WORK, THE CONTRACTOR AND APPROPRIATE CTORS SHALL PERFORM A THOROUGH INSPECTION OF THE SITE AND JILDINGS TO VERIFY ALL EXISTING CONDITIONS AND SHALL NOTIFY ECT OF ANY DISCREPANCIES IN THE DRAWINGS. CONTRACTOR SHALL CATIONS OF ALL UTILITIES TO BE CAPPED, REMOVED, OR RELOCATED WATER, SEWER, GAS, ELECTRICAL, SUBSURFACE DRAINAGE, TELEPHONE . COORDINATE ANY UTILITY SHUT OFF WITH THE ARCHITECT AND HOURS PRIOR TO SHUTDOWN.
- , LAYOUT AND INSTALLATION OF BRACING SHORING , AND ALL Y SUPPORTS IS THE SOLE RESPONSIBILITY OF THE CONTRACTOR AND EN PROVIDED BY THE ARCHITECT OR THE STRUCTURAL ENGINEER. THE OR IS RESPONSIBLE FOR THE SAFE AND PROCESSIONAL INSTALLATION MENTIONED SUPPORT SYSTEMS AND FOR THE STABILITY OF THE TRUCTURE AT ALL TIMES DURING THE COURSE OF THE WORK.
- OBSERVATION SHALL BE REQUIRED BY THE ENGINEER FOR NCE WITH THE APPROVED STRUCTURAL PLANS. THE OWNER SHALL REGISTERED DESIGN PROFESSIONAL TO PERFORM STRUCTURAL ION AS DEFINED IN SECTION 1710 OF THE 2013 CBC. STRUCTURAL ION AND / OR SPECIAL INSPECTIONS ARE NOT A SUBSTITUTE FOR BY THE BUILDING OFFICIAL OR BUILDING INSPECTOR. ANY WORK SPECIAL INSPECTION THAT IS INSTALLED OR COVERED WITHOUT OF THE BUILDING OFFICIAL, THE SPECIAL INSPECTOR, AND THE DESIGN SUBJECT TO REMOVAL A LETTER, WET STAMPED AND SIGNED, MUST ED TO THE BUILDING OFFICIAL DESCRIBING THE SPECIFIC IONS THAT WERE MADE AND THE SPECIFIC STRUCTURAL WORK AND THAT THE CONSTRUCTION CONFORMS TO THE DESIGN. THIS IS IN O ALL MUNICIPAL REQUIRED INSPECTIONS.
- SHALL NOT BE SCALED. WRITTEN DIMENSIONS SHALL GOVERN.. ALL ARE TO FACE OF STUD UNLESS OTHERWISE NOTED. REPORT ANY ICIES FOUND BETWEEN THE DRAWINGS AND THE FIELD CONDITIONS TO ECT PRIOR TO PROCEEDING WITH WORK.
- OT FULLY SHOWN SHALL BE OF SAME NATURE AS OTHER SIMILAR

PROJECT STATISTICS

A. P. #: 180-750-048 ZONING: CG-HOCCUPANCY GROUPS: M CONSTRUCTION TYPE: VΒ

LOT AREA: EXISTING AREA:

FIRST FLOOR: 975 SQ. FT. 530 SQ. FT. SECOND FLOOR: 1,505 SQ. FT. TOTAL:

AREA TO BE REMOVED

O SQ. FT. FIRST FLOOR: SECOND FLOOR: 75 SQ. FT.

PROPOSED NEW AREA:

FIRST FLOOR: 975 SQ. FT. 455 SQ. FT. SECOND FLOOR: TOTAL: 1,430 SQ. FT.

PROJECT DESCRIPTION

7,884 SQ. FT.

THE PROJECT IS TO REPAIR THE EXISTING BUILDING AT 349 COLLEGE AVENUE FOR USE AS OFFICE SPACE FOR THE ADJACENT CANNABIS DISPENSARY AT 353 COLLEGE AVENUE. THE WORK WILL INCLUDE: I. THE REMOVAL OF THE SECOND FLOOR HALLWAY THAT WAS A LATER ADDITION TO THE BUILDING.

- 2. REPAIRS TO FIRE AND WATER DAMAGE TO THE INTERIOR AND EXTERIOR OF THE BUILDING.
- 3. REFURBISH INTERIOR AND EXTERIOR FINISHES AND COMPLETE DEFERRED MAINTENANCE.
- 4. REMOVAL OF THE CONCRETE WALL COVERING AT THE PORCH.
- 5. REPLACE DAMAGED WINDOWS AND EXTERIOR DOORS.
- 6. REPLACE ASPHALT SHINGLE ROOF.
- 7. REPAIR AND REPLACE ELECTRICAL, MECHANICAL AND PLUMBING.
- 8. CONVERT EXISTING SECOND FLOOR SPACE TO ATTIC SPACE WITH AN INTERNAL ATTIC ACCESS.

DRAWING INDEX

PROJECT STATISTICS / PROJECT DESCRIPTION / DRAWING INDEX A0.0

A0.1 SITE PLAN

PROPOSED FIRST FLOOR PLAN / SECOND FLOOR DEMOLITION PLAN /


PROPOSED SECOND FLOOR PLAN


A2.0 EXISTING ELEVATIONS PROPOSED ELEVATIONS

SITE PHOTOS / MATERIALS AND COLORS

BUILDING LIGHTING CUT SHEETS

LOCATION MAP






Revisions

RPS DE:
AND OT
DESIGN
REPROI
WHATS
PERMIX
PERMIX
OVER S:
OVER S:
DIMENS
THESE

 \gg

COLLEGE, NTA ROSA, CA REMODEL 349 san



SITE PLAN LEGEND (E) = EXISTING (N) = NEWCity of Santa Rosa CANNABIS 21+ Planning & Economic (E) ELECTRICAL POLE **Development Department** AND STREET LIGHT Jul 27, 2022 (E) ADJACENT BUILDING & (N) BUILDING RECEIVED ÀCCESS STAIRS TO SECURITY LIGHTS REMAIN (NOT IN SCOPE) NOTE: SEE REFLECTED CEILING PLAN FOR ADDITIONAL EXTERIOR (E) ASPHALT AREA PARKING LIGHTING NOT SHOWN HERE (E) FIRE HYDRANT (N) ASPHALT AREA PARKING ÀPPROX. 1,719 SF. (N) PARKING STALL STRIPING LAYOUT (E) CONCRETE PARKING PROPERTY LINE (N) CONCRETE / DRIVE PER STANDARD 250A PATH OF TRAVEL (E) SIDEWALK TO REMAIN

EXISTING TREES TO REMAIN -

SEE LANDSCAPE SHEET

ALL ON ADJACENT PROPERTIES

NO LOADING SPACE REQUIRED (PER SECTION 20-36.100 TABLE 3-8)

PARKING COUNT

COMMERCIAL CANNABIS FACILITY PARKING REQUIREMENTS

10 SPACES REQUIRED PER CUP RESOLUTION NO. 12065 A PARKING REDUCTION OF (3) SPACES SHALL BE ALLOWED

10 SPACES REQUIRED AND PROVIDED

8 PARKING SPACES PROVIDED

1 VAN ACCESSIBLE PARKING SPACE PROVIDED 1 SPACE REQUIRED (SEE BELOW)

10 PARKING SPACES REQUIRED & PROVIDED

1 SPACE REQUIRED

REQUIRED BICYCLE PARKING FOR SITE

MINIMUM (1) SPACE PER 5,000 SF- CLASS TWO 1 SPACE IS REQUIRED PER RESOLUTION NO. 12065 AND 4 SPACES

PLANNING DIVISION - GENERAL NOTES

A. COMPLIANCE WITH ALL APPLICABLE OPERATIONAL PROVISIONS OF ZONING CODE CHAPTER 20-46 IS REQUIRED.

B. COMPLIANCE WITH CITY GRAFFITI ABATEMENT PROGRAM STANDARDS FOR GRAFFITI REMOVAL (CITY CODE 10-17.080.)

C. THE BUILDING MATERIALS, ELEVATIONS, AND APPEARANCE OF THIS PROJECT, AS PRESENTED FOR ISSUANCE OF A BUILDING PERMIT SHALL BE THE SAME AS THAT APPROVED BY THE PLANNING COMMISSION. ANY FUTURE ADDITIONS, EXPANSIONS, REMODELING, ETC., WILL BE SUBJECT TO REVIEW AND APPROVAL OF THE PLANNING DIVISION.

D. NO SIGNS ARE APPROVED AS PART OF THIS CONDITIONAL USE PERMIT. ALL SIGNS REQUIRE A SEPARATE REVIEW PROCESS AND BOTH PLANNING AND BUILDING PERMITS.

E. EXTERIOR LIGHTING SHALL BE IN COMPLIANCE WITH ZONING CODE SECTION 20-30.080.

F. ALL ROOF APPURTENANCES, ACCESSORY EQUIPMENT, AND METERS SHALL BE TOTALLY SCREENED FROM PUBLIC VIEW BY AN ARCHITECTURAL DESIGN ELEMENT APPROVED BY THE DESIGN REVIEW BOARD OR PLANNING DIVISION.

G. A RESERVATION OF ACCESS EASEMENT FOR THE PROPOSED CIRCULATION SHALL BE RECORDED PRIOR TO ISSUANCE OF BUILDING

H. A RESERVATION COVENANT FOR OFF-SITE PARKING SHALL BE RECORDED PRIOR TO ISSUANCE OF BUILDING PERMITS.

I. AS IDENTIFIED IN THE W-TRANS FOCUSED TRAFFIC STUDY, DATED JULY 21, 2021, THAT 50% OR FIVE (5) PARKING SPACES SHALL INCLUDE SIGNING ON SITE INDICATING 30-MINUTE PARKING LIMITS FOR CUSTOMERS AND ENFORCED BY THE CANNABIS RETAIL

J. THE PROJECT SHALL PROVIDE 12 COVERED BICYCLE PARKING SPACES AS PROPOSED IN THE PROJECT DESCRIPTION.

K. TWO (2) PARKING SPACES ON THE PARCEL AT 349 COLLEGE AVE. SHALL BE DESIGNATED AND SIGNED AS RESERVED FOR THE EXISTING OFFICE USE. THESE RESERVATIONS OF PARKING SPACES MAY SPECIFY A TIMEFRAME FOR WHICH PARKING IS RESERVED SO THAT THE SPACES CAN BE USED BY CUSTOMERS VISITING 353 COLLEGE AVE. OUTSIDE OF RESERVED HOURS.

L. OBTAIN A MINOR LANDMARK ALTERATION PERMIT FOR REMOVAL OF THE PLANTER STRIP AND NEW PARKING AREA ON THE PROPERTY LOCATED AT 349 COLLEGE AVENUE, TO ACCOMMODATE THE PROPOSED ONSITE CIRCULATION.

M. AS REQUESTED BY THE RIDGWAY HISTORIC PRESERVATION DISTRICT NEIGHBORHOOD ASSOCIATION, THE PROJECT SHALL REPAINT

N. EMPLOYEE PARKING SHALL BE ENCOURAGED AT OFFSITE LOCATIONS THAT ARE NOT ON PUBLIC STREETS ADJACENT TO THE

O. ALL CANNABIS PRODUCT DELIVERIES TO THE DISPENSARY SHALL BE LIMITED TO THE HOURS OF 6 A.M. TO 10 P.M. DAILY.

SITE PLAN KEYNOTES # (EX) = EXISTING (N) = NEW

18 (N) BOLLARDS, SEE DETAIL 9 / A6.2

1	(EX) EXISTING 4'-2" OVERHEAD SIGNAGE CANOPY
2	(4) BICYCLE PARKING SPACES - COVERED BY A 4'-2" EXISTING OVERHEAD CANOPY.
3	TRASH BINS: OWNER TO SUPPLY REGULAR AND RECYCLE TRASH BINS WITH BUILT IN LIDS. COORDINATE BIN SIZE AND LOCATION WITH GENERAL CONTRACTOR TO ENSURE PROPER CURB SITE CONFIGURATIONS FOR BINS.
4	DEMO EXISTING FENCING AND ALL ASSOCIATED COMPONENETS AND PROVIDE NEW 6 FOOT TALL x 8 FOOT LONG CEDAR LATTICE TOP PRIVACY SPACED PICKET FENCING BY LOWES OR EQUAL. PROVIDE 4x4 PRESSURE TREATED WOOD POSTS AT PANEL EDGES SEE DETAILS. PROVIDE 4x4 PRESURE TREATED WOOD POST @ 4' - 0" MAX, ENTIRE LENGTH OF FENCING
5	(EX) PAVING TO REMAIN, PATCH / REPAIR AS NEEDED AND PROVIDE NEW SLURRY SEAL COATING. RESTRIPE ENTIRE PAVING AREA AS INDICATED.
6	(N) PLANTER AREA - SEE SITE DETAIL SHEET FOR TYPICAL CONCRETE CURB DETAIL
7	(N) HANDICAP PARKING STALL, SEE DETAIL 3 / A0.3B
8	(EX) GAS METER
9	(N) ADA SIGNAGE AT PARKING STALL PER DETAIL 2 / A0.3B
10	(N) VAN ACCESSIBLE ELECTRIC VEHICLE FUTURE CHARGING STATION - PROVIDE 1" CONDUIT & PULLSTRING FOR FUTURE EVCS STATIONS. SEE ELECTRICAL SITE PLAN GENERAL CONTRACTOR TO PROVIDE UNDERGROUND CONDUIT & PULL STRING FOR INSTALLATION. OPERABLE PARTS AND POINT-OF-SALE DEVICES SHALL BE COMPLIANT WITH ACCESSIBLE FRONT / SIDE APPROACH REQUIREMENTS AS PER CBC 11B-309, FIGURES 11B-308.2.1 AND 11B-308.3.1. ALL REQUIRED PAINTING AND SIGNAGE SHALL BE PER CITY OF SANTA ROSA STANDARDS, REFER TO DETAIL 5 / A0.3B
11	(EX) BUILDING ELECTRICAL EQUIPMENT, SEE ELECTRICAL DRAWINGS
12	(N) CONCRETE WHEEL STOPS PER DETAIL 10 / A0.3B
13	(N) NO LINGERING/ LOITERING SIGNAGE - OBTAIN SIGNAGE FROM THE SHERIFF'S DEPARTMENT

Date: 7-20-22 Sheet


RPS [
AND (
AND (
BERN
WHAI
PART
PERM
RESP
RESP
RESP
DIMEI


AVE


349 COLLEGE / SANTA ROSA, CA REMODEL




Drawn:











Drawn: Date: 7-20-22



Revisions By

RPS DESIGN, HEREBY RESERVES ITS COMMON LAW COPYRIGHTS
AND OTHER PROPERTY RIGHTS IN THESE PLANS, IDEAS AND
DESIGN, THESE IDEAS, DESIGNS AND PLANS ARE NOT TO BE
REPRODUCED, CHANGED OR COPIED IN ANY FORM OR MATTER
WHATSOEVER, NOR ARE THEY TO BE ASSIGNED TO ANY THIRD
PARTY WITHOUT FIRST OBTANING THE EXPRESS WAITTEN
PERMISSION AND CONSENT AND APPROPRAITE COMPENSATION TO
RPS DESIGN, WRITTEN DIMENSIONS SHALL HAVE PRECEDENCE
OVER SCALE DIMENSIONS, CONTRACTOR SHALL VERIFY AND BE
RESPONSIBLE FOR DIMENSIONS AND CONDITIONS OF THE JOB AND
RPS DESIGN, BE NOTIFIED IN WRITING OF ANY VARIATION FROM THE
DIMENSIONS, CONDITIONS AND SPECHICATIONS APPEARING ON
THESE PLANS, THESE PLANS SHALL BE RETURNED UPON REQUEST.

VE

REMODEL TO
349 COLLEGE AVE
SANTA ROSA, CA
APP

rO BOX 111 UNITAS, CALIFORNIA 94938 (415) 314-0525 rpsuttman@rpsdesign.net


design

EVATIONS

b No:

Job No:
Drawn:
Date: 7-20-22

A2.0




RPS DESIGN, HEREBY RESERVES ITS COMMON LAW AND OTHER PROPERTY RIGHTS IN THESE PLANS, ILD DESIGN. THESE IDEAS, DESIGNS AND PLANS ARE NEPRODUCED, CHANGED OR COPIED IN ANY FORM WHATSOEVER, NOR ARE THEY TO BE ASSIGNED TO PARTY WITHOUT FIRST OBTAINING THE EXPRESS W PERMISSION AND CONSENT AND APPROPRATE CO RPS DESIGN, WRITTEN DIMENSIONS SHALL VERSPONSELE FOR DIMENSIONS AND CONDITIONS OVER SCALE DIMENSIONS. CONTRACTOR SHALL VERSPONSELE FOR DIMENSIONS AND CONDITIONS RPS DESIGN, BE NOTHED IN WRITING OF ANY VARIATIONS AND SPECIFICATIONS AND THESE PLANS. THESE PLANS SHALL BE RETURNED IT THESE PLANS. THESE PLANS SHALL BE RETURNED


349 COLLEGE AVE SANTA ROSA, CA REMODEL .

Job No: Drawn:

Date: 7-20-22 Sheet








SOUTH ELEVATION WEST ELEVATION





EAST ELEVATION



CEDAR SHINGLE SIDING



GRAY ASHPALT SHINGLE ROOF

CEDAR SHINGLE SIDE

Revisions By

File

SIGN, HEREBY RESERVES ITS COMMON LAW COPYRIGHT THER PROPERTY RIGHTS IN THESE PLANS, IDEAS AND IT HESE PLANS, IDEAS AND IT HESE DICKS, DESIGNS AND PLANS ARE NOT TO BE DUCED, CHANGED OR COPIED IN ANY FORM OR WATTER OEVER, NOR ARE THEY TO BE ASSIGNED TO ANY THIRD WITHOUT FIRST OBTAINING THE EXPRESS WRITTEN SISION AND CONSENTATE COMPENSATION SIGN, WRITTEN DIMENSIONS SHALL HAVE PRECEDENCE ICALE DIMENSIONS. CONTRACTOR SHALL VERIFY AND BE SUBBLE FOR DIMENSIONS AND CONDITIONS OF THE JOB AS SIGN, BE NOTIFIED IN WRITING OF ANY VARATION FROM SIGN, CENTIFICED IN WRITING OF ANY VARATION FROM SIGN, CENDITIONS AND SPECIFICATIONS APPEARING OF THE JOB AS SIGNS, CONDITIONS AND SPECIFICATIONS APPEARING OF THE JOB AS SIGNS, CONDITIONS AND SPECIFICATIONS APPEARING OF THE JOB AS SIGNS, CONDITIONS AND SPECIFICATIONS APPEARING OF

DESIGN, THESE IDEAS, DESIGNS AND PREPROPER IN A MENTAL PROPER A MENTAL PROPER OR COPIED IN WHATSOEVER, NOR ARE THEY TO BE A WHATSOEVER, NOR ARE THEY TO BE A PARTY WITHOUT FIRST OBTAINING THE PERMISSION AND CONSENT AND A PERMISSION AND CONSENT AND A PERMISSION AND CONSENT AND A PERMISSION SECRETARY OF RESPONSIBLE FOR DIMENSIONS, AND CRESTON SECRETARY OF THESE PLANS SHALL BE THESE PLANS SHALL BE

9 COLLEGE AVE

(415) 314-0525 @rpsdesign.net

rpsuttman@

design b c e e


MATERIALS /

Job No: Drawn: Date: 6-3-22

Date: 6-3

A3.0

TRIM COLOR - SHERWIN WILLIAMS SHELL WHITE



PORCH CEILING MOUNTED FIXTURES

COMMENT

19054 28TH AVENUE SURREY - BC V3Z 6M3

WWW.KUZCOLIGHTING.COM



_ CATALOG NUMBER:_ _ FIXTURE SCHEDULE:_

Full Cutoff Wall Pack

The Full Cutoff Wall Pack is designed to cast the light down and reduce light spread. It has a tempered glass lens that will resist yellowing over time. It is wet location rated for mounting outside along the sides of buildings, schools, garages and other structures.




Applications Tempered glass lens, non-yellowing Building façade 0-10V dimming standard Carports • ETL, DLC Listed Loading areas IP65 Rated Driveways • 120-277V Parking areas • CRI: >70 • CCT: 4000K or 5000K Life: 50000 Hours Warranty: 5 Years Lumens: o 45W = 5500 o 60W = 6900

WareLight Full Cutoff Wall Pack							
Model	Wattage	ССТ	Voltage	Generation			
WLFC	45W	4000K	MV (120-277V)	G2			
	60W	5000K					
	75W						
	90W						

o 75W = 8800

o 90W = 11000







Warehouse-Lighting.com 2750 South 163rd St New Berlin, WI 53151

Warehouse-Lighting.com Phone: 888-454-4480 info@warehouse-lighting.com

EXTERIOR WALL MOUNTED AREA LIGHT FIXTURES

RPS DESIGN, HAND OTHER PRAND OTHER PREPRODUCED.
WHATSOBORD PERMISSION A PERMISSION A RPS DESIGN, WOVER SCALE DRANDONSIONE, THESE PLANS.

349 COLLEGE AVE SANTA ROSA, CA REMODEL '

Drawn: Date: 7-20-22