RESOLUTION NO. RES-2018-081

RESOLUTION OF THE COUNCIL OF THE CITY OF SANTA ROSA AMENDING THE GENERAL PLAN TO UPDATE THE TEXT AND FIGURES OF THE PUBLIC SERVICES AND FACILITIES ELEMENT TO REFLECT THE FIRE DEPARTMENT'S UPDATED LONG-TERM STATION LOCATION PLAN, INCLUDING THE LOCATION OF FIRE STATIONS #5, #8 AND #9, AND THE REMOVAL OF TWO RINCON VALLEY FIRE PROTECTION DISTRICT FACILITIES FROM FIGURE 6-3 OF THE GENERAL PLAN - FILE NUMBER PRJ17-061

WHEREAS, on April 12, 2018, the Planning Commission conducted a duly noticed public hearing in consideration of a General Plan Amendment to update text and figures of the Emergency Services and Facilities Element to reflect the Fire Department's updated long-term station location plan, including the locations of Fire Stations #5, #8 and #9, and the removal of two Rincon Valley Fire Protection District facilities from Figure 6-3; and

WHEREAS, the staff of the Planning and Economic Development Department conducted an analysis and rendered an environmental determination that the proposed General Plan Amendment would not have significant effects on the environment because it does not have the potential for resulting in either a direct physical change in the environment, or a reasonably foreseeable indirect physical change in the environment, pursuant to CEQA Guidelines section 15061(b)(3); and

WHEREAS, the staff of the Planning and Economic Development Department finds justification for amending the General Plan text and figures based on the changed conditions of the City detailed in the 2016 Standards of Coverage and Deployment Plan, prepared by the Santa Rosa Fire Department, and to further General Plan goals and policies related to public services and facilities including reduced emergency response times; and

WHEREAS, on April 12, 2018, the Planning Commission found that the General Plan Amendment will not have a significant effect on the environment and adopted Resolution No. 11892, recommending that the City Council approve a General Plan Amendment to update text and figures of the Emergency Services and Facilities Element to reflect the Fire Department's updated long-term station location plan, including the locations of Fire Stations #5, #8 and #9, and the removal of two Rincon Valley Fire Protection District facilities from Figure 6-3; and

WHEREAS, the City Council finds that a General Plan Amendment to revise text and exhibits in the emergency services and facilities element is justified to achieve the objectives and policies of the General Plan in that:

- A. The proposed amendment ensures and maintains internal consistency with the goals and policies of all elements of the General Plan by improving response times for emergency services.
- B. The proposed amendment would not be detrimental to the public interest, health, safety, convenience, or welfare of the City because it will enhance public safety response times.

- C. The proposed project does not identify specific sites for new development. Therefore, the finding pertaining to site suitability considerations including access, the absence of physical constraints, compatibility, and provision of utilities, is not applicable to this project.
- D. The proposed project has been reviewed in compliance with the California Environmental Quality Act (CEQA), and the proposed project will not result in either a direct physical change in the environment, or a reasonably foreseeable indirect physical change in the environment, pursuant to CEQA Guidelines section 15061(b)(3). The action addresses planned future development outlined in the General Plan, identifies a general area for the location of future fire stations, and does not result in any change to the existing environment. The new fire station locations have not been determined, nor has property been acquired, and development of the future station will require separate CEQA review.

WHEREAS, the proposed General Plan Amendment is part of the Spring 2018 package, which is one of the three General Plan amendments allotted to the City per year.

NOW, THEREFORE, BE IT RESOLVED that, based on the foregoing, the Council of the City of Santa Rosa hereby approves a General Plan Amendment to update the text and figures in the Public Services and Facilities Element to reflect the Fire Department's updated long-term station location plan, including the locations of Fire Stations #5, #8 and #9, and the removal of two Rincon Valley Fire Protection District facilities from Figure 6-3, in the form set forth in Exhibit "A" to this resolution.

IN COUNCIL DULY PASSED this 22nd day of May 2018.

AYES:	(6) Mayor Coursey, Vice Ma Sawyer, Schwedhelm, Ti	•	rs Olivares,
NOES:	(1) Council Member Combs		
ABSENT:	(0)		
ABSTAIN:	(0)		
ATTEST:		APPROVED:	
	City Clerk		Mayor
APPROVED AS TO FORM:			
City Attorney			

Exhibit A – Revisions to the General Plan Public Services and Facilities Element

Exhibit 'A' REVISIONS TO THE GENERAL PLAN PUBLIC SERVICES AND FACILITIES ELEMENT

1. General Plan, 6-5 Fire Protection

Amend text of Page 6-8 to read as follows:

The city operates ten fire stations —including the Roseland contract station—which are strategically located throughout the community to provide timely response.

2. General Plan, 6-10 Goals and Policies, Police and Fire

Amend text of Page 6-20 to read as follows:

- PSF-E-6 Develop a new fire station in southeast Santa Rosa The City has a site for a station on the south side of Kawana Springs Road just east of Petaluma.
- PSF-E-7 To better serve the community, move the <u>temporary</u> fire station on Parker Hill Road to a new location <u>near Fountaingrove Parkway and Parker Hill Roadin</u> the Fountaingrove area, and move the fire station on Burbank Avenue to a new location <u>near Sebastopol Road and Timothy Roadin</u> the Roseland area.

3. Figure 6-3: Fire Facilities

Replace Figure 6-3 with the following new figure:

