# ROUND BARN VILLAGE

SANTA ROSA 6 -

## PRELIMINARY DESIGN REVIEW EXTERIOR COLOR/MATERIAL DESIGN

NOVEMBER 5, 2018







## Exterior Color + Material Specifications

These color / material specifications and creative design concepts are the intellectual property of AT Design Consulting, a California Corporation.

This creative work is privileged, confidential, and exempt from disclosure under applicable law. The use of these materials is restricted.

These materials are intended for the use within this specific project only during the course of development and may not be used for any other reason without the expressed written authorization of AT Design Consulting, Inc.

AT Design Consulting, Inc. is responsible for aesthetic choices. All colors and materials listed are for color purposes only. Manufacturer for all products will be designated and appointed by Client.

All unauthorized use, dissemination, distribution, or reproduction of these materials is strictly prohibited. Any unauthorized use, dissemination, distribution or reproductions will be prosecuted to the full extent of the law.

© AT Design Consulting, Inc.




SIIE PLAN	4
ELEVATION PLOTTING	5
COLOR SCHEME POTTING	6
PAINT & MISCELLANEOUS ITEMS	17
EXTERIOR COLOR/MATERIAL SPECIFICATIONS	8
Scheme 1	8
Scheme 2	17
Scheme 3	26
Scheme 4	35
EXTERIOR FIXTURE SPECIFICATIONS	44
Exterior Light Fixtures	44
Address Numbers	46




**ROUND BARN VILLAGE** 

















All paint to be Sherwin Williams, unless otherwise stated differently.

PAINT APPLICATION

Typical, all paint colors should finish in inside corners.

Fascia boards, overhangs, eaves, headers, etc. should be painted their specifically designated colors with the color being applied on all

sides of each item, including the undersides.

**NON-DECORATIVE ITEMS** 

All non-decorative items such as meter doors, non-decorative vents,

etc. to be painted the same color as the adjacent field color.





## **SCHEME 1**

	ITEM	MANUFACTURER	COLOR & NAME
	Body 1 (stucco)	Omega Products International (to match Sherwin Williams paint)	10 (7757, High Reflective White)
	Body 2 (stucco)	Omega Products International (to match Sherwin Williams paint)	1154 (7542, Naturel)
	Body 3 (siding & roof access ladder)	Sherwin Williams	7053, Adaptive Shade
	Accent Body	Sherwin Williams	6171, Chatroom
	<b>Trim</b> (Wood Trims, Fascias, Window/Door Trim, Posts, Beams, Brackets, Corbels, Etc.)	Sherwin Williams	7757, High Reflective White
	Entry Door	Sherwin Williams	7069, Iron Ore
ors	Downspouts & Scuppers	Paint to match adjacent Body color	
Pre-Coated Colors from Manufacturer	Garage Doors	Wayne Dalton	TBD
	Windows	Milgard	White
Ö E	Decking	UPI (Urethane Polymers International)	Castle Gray
Pre	Roof - Asphalt Shingle	Certainteed: Landmark	Moire Black
	Stone	Eldorado Stone: Cut Coarse	Custom #1496
		<b>Bonding Surface:</b> All surfaces must be clean, free of any dirt, loose debris to create an even and flat surface for stone installation.	
a e		Stone Lay-Up: Dry-stack stones in a tight hor	izontal orientation.
Stone	Stone Layup	<b>Stone Joints:</b> Mortar to be used for levelling and adhering purposes only. Mortar should not be visible and stone shadows should read strong.	
		<b>Stone Face:</b> Stone face should remain clean, not mortar washed or sponged. DC NOT cover stone face with mortar.	
		See sample image to left.	





## **SCHEME 1**



ROUND BARN VILLAGE







#### Elevation A





**Elevation B** 

**ROUND BARN VILLAGE** 



AT DESIGN



#### **Elevation C**

COLORS MAY VARY DUE TO SCREEN RESOLUTION AND OR ON PRINTED MATERIAL REFER TO ACTUAL PAINT CHIPS AND MATERIALS FOR COLORS ACCURACY







**FRONT** 

**Elevation C** 

**ROUND BARN VILLAGE** 



AT DESIGN CONSULTING

## **BUILDING 400 - Scheme 1**



REAR



#### **Elevation C**

**ROUND BARN VILLAGE** 







**FRONT** 

**Elevation B** 

COLORS MAY VARY DUE TO SCREEN RESOLUTION AND OR ON PRINTED MATERIAL. REFER TO ACTUAL PAINT CHIPS AND MATERIALS FOR COLOR ACCURACY.

ROUND BARN VILLAGE

DESIGN
City Ventures

AT DESIGN CONSULTING



REAR



#### **Elevation B**

COLORS MAY VARY DUE TO SCREEN RESOLUTION AND OR ON PRINTED MATERIAL. REFER TO ACTUAL PAINT CHIPS AND MATERIALS FOR COLOR ACCURACY

**ROUND BARN VILLAGE** 





## **SCHEME 2**

	ITEM	MANUFACTURER	COLOR & NAME
	Body 1 (stucco)	Omega Products International (to match Sherwin Williams paint)	10 (7757, High Reflective White)
	Body 2 (stucco)	Omega Products International (to match Sherwin Williams paint)	1154 (7542, Naturel)
	Body 3 (siding & roof access ladder)	Sherwin Williams	7622, Homburg Gray
	Accent Body	Sherwin Williams	6123, Baguette
	<b>Trim</b> (Wood Trims, Fascias, Window/Door Trim, Posts, Beams, Brackets, Corbels, Etc.)	Sherwin Williams	7757, High Reflective White
	Entry Door	Sherwin Williams	7069, Iron Ore
ors	Downspouts & Scuppers	Paint to match adjacent Body color	
Pre-Coated Colors from Manufacturer	Garage Doors	Wayne Dalton	TBD
	Windows	Milgard	White
	Decking	UPI (Urethane Polymers International)	Castle Gray
Pre	Roof - Asphalt Shingle	Certainteed: Landmark	Moire Black
	Stone	Eldorado Stone: Cut Coarse	Custom #1496
		<b>Bonding Surface:</b> All surfaces must be clean create an even and flat surface for stone ins	
a e		Stone Lay-Up: Dry-stack stones in a tight hor	izontal orientation.
Stone	Stone Layup	<b>Stone Joints:</b> Mortar to be used for levelling and adhering purposes only. Mortar should not be visible and stone shadows should read strong.	
		<b>Stone Face:</b> Stone face should remain clean, not mortar washed or sponged. DO NOT cover stone face with mortar.	
		See sample image to left.	





## SCHEME 2



ROUND BARN VILLAGE







#### **Elevation A**

COLORS MAY VARY DUE TO SCREEN RESOLUTION AND OR ON PRINTED MATERIAL REFER TO ACTUAL PAINT CHIPS AND MATERIALS FOR COLOR ACCURACY







**Elevation B** 

COLORS MAY VARY DUE TO SCREEN RESOLUTION AND OR ON PRINTED MATERIAL REFER TO ACTUAL PAINT CHIPS AND MATERIALS FOR COLOR ACCURACY







#### **Elevation C**

COLORS MAY VARY DUE TO SCREEN RESOLUTION AND OR ON PRINTED MATERIAL REFER TO ACTUAL PAINT CHIPS AND MATERIALS FOR COLOR ACCURACY







**FRONT** 

#### **Elevation C**

COLORS MAY VARY DUE TO SCREEN RESOLUTION AND OR ON PRINTED MATERIAL. REFER TO ACTUAL PAINT CHIPS AND MATERIALS FOR COLOR ACCURACY





## **BUILDING 400 - Scheme 2**



REAR



#### **Elevation C**

COLORS MAY VARY DUE TO SCREEN RESOLUTION AND OR ON PRINTED MATERIAL REFER TO ACTUAL PAINT CHIPS AND MATERIALS FOR COLOR ACCURACY

ROUND BARN VILLAGE







**FRONT** 

**Elevation B** 

COLORS MAY VARY DUE TO SCREEN RESOLUTION AND OR ON PRINTED MATERIAL. REFER TO ACTUAL PAINT CHIPS AND MATERIALS FOR COLOR ACCURACY

ROUND BARN VILLAGE

City Ventures



## **BUILDING 500 - Scheme 2**



REAR



#### Elevation B

COLORS MAY VARY DUE TO SCREEN RESOLUTION AND OR ON PRINTED MATERIAL. REFER TO ACTUAL PAINT CHIPS AND MATERIALS FOR COLOR ACCURACY.

**ROUND BARN VILLAGE** 





## SCHEME 3

	ITEM	MANUFACTURER	COLOR & NAME
	Body 1 (stucco)	Omega Products International (to match Sherwin Williams paint)	10 (7757, High Reflective White)
	Body 2 (stucco)	Omega Products International (to match Sherwin Williams paint)	1154 (7542, Naturel)
	Body 3 (siding & roof access ladder)	Sherwin Williams	7046, Anonymous
	Accent Body	Sherwin Williams	6214, Underseas
	<b>Trim</b> (Wood Trims, Fascias, Window/Door Trim, Posts, Beams, Brackets, Corbels, Etc.)	Sherwin Williams	7757, High Reflective White
	Entry Door	Sherwin Williams	7069, Iron Ore
ors	Downspouts & Scuppers	Paint to match adjacent Body color	
Pre-Coated Colors from Manufacturer	Garage Doors	Wayne Dalton	TBD
	Windows	Milgard	White
Ö E	Decking	UPI (Urethane Polymers International)	Castle Gray
Pre	Roof - Asphalt Shingle	Certainteed: Landmark	Moire Black
	Stone	Eldorado Stone: Cut Coarse	Custom #1496
		<b>Bonding Surface:</b> All surfaces must be clean, free of any dirt, loose debris to create an even and flat surface for stone installation.	
a e		Stone Lay-Up: Dry-stack stones in a tight hor	izontal orientation.
Stone	Stone Layup	<b>Stone Joints:</b> Mortar to be used for levelling and adhering purposes only. Mortar should not be visible and stone shadows should read strong.	
		<b>Stone Face:</b> Stone face should remain clean, not mortar washed or sponged. DC NOT cover stone face with mortar.	
	<b>一种一种</b>	See sample image to left.	





## SCHEME 3



**ROUND BARN VILLAGE** 







#### **Elevation A**

COLORS MAY VARY DUE TO SCREEN RESOLUTION AND OR ON PRINTED MATERIAL. REFER TO ACTUAL PAINT CHIPS AND MATERIALS FOR COLOR ACCURACY.







#### **Elevation B**

COLORS MAY VARY DUE TO SCREEN RESOLUTION AND OR ON PRINTED MATERIAL REFER TO ACTUAL PAINT CHIPS AND MATERIALS FOR COLOR ACCURACY

ROUND BARN VILLAGE

City Ventures

AT DESIGN



#### **Elevation C**







**FRONT** 

**Elevation C** 

**ROUND BARN VILLAGE** 



AT DESIGN CONSULTING



REAR



#### **Elevation C**

**ROUND BARN VILLAGE** 







**FRONT** 

**Elevation B** 









REAR



#### **Elevation B**

**ROUND BARN VILLAGE** 





## SCHEME 4

	ITEM	MANUFACTURER	COLOR & NAME
	Body 1 (stucco)	Omega Products International (to match Sherwin Williams paint)	10 (7757, High Reflective White)
	Body 2 (stucco)	Omega Products International (to match Sherwin Williams paint)	1154 (7542, Naturel)
	Body 3 (siding & roof access ladder)	Sherwin Williams	7060, Attitude Gray
	Accent Body	Sherwin Williams	0040, Roycroft Adobe
	<b>Trim</b> (Wood Trims, Fascias, Window/Door Trim, Posts, Beams, Brackets, Corbels, Etc.)	Sherwin Williams	7757, High Reflective White
	Entry Door	Sherwin Williams	7069, Iron Ore
ors	Downspouts & Scuppers	Paint to match adjacent Body color	
Pre-Coated Colors from Manufacturer	Garage Doors	Wayne Dalton	TBD
	Windows	Milgard	White
	Decking	UPI (Urethane Polymers International)	Castle Gray
	Roof - Asphalt Shingle	Certainteed: Landmark	Moire Black
	Stone	Eldorado Stone: Cut Coarse	Custom #1496
		<b>Bonding Surface:</b> All surfaces must be clean, free of any dirt, loose debris to create an even and flat surface for stone installation.	
9		Stone Lay-Up: Dry-stack stones in a tight ho	rizontal orientation.
Stone	Stone Layup	<b>Stone Joints:</b> Mortar to be used for levelling and adhering purposes only. Moshould not be visible and stone shadows should read strong.	
		<b>Stone Face:</b> Stone face should remain clean, not mortar washed or sponged. D NOT cover stone face with mortar.	
		See sample image to left.	





## SCHEME 4



ROUND BARN VILLAGE







#### **Elevation A**

COLORS MAY VARY DUE TO SCREEN RESOLUTION AND OR ON PRINTED MATERIAL REFER TO ACTUAL PAINT CHIPS AND MATERIALS FOR COLOR ACCURACY







#### **Elevation B**





#### **Elevation C**







**FRONT** 

#### **Elevation C**

COLORS MAY VARY DUE TO SCREEN RESOLUTION AND OR ON PRINTED MATERIAL. REFER TO ACTUAL PAINT CHIPS AND MATERIALS FOR COLOR ACCURACY

ROUND BARN VILLAGE



AT DESIGN CONSULTING

## **BUILDING 400 - Scheme 4**



REAR



#### **Elevation C**

COLORS MAY VARY DUE TO SCREEN RESOLUTION AND OR ON PRINTED MATERIAL. REFER TO ACTUAL PAINT CHIPS AND MATERIALS FOR COLOR ACCURACY.

ROUND BARN VILLAGE







**FRONT** 

**Elevation B** 

COLORS MAY VARY DUE TO SCREEN RESOLUTION AND OR ON PRINTED MATERIAL. REFER TO ACTUAL PAINT CHIPS AND MATERIALS FOR COLOR ACCURACY







REAR



#### **Elevation B**

COLORS MAY VARY DUE TO SCREEN RESOLUTION AND OR ON PRINTED MATERIAL. REFER TO ACTUAL PAINT CHIPS AND MATERIALS FOR COLOR ACCURACY

ROUND BARN VILLAGE





#### **TOWNHOMES**

#### at FRONT ENTRIES & GARAGES



MANUFACTURER: Troy Lighting FAMILY: Mission Beach

PRODUCT SKU: B6352

FINISH: Textured Black

BULB: Use LED (not included)

WIDTH: 7.5" HEIGHT: 19.5"

#### at PATIO DOORS & SIDE ELEVATIONS



MANUFACTURER: Troy Lighting
FAMILY: Mission Beach

PRODUCT SKU: B6351

FINISH: Textured Black

BULB: Use LED (not included)

WIDTH: 6'' HEIGHT: 13.5"

AT DESIGN CONSULTING

#### LANDSCAPE LIGHTING

#### **POLE LIGHTING**



MANUFACTURER: US Architectural Lighting

FIXTURE: DSAPM25

POLE ARM: XPK
ARM WIDTH: 24"
ARM HEIGHT: 42"

POLE HEIGHT: TBD by Electrical Engineer COLOR/FINISH: RAL9005-S, Black Smooth FIXTURE SIZE: TBD by Electrical Engineer

#### **BOLLARD LIGHTING**



MANUFACTURER: US Architectural Lighting

FIXTURE: CLXB

COLOR/FINISH: RAL9005-S, Black Smooth

OPTICS: PG, Prismatic Glass WIDTH: 16" (8" Dia. Post)

HEIGHT: 42"





## 0123456789

MANUFACTURER: Modern House Numbers

TYPE FACE: SoHo

MATERIAL: Brushed Aluminum

NUMBER HEIGHT: 4"
STANDOFF: 1/2"
COLOR: Black

