

BECKY DUCKLES
CONSULTING ARBORIST & LANDSCAPE ADVISOR
SEBASTOPOL, CA
707.829.0555 PH

EMERALD ISLE—Santa Rosa CA
ARBORIST'S REPORT SUMMARY & ADDENDUM

May 17, 2019 and August 20, 2019

This document incorporates the previously submitted summary dated May 17, 2019, with some clarifications defining the assignment. The purpose of this addendum to the original summary dated May 17, 2019 is to provide clearer descriptions and parameters of the scope of the tree survey for the Emerald Isle project.

The project site is 12.57 acres consisting of two parcels on gently sloping hills with some steeper areas. The proposed development area, including buildings, parking, access and landscaping comprises approximately 6.75 acres. The perimeter of the site is roughly 5.82 acres of natural open space, with predominantly native oak trees and other vegetation. The 927 trees included in this survey and inventory are mostly within the proposed development area of the site, and the purpose of the report is to provide information about their species, status, size, viability and potential impact from proposed construction. Some trees at the edges of grading or other construction activity or near property lines that may be potentially impacted are included.

The trees on the whole project site vary widely in their condition. The Tubbs fire swept through this area in October 2017, though many existing oaks remain undamaged. They were initially inventoried in 1999, and were re-evaluated in 2007, 2013 and December 2016, as well as November 2018 after the fires to assess their current condition and viability.

Trees which have now reached the 4" threshold for protection within the construction zone, on the development site have been added; numbered and tagged on site and included in the latest inventory.

The accompanying arborist's report provides an inventory and evaluations of all trees 4" diameter and larger (at 54" above grade, unless noted otherwise) which might be impacted by proposed construction within the development area, on the site of the Emerald Isle project in Santa Rosa, California. Trees with diameters of 4" and larger are the threshold in the City of Santa Rosa's Tree Protection Ordinance for inclusion in arborist's inventories and tree protection guidelines. All trees of that size, whether the species is protected in the City's ordinance or not, have been included for completeness.

Tree locations are based on the Tree Protection Plan, dated February 2019, incorporating the most current revisions to the site plan prepared by Brelje & Race, project engineers.

There are estimated to be hundreds more young trees now 4" and larger, (as well as trees smaller than the 4" threshold) in the 5.82 acres of natural open space which will not be impacted, and are not included in this survey. Those native trees will remain undisturbed by any proposed site development and construction.

Many trees were burned during the wildfires and some were removed for a previously approved site plan. That information has been gathered in the field, and incorporated in the final combined Tree Inventory in coordination with Brelje and Race. The totals for various categories of the site trees are:

| | |
|---|-----|
| Total numbers of site trees surveyed and inventoried (Not including the hundreds of saplings, mostly oaks < 4" and larger outside the development area) | 927 |
| Live trees to remain (within project development area) | 280 |
| Live trees (of varying condition) to be removed for project (Protected species will be mitigated on site) | 236 |
| Fire killed/damaged trees to be removed | 100 |

BECKY DUCKLES
CONSULTING ARBORIST & LANDSCAPE ADVISOR
SEBASTOPOL, CA
707.829.0555 PH

| | |
|--|-----|
| Fire killed/damaged trees removed per prior approval | 143 |
| Trees removed per prior approval | 168 |

We will continue to refine construction details to protect the trees to be preserved. If any changes are made to the site plan or grading plans, we will incorporate those revisions in our tree assessments.

All protected trees over 4" d.b.h. (diameter at breast height, 4.5') that are within the zone of potential construction impact have been included in the inventory and re-evaluated. They are tagged onsite, their ID numbers relating to the attached inventory and evaluation, and as shown on the Tree Preservation Plan. Trees which fell or died in the intervening years since the last tree survey have been removed from the inventory for clarity.

The format of the Arborist's Report – Emerald Isle is as follows:

Tree Inventory & Evaluation—A listing and discussion of the existing trees on site within the zone of potential construction impact, including the following information:

Number—The number assigned to a tree for location reference on the Inventory & Tree Protection Plan

Species (Common & Botanical Name)

Trunk Diameter—Trunk diameter in inches at 54" above grade (d.b.h.), (unless noted otherwise)

General Condition—Rated Poor to Excellent. General comments about the tree's present condition. 'Poor' or 'Fair' may indicate severe loss of vigor, significant decay, possible disease, sparse foliage, branch dieback, suppressed growth due to competition, etc.

Structural Integrity—Rated Poor to Excellent, with specific comments regarding canopy development or angle of lean, significant defects or problems, etc.

Recommendations—Specific comments regarding tree potential for preservation, removal (if necessary for hazard reduction), and individual protection measures. Tree status is listed – whether to be preserved or removed.

Respectfully submitted,

Becky Duckles

Becky Duckles

Project Arborist, ISA Certified Consulting Arborist #WE-0796A

EMERALD ISLE

GULLANE DR. - SANTA ROSA, CA.

ARBORIST'S REPORT Tree Inventory & Evaluation

February 25, 2019

Prepared For:

Oakmont Senior Living

Submitted By:

Becky Duckles, ISA Certified Arborist #WE-0796A

Sebastopol, CA

707.829.0555 PH

EMERALD ISLE – Santa Rosa CA ARBORIST'S REPORT SUMMARY

February 25, 2019

The following arborist's report provides an inventory and evaluations of all trees over 4" diameter (at 54" above grade, unless noted otherwise) which might be impacted by proposed construction on the site of the Emerald Isle project in Santa Rosa, California. Tree locations are based on the Tree Protection Plan, dated February 2019, incorporating the most current revisions to the site plan prepared by Brelje & Race, project engineers.

The site is hilly with mostly native trees. They have been relatively undisturbed, and vary widely in their condition. They were initially inventoried in 1999, and have been re-evaluated in 2007, 2013 and December 2016 as well as November 2018 after the recent fires to assess their current condition and viability. Trees which have now reached the 4" threshold for protection within the construction zone have been added; numbered and tagged on site and included in the latest inventory. There are estimated to be many more young trees now 4" and larger in the portion of the site which will remain undisturbed which we have not surveyed or included in this inventory and totals. Many trees were burned during the wildfires and some were removed for a previous site plan. That information has been gathered in the field, and incorporated in the final combined Tree Inventory in coordination with Brelje and Race. We will continue to refine construction details to protect the trees to be preserved. If any changes are made to the site plan or grading plans, we will incorporate those revisions in our tree assessments.

All protected trees over 4" d.b.h. (diameter at breast height, 4.5') on the site are included; any that are within the zone of potential construction impact have been re-evaluated. They are tagged onsite, their ID numbers relating to the attached inventory and evaluation, and as shown on the Tree Preservation Plan. Trees which fell or died in the intervening years since the last tree survey have been removed from the inventory for clarity.

The format of the Arborist's Report – Emerald Isle is as follows:

Tree Inventory & Evaluation - A listing and discussion of the existing trees on site, including the following information:

Number - The number assigned to a tree for location reference on the Inventory & Site Plan
Species (Common & Botanical Name)

Trunk Diameter - Trunk diameter in inches at 54" above grade (d.b.h.), (unless noted otherwise)

General Condition - Rated Poor to Excellent. General comments about the tree's present condition. 'Poor' or 'Fair' may indicate severe loss of vigor, significant decay, possible disease, sparse foliage, branch dieback, suppressed growth due to competition, etc.

Structural Integrity - Rated Poor to Excellent, with specific comments regarding canopy development or angle of lean, significant defects or problems, etc.

Recommendations - Specific comments regarding tree potential for preservation, removal (if necessary for hazard reduction), and individual protection measures. Tree status is listed - whether to be preserved or removed.

Respectfully submitted,

Becky Duckles

Becky Duckles, Project Arborist, ISA Certified Consulting Arborist #WE-0796A

Emerald Isle Tree Survey

Combined Surveys - All Trees

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|---------|--------------------|---------------------------------|-------|-----------------|-----------|-----------|-------------------------|---------------------------------------|
| 1 | Coast Live Oak | <i>Quercus agrifolia</i> | 14 | Single Stem | Fair | Poor | Alive - To be Preserved | Broken Limb, Deadwood, Supressed Tree |
| 2 | Coast Live Oak | <i>Quercus agrifolia</i> | 26 | Multiple Stems | Good | Fair | Alive - To be Preserved | Crack, Deadwood |
| 7 | Coast Live Oak | <i>Quercus agrifolia</i> | 11/9" | Multiple Stems | Fair/Good | Good | Alive - To be Preserved | |
| 8 | California Buckeye | <i>Aesculus californica</i> | 13 | Multiple Stems | Good | Good | Alive - To be Preserved | Supressed Tree, sprouting at base |
| 9 | Coast Live Oak | <i>Quercus agrifolia</i> | 19 | Single Stem | Good | Good | Alive - To be Preserved | |
| 10 | Coast Live Oak | <i>Quercus agrifolia</i> | 18 | Single Stem | Good | Good | Alive - To be Preserved | Deadwood |
| 11.1 | California Bay | <i>Umbellularia californica</i> | 10 | Multiple Stems | Good | Good | Alive - To be Preserved | Deadwood |
| 12 | California Buckeye | <i>Aesculus californica</i> | 11 | Multiple Stems | Good | Fair | Alive - To be Preserved | Decay at base |
| 13 | Valley Oak | <i>Quercus lobata</i> | 21 | Multiple Stems | Fair | Good | Alive - To be Preserved | Deadwood |
| 13.1 | Coast Live Oak | <i>Quercus agrifolia</i> | 19 | Single Stem | Fair | Poor | Alive - To be Preserved | Deadwood, Decay |
| 14 | Black Oak | <i>Quercus kelloggii</i> | 21 | Multiple Stems | Dead | Dead | Removed | |
| 15 | Coast Live Oak | <i>Quercus agrifolia</i> | 13 | Single Stem | Dead | Dead | Removed | |
| 17 | California Bay | <i>Umbellularia californica</i> | 31 | Single Stem | Good | Fair | Alive - To be Preserved | Epicormic shoots, Weak attachments |

Emerald Isle Tree Survey

Combined Surveys - All Trees

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|---------|--------------------|---------------------------------|-----|-----------------|--------|-----------|-------------------------|---|
| 18 | Coast Live Oak | <i>Quercus agrifolia</i> | 18 | Single Stem | Fair | Fair | Alive - To be Preserved | Deadwood, Weak attachments |
| 19 | California Buckeye | <i>Aesculus californica</i> | | Single Stem | Dead | | Dead | |
| 20 | Black Oak | <i>Quercus kelloggii</i> | 15 | Single Stem | Poor | Fair | Alive - To Be Removed | Deadwood |
| 21 | Black Oak | <i>Quercus kelloggii</i> | 18 | Single Stem | Fair | Good | Alive - To Be Removed | Deadwood |
| 22 | Coast Live Oak | <i>Quercus agrifolia</i> | 14 | Single Stem | Poor | Fair | Alive - To Be Removed | |
| 23 | Black Oak | <i>Quercus kelloggii</i> | 14 | Single Stem | Good | Fair | Alive - To Be Removed | |
| 24 | Black Oak | <i>Quercus kelloggii</i> | 23 | Multiple Stems | Good | Good | Alive - To Be Removed | Deadwood |
| 24.1 | California Bay | <i>Umbellularia californica</i> | 8 | Single Stem | Good | Fair | Alive - To Be Removed | Deadwood, Epicormic shoots |
| 25 | Valley Oak | <i>Quercus lobata</i> | 23 | Multiple Stems | Good | Good | Alive - To Be Removed | |
| 26 | Coast Live Oak | <i>Quercus agrifolia</i> | 27 | Multiple Stems | Fair | Fair | Alive - To be Preserved | Deadwood, Weak attachments |
| 27 | Coast Live Oak | <i>Quercus agrifolia</i> | 28 | Multiple Stems | Fair | Fair | Alive - To be Preserved | Deadwood, Weak attachments |
| 28 | Valley Oak | <i>Quercus lobata</i> | 20 | Multiple Stems | Good | Good | Alive - To be Preserved | Deadwood |
| 29 | Coast Live Oak | <i>Quercus agrifolia</i> | 29 | Multiple Stems | Poor | Poor | Alive - To be Preserved | Deadwood, Decay at base, Epicormic shoots |

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|---------|----------------|--------------------------|-----|-----------------|--------|-----------|-------------------------|---|
| 30 | Coast Live Oak | <i>Quercus agrifolia</i> | 23 | Multiple Stems | Fair | Fair | Alive - To be Preserved | Deadwood, Weak attachments |
| 31 | Coast Live Oak | <i>Quercus agrifolia</i> | 14 | Single Stem | Fair | Good | Alive - To be Preserved | Deadwood |
| 32 | Coast Live Oak | <i>Quercus agrifolia</i> | 22 | Single Stem | Poor | Fair | Alive - To be Preserved | Cavity, Deadwood |
| 33 | Valley Oak | <i>Quercus lobata</i> | 12 | Single Stem | Good | Good | Alive - To be Preserved | Deadwood |
| 34 | Valley Oak | <i>Quercus lobata</i> | 15 | Single Stem | Good | Good | Alive - To be Preserved | Deadwood |
| 35 | Valley Oak | <i>Quercus lobata</i> | 12 | Single Stem | Poor | Fair | Alive - To be Preserved | Co-dominant Limbs, Deadwood, Supressed Tree |
| 36 | Valley Oak | <i>Quercus lobata</i> | 13 | Single Stem | Poor | Fair | Alive - To be Preserved | Cavity, Co-dominant Limbs, Deadwood, Decay, very little live growth |
| 37 | Coast Live Oak | <i>Quercus agrifolia</i> | 10 | Single Stem | Fair | Fair | Alive - To be Preserved | Cavity, Deadwood |
| 37.1 | Valley Oak | <i>Quercus lobata</i> | 13 | Single Stem | Fair | Fair | Alive - To be Preserved | Deadwood |
| 37.2 | Black Oak | <i>Quercus kelloggii</i> | 27 | Single Stem | Good | Fair | Alive - To be Preserved | Broken Limb, Cavity, Deadwood |
| 38 | Valley Oak | <i>Quercus lobata</i> | 23" | Single Stem | Dead | | Removed | |
| 40 | Coast Live Oak | <i>Quercus agrifolia</i> | 16 | Multiple Stems | Good | Good | Alive - To be Preserved | Deadwood |

Emerald Isle Tree Survey

Combined Surveys - All Trees

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations-Characteristics |
|---------|----------------|--------------------------|-----|-----------------|--------|-----------|-------------------------|---|
| 41 | Coast Live Oak | <i>Quercus agrifolia</i> | 13 | Single Stem | Good | Good | Alive - To be Preserved | Deadwood |
| 42 | Coast Live Oak | <i>Quercus agrifolia</i> | 19 | Single Stem | Fair | Fair | Alive - To be Preserved | Deadwood, Decay |
| 43 | Black Oak | <i>Quercus kelloggii</i> | 21 | Multiple Stems | Fair | Fair | Alive - To be Preserved | Deadwood, Weak attachments |
| 44 | Coast Live Oak | <i>Quercus agrifolia</i> | 16 | Multiple Stems | Fair | Poor | Alive - To be Preserved | Deadwood, Epicormic shoots, Included Bark, Weak attachments |
| 45 | Coast Live Oak | <i>Quercus agrifolia</i> | 17 | Single Stem | Fair | Fair | Alive - To be Preserved | Crack, Deadwood, Epicormic shoots |
| 46 | Coast Live Oak | <i>Quercus agrifolia</i> | 20 | Multiple Stems | Fair | Good | Alive - To be Preserved | Deadwood |
| 47 | Coast Live Oak | <i>Quercus agrifolia</i> | 17 | Single Stem | Good | Fair | Alive - To be Preserved | Deadwood |
| 48 | Coast Live Oak | <i>Quercus agrifolia</i> | 14 | Single Stem | Good | Good | Alive - To be Preserved | Deadwood |
| 49 | Coast Live Oak | <i>Quercus agrifolia</i> | 14 | Single Stem | Good | Good | Alive - To be Preserved | Deadwood |
| 50 | Coast Live Oak | <i>Quercus agrifolia</i> | 15 | Single Stem | Fair | Fair | Alive - To be Preserved | Deadwood, Epicormic shoots, Supressed Tree |
| 51 | Coast Live Oak | <i>Quercus agrifolia</i> | 18 | Single Stem | Good | Good | Alive - To be Preserved | Deadwood |
| 52 | Coast Live Oak | <i>Quercus agrifolia</i> | 22 | Single Stem | Good | Good | Alive - To be Preserved | Deadwood |

Emerald Isle Tree Survey

Combined Surveys - All Trees

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|---------|----------------|--------------------------|-----|-----------------|--------|-----------|-------------------------|--|
| 53 | Coast Live Oak | <i>Quercus agrifolia</i> | 15 | Single Stem | Fair | Poor | Alive - To be Preserved | Deadwood, Epicormic shoots, Weak attachments |
| 54 | Coast Live Oak | <i>Quercus agrifolia</i> | 15 | Single Stem | Good | Fair | Alive - To be Preserved | Deadwood, Supressed Tree |
| 55 | Coast Live Oak | <i>Quercus agrifolia</i> | 22 | Multiple Stems | Good | Fair | Alive - To be Preserved | Crack, Deadwood, Epicormic shoots |
| 56 | Coast Live Oak | <i>Quercus agrifolia</i> | 10 | Single Stem | Fair | Poor | Alive - To be Preserved | Epicormic shoots, Supressed Tree |
| 57 | Coast Live Oak | <i>Quercus agrifolia</i> | 7 | Single Stem | Fair | Poor | Alive - To be Preserved | Deadwood, Supressed Tree |
| 58 | Coast Live Oak | <i>Quercus agrifolia</i> | 8 | Single Stem | Good | Fair | Alive - To be Preserved | Deadwood, Epicormic shoots, Supressed Tree |
| 59 | Coast Live Oak | <i>Quercus agrifolia</i> | 25 | Multiple Stems | Fair | Fair | Alive - To be Preserved | Broken Limb, Deadwood |
| 60 | Coast Live Oak | <i>Quercus agrifolia</i> | 17 | Multiple Stems | Good | Fair | Alive - To be Preserved | Deadwood, Epicormic shoots |
| 61 | Coast Live Oak | <i>Quercus agrifolia</i> | 21 | Multiple Stems | Poor | Fair | Alive - To be Preserved | Deadwood, Decay at base |
| 62 | Coast Live Oak | <i>Quercus agrifolia</i> | 28 | Single Stem | Good | Fair | Alive - To be Preserved | Deadwood |
| 62.1 | Olive | <i>Olea europaea</i> | 6 | Multiple Stems | Fair | Fair | Alive - To be Preserved | Deadwood, Supressed Tree |
| 63 | Coast Live Oak | <i>Quercus agrifolia</i> | 17 | Single Stem | Good | Good | Alive - To be Preserved | Deadwood |

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|---------|----------------|---------------------------------|--------|-----------------|----------------|-----------|--------------------------|--|
| 64 | Coast Live Oak | <i>Quercus agrifolia</i> | 19 | Multiple Stems | Poor | Poor | Alive - To be Preserved | Deadwood, Decay at base |
| 64.1 | California Bay | <i>Umbellularia californica</i> | 9 | Multiple Stems | Good | Fair | Alive - To be Preserved | Deadwood, Epicormic shoots |
| 65 | Coast Live Oak | <i>Quercus agrifolia</i> | 12 | Single Stem | Good | Good | Outside Development Area | |
| 66 | Black Oak | <i>Quercus kelloggii</i> | 10/12" | Multiple Stems | Excellent | Excellent | Outside Development Area | |
| 67 | Coast Live Oak | <i>Quercus agrifolia</i> | 14 | Single Stem | Fair | Fair | Alive - To be Preserved | Deadwood |
| 68 | Coast Live Oak | <i>Quercus agrifolia</i> | 15 | Single Stem | Good | Fair | Alive - To be Preserved | Crack, Deadwood |
| 68.1 | Coast Live Oak | <i>Quercus agrifolia</i> | 7 | Single Stem | Fair | Fair | Alive - To be Preserved | Epicormic shoots, Supressed Tree |
| 68.2 | California Bay | <i>Umbellularia californica</i> | 6 | Multiple Stems | Fair | Poor | Alive - To be Preserved | Deadwood, Epicormic shoots |
| 69 | Coast Live Oak | <i>Quercus agrifolia</i> | 12 | Single Stem | Good | Fair | Alive - To be Preserved | Deadwood, Epicormic shoots, Supressed Tree |
| 70 | Coast Live Oak | <i>Quercus agrifolia</i> | 11 | Single Stem | Good | Good | Outside Development Area | |
| 70.1 | California Bay | <i>Umbellularia californica</i> | 5"/4" | Multiple Stems | Good/Excellent | Excellent | Outside Development Area | |

Emerald Isle Tree Survey

Combined Surveys - All Trees

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|---------|--------------------|---------------------------------|----------|-----------------|----------------|----------------|--------------------------|-------------------------------|
| 71 | Black Oak | <i>Quercus kelloggii</i> | 11" | Single Stem | Excellent | Excellent | Outside Development Area | |
| 71.1 | California Bay | <i>Umbellularia californica</i> | 10" | Single Stem | Excellent | Excellent | Outside Development Area | |
| 71.2 | California Bay | <i>Umbellularia californica</i> | 7" | Single Stem | Excellent | Excellent | Outside Development Area | |
| 72 | Coast Live Oak | <i>Quercus agrifolia</i> | 14" | Single Stem | Good | Good | Outside Development Area | |
| 73 | Coast Live Oak | <i>Quercus agrifolia</i> | 15" | Single Stem | Fair/Good | Good | Outside Development Area | |
| 74 | California Bay | <i>Umbellularia californica</i> | 18" | Single Stem | Good | Good | Outside Development Area | |
| 75 | California Buckeye | <i>Aesculus californica</i> | 7"/7"/6" | Multiple Stems | Fair/Good | Good | Outside Development Area | |
| 76 | Black Oak | <i>Quercus kelloggii</i> | 19" | Single Stem | Good/Excellent | Good/Excellent | Outside Development Area | |
| 77 | Coast Live Oak | <i>Quercus agrifolia</i> | 15" | Single Stem | Good | Good | Outside Development Area | |

Emerald Isle Tree Survey

Combined Surveys - All Trees

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|---------|----------------|---------------------------------|----------|-----------------|-----------|---|--------------------------|---|
| 78 | Coast Live Oak | <i>Quercus agrifolia</i> | 17 | Single Stem | Good | Good | Alive - To be Preserved | Deadwood |
| 79 | California Bay | <i>Umbellularia californica</i> | 9 | Multiple Stems | Fair | Fair | Alive - To be Preserved | Deadwood, Epicormic shoots, location wrong on map |
| 80 | Black Oak | <i>Quercus kelloggii</i> | 10" | Single Stem | Fair | Fair | Outside Development Area | |
| 81 | Black Oak | <i>Quercus kelloggii</i> | 11" @ 3' | Single Stem | Good | Good, canopy radius 11' to north, 12' clearance | Outside Development Area | |
| 82 | Black Oak | <i>Quercus kelloggii</i> | 9" | Single Stem | Good | Good, canopy radius 6' to north | Outside Development Area | |
| 83 | Black Oak | <i>Quercus kelloggii</i> | 14 | Single Stem | Good | Good | Alive - To be Preserved | Deadwood |
| 84 | Coast Live Oak | <i>Quercus agrifolia</i> | 7 | Single Stem | Fair | Fair | Alive - To be Preserved | Deadwood |
| 85 | Coast Live Oak | <i>Quercus agrifolia</i> | 8" | Single Stem | Poor/Fair | Fair | Outside Development Area | |
| 86 | Black Oak | <i>Quercus kelloggii</i> | | Single Stem | Dead | | Dead | |

Emerald Isle Tree Survey

Combined Surveys - All Trees

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|---------|----------------|--------------------------|----------|-----------------|----------------|-----------|--------------------------|-------------------------------|
| 86.1 | Coast Live Oak | <i>Quercus agrifolia</i> | | Single Stem | Dead | | Dead | |
| 87 | Black Oak | <i>Quercus kelloggii</i> | | Single Stem | Dead | | Dead | |
| 88 | Coast Live Oak | <i>Quercus agrifolia</i> | 10 | Single Stem | Good | Good | Alive - To be Preserved | |
| 89 | Black Oak | <i>Quercus kelloggii</i> | 9" | Single Stem | Good | Good | Outside Development Area | |
| 90 | Coast Live Oak | <i>Quercus agrifolia</i> | 12 | Single Stem | Good | Good | Alive - To be Preserved | Deadwood |
| 91 | Black Oak | <i>Quercus kelloggii</i> | 9" | Single Stem | Good | Good | Outside Development Area | |
| 92 | Black Oak | <i>Quercus kelloggii</i> | 10" | Single Stem | Good | Good | Outside Development Area | |
| 93 | Black Oak | <i>Quercus kelloggii</i> | 8" | Single Stem | Good | Good | Outside Development Area | |
| 94 | Coast Live Oak | <i>Quercus agrifolia</i> | 12" @ 3' | Single Stem | Fair/Good | Good | Outside Development Area | |
| 95 | Black Oak | <i>Quercus kelloggii</i> | 10" | Single Stem | Good/Excellent | Good | Outside Development Area | |

Emerald Isle Tree Survey

Combined Surveys - All Trees

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|---------|----------------|---------------------------------|-----|-----------------|----------------|--|--------------------------|-------------------------------|
| 96 | California Bay | <i>Umbellularia californica</i> | 11" | Single Stem | Excellent | Excellent | Outside Development Area | |
| 97 | California Bay | <i>Umbellularia californica</i> | 17" | Single Stem | Good | Good | Outside Development Area | |
| 98 | Black Oak | <i>Quercus kelloggii</i> | 18" | Single Stem | Excellent | Excellent, beautiful specimen | Outside Development Area | |
| 99 | California Bay | <i>Umbellularia californica</i> | 12" | Single Stem | Excellent | Excellent | Outside Development Area | |
| 100 | Coast Live Oak | <i>Quercus agrifolia</i> | 9" | Single Stem | Fair/Good | Good | Outside Development Area | |
| 101 | Coast Live Oak | <i>Quercus agrifolia</i> | 6" | Single Stem | Fair | Fair | Outside Development Area | |
| 102 | Coast Live Oak | <i>Quercus agrifolia</i> | 10" | Single Stem | Fair/Good | Good | Outside Development Area | |
| 103 | Black Oak | <i>Quercus kelloggii</i> | 11" | Single Stem | Good/Excellent | Excellent, canopy radius 20' to north/west | Outside Development Area | |

Emerald Isle Tree Survey

Combined Surveys - All Trees

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|---------|----------------|---------------------------------|--------|-----------------|----------------|--|--------------------------|--------------------------------------|
| 104 | Coast Live Oak | <i>Quercus agrifolia</i> | 12" | Single Stem | Good/Excellent | Excellent | Outside Development Area | |
| 104.1 | Coast Live Oak | <i>Quercus agrifolia</i> | 24 | Multiple Stems | Good | Fair | Alive - To be Preserved | Deadwood, Included Bark, Vine growth |
| 105 | California Bay | <i>Umbellularia californica</i> | 15" | Single Stem | Good/Excellent | Good | Outside Development Area | |
| 106 | Black Oak | <i>Quercus kelloggii</i> | 12" | Single Stem | Good | Good | Outside Development Area | |
| 107 | Black Oak | <i>Quercus kelloggii</i> | 8" | Single Stem | Good | Good, low branching, trunk leans to west | Outside Development Area | |
| 108 | Coast Live Oak | <i>Quercus agrifolia</i> | 10"/5" | Multiple Stems | Good | Good | Outside Development Area | |
| 109 | Black Oak | <i>Quercus kelloggii</i> | 15" | | Poor/Fair | Poor, severe internal decay | Outside Development Area | |
| 110 | Black Oak | <i>Quercus kelloggii</i> | 14 | Single Stem | Good | Good | Alive - To be Preserved | Deadwood |
| 111 | Black Oak | <i>Quercus kelloggii</i> | 12 | Single Stem | Good | Good | Alive - To be Preserved | Deadwood |

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|---------|----------------|---------------------------------|-----|-----------------|--------|-----------|-------------------------|---------------------------------|
| 112 | Coast Live Oak | <i>Quercus agrifolia</i> | 13 | Multiple Stems | Good | Fair | Alive - To be Preserved | Deadwood, Supressed Tree |
| 113 | Coast Live Oak | <i>Quercus agrifolia</i> | 19 | Multiple Stems | Fair | Good | Alive - To be Preserved | |
| 113.5 | California Bay | <i>Umbellularia californica</i> | 14 | Multiple Stems | Good | Poor | Alive - To be Preserved | Co-dominant tree, Included Bark |
| 114 | Black Oak | <i>Quercus kelloggii</i> | 15 | Single Stem | Fair | Good | Alive - To Be Removed | |
| 114.1 | Coast Live Oak | <i>Quercus agrifolia</i> | 5 | Single Stem | Fair | Good | Alive - To be Preserved | |
| 114.2 | Olive | <i>Olea europaea</i> | 5 | Single Stem | Poor | Fair | Alive - To be Preserved | |

Emerald Isle Tree Survey

Combined Surveys - All Trees

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|---------|----------------|---------------------------------|-----|-----------------|--------|-----------|-------------------------|-------------------------------|
| 114.3 | Coast Live Oak | <i>Quercus agrifolia</i> | 5 | Single Stem | Fair | Fair | Alive - To be Preserved | |
| 114.4 | Coast Live Oak | <i>Quercus agrifolia</i> | 15 | Multiple Stems | Good | Fair | Alive - To be Preserved | |
| 114.5 | Olive | <i>Olea europaea</i> | 6 | Multiple Stems | Poor | Fair | Alive - To Be Removed | |
| 115 | Black Oak | <i>Quercus kelloggii</i> | 26 | Multiple Stems | Good | Good | Alive - To be Preserved | v |
| 116 | Black Oak | <i>Quercus kelloggii</i> | 18 | Multiple Stems | Good | Good | Alive - To be Preserved | Deadwood |
| 116.1 | California Bay | <i>Umbellularia californica</i> | 12 | Multiple Stems | Good | Fair | Alive - To be Preserved | Cavity |

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|---------|----------------|---------------------------------|--------|-----------------|--------|-----------|-------------------------|---|
| 117 | Black Oak | <i>Quercus kelloggii</i> | 10 | Single Stem | Good | Good | Alive - To be Preserved | |
| 118 | Black Oak | <i>Quercus kelloggii</i> | | Single Stem | Dead | | Dead - To Be Removed | |
| 119.1 | California Bay | <i>Umbellularia californica</i> | | Single Stem | Fair | Poor | Alive - To Be Removed | |
| 120 | Coast Live Oak | <i>Quercus agrifolia</i> | 20 | Single Stem | Good | Excellent | Alive - To Be Removed | |
| 121 | Coast Live Oak | <i>Quercus agrifolia</i> | 18 | Single Stem | Good | Excellent | Alive - To Be Removed | |
| 121.1 | Coast Live Oak | <i>Quercus agrifolia</i> | 23 | Single Stem | Good | Fair | Alive - To be Preserved | Broken Limb, Deadwood, Epicormic shoots |
| 121.2 | Coast Live Oak | <i>Quercus agrifolia</i> | 30 | Multiple Stems | Fair | Poor | Alive - To be Preserved | Broken Limb, Cavity, Deadwood, Decay at base, Epicormic shoots, Vine growth |
| 121.3 | Coast Live Oak | <i>Quercus agrifolia</i> | | Single Stem | | | Removed | |
| 121.4 | Coast Live Oak | <i>Quercus agrifolia</i> | 7"/10" | Multiple Stems | | | Alive - To be Preserved | |
| 122 | Black Oak | <i>Quercus kelloggii</i> | 17 | Single Stem | Good | Fair | Alive - To be Preserved | Broken Limb, Deadwood |

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|---------|----------------|---------------------------------|-----|-----------------|--------|-----------|-------------------------|---------------------------------------|
| 123 | Black Oak | <i>Quercus kelloggii</i> | 15 | Single Stem | Poor | Poor | Alive - To be Preserved | Cavity, Deadwood, Decay |
| 123.1 | Black Oak | <i>Quercus kelloggii</i> | 14 | Single Stem | Dead | | Dead | |
| 123.2 | Black Oak | <i>Quercus kelloggii</i> | 26 | Single Stem | Good | Good | Alive - To be Preserved | Deadwood |
| 123.3 | California Bay | <i>Umbellularia californica</i> | | Single Stem | Dead | | Removed | |
| 123.4 | Coast Live Oak | <i>Quercus agrifolia</i> | | Single Stem | Dead | | Removed | |
| 124 | Coast Live Oak | <i>Quercus agrifolia</i> | 20 | Single Stem | Good | Good | Alive - To Be Removed | |
| 125 | Coast Live Oak | <i>Quercus agrifolia</i> | 11 | Single Stem | Fair | Fair | Alive - To Be Removed | Broken Limb, Deadwood |
| 127 | Coast Live Oak | <i>Quercus agrifolia</i> | 12 | Single Stem | Good | Fair | Alive - To Be Removed | |
| 127.1 | Valley Oak | <i>Quercus lobata</i> | 29 | Single Stem | Poor | Poor | Alive - To be Preserved | Cavity, Decay, very little new growth |
| 127.2 | Black Oak | <i>Quercus kelloggii</i> | 13 | Single Stem | Poor | Poor | Alive - To be Preserved | Broken Limb, Deadwood, Vine growth |
| 127.3 | Coast Live Oak | <i>Quercus agrifolia</i> | 16 | Single Stem | Good | Fair | Alive - To be Preserved | Deadwood, Epicormic shoots |
| 128 | Coast Live Oak | <i>Quercus agrifolia</i> | 16 | Single Stem | Good | Fair | Alive - To Be Removed | |

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|---------|----------------|---------------------------------|-----|-----------------|----------------|----------------------------------|--------------------------|---|
| 129 | Valley Oak | <i>Quercus lobata</i> | 11" | Single Stem | Good/Excellent | Excellent-small w/high branching | Outside Development Area | |
| 130 | Valley Oak | <i>Quercus lobata</i> | 12 | Single Stem | Poor | Good | Alive - To Be Removed | |
| 131 | Black Oak | <i>Quercus kelloggii</i> | | Single Stem | Dead | | Dead | Tree missing |
| 132 | Coast Live Oak | <i>Quercus agrifolia</i> | 13 | Multiple Stems | Fair | Good | Alive - To Be Removed | |
| 133 | Black Oak | <i>Quercus kelloggii</i> | | Single Stem | Dead | | Dead | Tree missing |
| 134 | Coast Live Oak | <i>Quercus agrifolia</i> | 9 | Single Stem | Fair | Good | Alive - To Be Removed | Trunk Leaning (W) |
| 135 | California Bay | <i>Umbellularia californica</i> | 15 | Single Stem | Fair | Good | Alive - To Be Removed | Deadwood, Epicormic shoots |
| 136 | Black Oak | <i>Quercus kelloggii</i> | 17 | Single Stem | Fair | Fair | Alive - To be Preserved | |
| 137 | Black Oak | <i>Quercus kelloggii</i> | 22 | Single Stem | Fair | Good | Alive - To Be Removed | Bee nest in tree cavity about 5' up on western part of tree |
| 138 | Coast Live Oak | <i>Quercus agrifolia</i> | 32 | Multiple Stems | Good | Good | Alive - To be Preserved | Cavity, Decay |
| 139 | Black Oak | <i>Quercus kelloggii</i> | 21 | Single Stem | Good | Good | Alive - To Be Removed | |
| 140 | Black Oak | <i>Quercus kelloggii</i> | 12 | Single Stem | Fair | Good | Alive - To Be Removed | Deadwood |

Emerald Isle Tree Survey

Combined Surveys - All Trees

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|---------|----------------|------------------------------|-----|-----------------|--------|-----------|-----------------------|---|
| 141 | Black Oak | <i>Quercus kelloggii</i> | 18 | Single Stem | Good | Fair | Alive - To Be Removed | Deadwood |
| 142 | Black Oak | <i>Quercus kelloggii</i> | 40 | Multiple Stems | Good | Good | Alive - To Be Removed | |
| 143 | Coast Live Oak | <i>Quercus agrifolia</i> | | Single Stem | Dead | | Dead - To Be Removed | |
| 144 | Coast Live Oak | <i>Quercus agrifolia</i> | | Single Stem | Dead | | Dead - To Be Removed | |
| 145 | Black Oak | <i>Quercus kelloggii</i> | 17 | Single Stem | Good | Good | Alive - To Be Removed | |
| 146 | Black Oak | <i>Quercus kelloggii</i> | 16 | Single Stem | Good | Good | Alive - To Be Removed | Crack, Trunk Leaning (N) |
| 147 | Coast Live Oak | <i>Quercus agrifolia</i> | 22 | Multiple Stems | Good | Good | Alive - To Be Removed | Deadwood |
| 148 | Coast Live Oak | <i>Quercus agrifolia</i> | 11 | Single Stem | Fair | Good | Alive - To Be Removed | Cavity, Deadwood, Epicormic shoots |
| 149 | Douglas Fir | <i>Pseudotsuga menziesii</i> | 35 | Single Stem | Good | Good | Alive - To Be Removed | Deadwood |
| 150 | Coast Live Oak | <i>Quercus agrifolia</i> | | Single Stem | Dead | | Alive - To Be Removed | |
| 151 | Coast Live Oak | <i>Quercus agrifolia</i> | 12 | Single Stem | Fair | Good | Alive - To Be Removed | Deadwood, Epicormic shoots |
| 152 | Black Oak | <i>Quercus kelloggii</i> | | Single Stem | Dead | | Dead - To Be Removed | |
| 153 | Coast Live Oak | <i>Quercus agrifolia</i> | 11 | Single Stem | Good | Good | Alive - To Be Removed | Deadwood, Supressed Tree, Trunk Leaning (W) |

Emerald Isle Tree Survey

Combined Surveys - All Trees

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|---------|----------------|--------------------------|-----|-----------------|--------|-----------|-------------------------|---|
| 154 | Black Oak | <i>Quercus kelloggii</i> | 15 | Single Stem | Good | Good | Alive - To Be Removed | Deadwood |
| 155 | Coast Live Oak | <i>Quercus agrifolia</i> | | Single Stem | Dead | | Dead - To Be Removed | |
| 155.1 | Black Oak | <i>Quercus kelloggii</i> | | Single Stem | Dead | | Dead - To Be Removed | |
| 156 | Coast Live Oak | <i>Quercus agrifolia</i> | 10 | Single Stem | Fair | Poor | Alive - To be Preserved | Deadwood, Epicormic shoots, Supressed Tree |
| 157 | Coast Live Oak | <i>Quercus agrifolia</i> | 11 | Multiple Stems | Fair | Good | Alive - To be Preserved | Deadwood, Supressed Tree, Trunk Leaning (W) |
| 158 | Coast Live Oak | <i>Quercus agrifolia</i> | 20 | Multiple Stems | Fair | Good | Alive - To be Preserved | Cavity, Epicormic shoots, Supressed Tree |
| 159 | Coast Live Oak | <i>Quercus agrifolia</i> | | Single Stem | Dead | | Dead | Tree missing |
| 160 | Coast Live Oak | <i>Quercus agrifolia</i> | 15 | Single Stem | Good | Good | Alive - To be Preserved | Deadwood, was a multi-stemmed tree. Two stems burnt in fire |
| 161 | Coast Live Oak | <i>Quercus agrifolia</i> | | Single Stem | Dead | | Removed | Tree missing |
| 162 | Coast Live Oak | <i>Quercus agrifolia</i> | 20 | Single Stem | Good | Good | Alive - To be Preserved | Deadwood, Vine growth |
| 163 | Black Oak | <i>Quercus kelloggii</i> | 12 | Multiple Stems | Poor | Fair | Alive - To be Preserved | Deadwood |

Emerald Isle Tree Survey

Combined Surveys - All Trees

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|---------|----------------|---------------------------------|-----|-----------------|--------|-----------|-------------------------|--|
| 164 | Coast Live Oak | <i>Quercus agrifolia</i> | 24 | Multiple Stems | Good | Good | Alive - To be Preserved | Deadwood |
| 165 | Coast Live Oak | <i>Quercus agrifolia</i> | 15 | Single Stem | Good | Fair | Alive - To be Preserved | Deadwood |
| 165.1 | California Bay | <i>Umbellularia californica</i> | 26 | Single Stem | Good | Fair | Alive - To be Preserved | Cavity, Epicormic shoots, Weak attachments |
| 165.2 | Coast Live Oak | <i>Quercus agrifolia</i> | 28 | Multiple Stems | Good | Fair | Alive - To be Preserved | Deadwood, Decay at base |
| 166 | Coast Live Oak | <i>Quercus agrifolia</i> | 17 | Single Stem | Good | Fair | Alive - To be Preserved | Broken Limb, Deadwood, Supressed Tree |
| 167 | Black Oak | <i>Quercus kelloggii</i> | 17 | Single Stem | Dead | | Dead | |
| 168 | Douglas Fir | <i>Pseudotsuga menziesii</i> | 29 | Single Stem | Good | Good | Alive - To be Preserved | Deadwood |
| 169 | Douglas Fir | <i>Pseudotsuga menziesii</i> | 25 | Single Stem | Good | Good | Alive - To be Preserved | Deadwood |
| 170 | Douglas Fir | <i>Pseudotsuga menziesii</i> | 25 | Single Stem | Good | Good | Alive - To be Preserved | Deadwood |
| 171 | Black Oak | <i>Quercus kelloggii</i> | 32 | Single Stem | Dead | | Dead | |
| 172 | California Bay | <i>Umbellularia californica</i> | 20 | Single Stem | Good | Good | Alive - To be Preserved | Deadwood |
| 173 | Coast Live Oak | <i>Quercus agrifolia</i> | 13 | Single Stem | Good | Good | Alive - To be Preserved | |
| 174 | Black Oak | <i>Quercus kelloggii</i> | 18 | Single Stem | Good | Good | Alive - To Be Removed | |

Emerald Isle Tree Survey

Combined Surveys - All Trees

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|---------|----------------|---------------------------------|-----|-----------------|--------|-----------|-------------------------|--|
| 175 | Coast Live Oak | <i>Quercus agrifolia</i> | 16 | Single Stem | Good | Good | Alive - To Be Removed | |
| 176 | Valley Oak | <i>Quercus lobata</i> | 14 | Single Stem | Fair | Good | Alive - To Be Removed | Deadwood |
| 177 | Coast Live Oak | <i>Quercus agrifolia</i> | 18 | Multiple Stems | Fair | Good | Alive - To be Preserved | Deadwood, Epicormic shoots |
| 178 | Black Oak | <i>Quercus kelloggii</i> | 21 | Single Stem | Good | Good | Alive - To be Preserved | Deadwood |
| 179 | Coast Live Oak | <i>Quercus agrifolia</i> | 17 | Single Stem | Good | Fair | Alive - To be Preserved | |
| 180 | Coast Live Oak | <i>Quercus agrifolia</i> | 30 | Multiple Stems | Fair | Fair | Alive - To be Preserved | Deadwood, fire damage at base, fire destroyed two main stems |
| 181 | Coast Live Oak | <i>Quercus agrifolia</i> | 31 | Multiple Stems | Good | Good | Alive - To Be Removed | |
| 182 | California Bay | <i>Umbellularia californica</i> | 16 | Multiple Stems | Poor | Poor | Alive - To Be Removed | Epicormic shoots |
| 183 | Black Oak | <i>Quercus kelloggii</i> | 20 | Single Stem | Good | Good | Alive - To Be Removed | |
| 184 | Black Oak | <i>Quercus kelloggii</i> | 11 | Single Stem | Poor | Poor | Alive - To Be Removed | Supressed Tree, Trunk Leaning (W) |
| 185 | California Bay | <i>Umbellularia californica</i> | | Single Stem | Dead | | Dead - To Be Removed | |
| 186 | Coast Live Oak | <i>Quercus agrifolia</i> | 12 | Multiple Stems | Poor | | Alive - To Be Removed | Deadwood, Supressed Tree, Trunk Leaning (W) |

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|---------|----------------|---------------------------------|-----|-----------------|--------|-----------|-------------------------|-------------------------------|
| 187 | Black Oak | <i>Quercus kelloggii</i> | 11 | Single Stem | Fair | Good | Alive - To Be Removed | Deadwood |
| 187.1 | Black Oak | <i>Quercus kelloggii</i> | 7 | Single Stem | Dead | | Dead - To Be Removed | |
| 188 | Black Oak | <i>Quercus kelloggii</i> | 12 | Multiple Stems | Fair | Good | Alive - To Be Removed | Deadwood |
| 189 | California Bay | <i>Umbellularia californica</i> | 14 | Single Stem | Fair | Good | Alive - To be Preserved | Deadwood |
| 190 | Black Oak | <i>Quercus kelloggii</i> | 8 | Single Stem | Fair | Good | Alive - To Be Removed | Deadwood |
| 191 | California Bay | <i>Umbellularia californica</i> | 22 | Multiple Stems | Fair | Good | Alive - To Be Removed | Co-dominant tree |
| 192 | California Bay | <i>Umbellularia californica</i> | | Single Stem | Dead | | Dead - To Be Removed | |
| 192.1 | Black Oak | <i>Quercus kelloggii</i> | 9 | Single Stem | Poor | Good | Alive - To Be Removed | |
| 193 | Black Oak | <i>Quercus kelloggii</i> | 13 | Single Stem | Good | Good | Alive - To Be Removed | |
| 193.1 | Black Oak | <i>Quercus kelloggii</i> | | Single Stem | Dead | | Dead | Tree missing |
| 193.2 | Black Oak | <i>Quercus kelloggii</i> | 10 | Single Stem | Poor | Fair | Alive - To be Preserved | Supressed Tree |

Emerald Isle Tree Survey

Combined Surveys - All Trees

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|---------|----------------|---------------------------------|-----|-----------------|--------|-----------|-------------------------|-------------------------------|
| 194 | Black Oak | <i>Quercus kelloggii</i> | 24 | Multiple Stems | Good | Good | Alive - To Be Removed | |
| 195 | Black Oak | <i>Quercus kelloggii</i> | 6 | Single Stem | Dead | | Dead - To Be Removed | |
| 195.1 | Coast Live Oak | <i>Quercus agrifolia</i> | 10 | Single Stem | Fair | Fair | Alive - To Be Removed | Deadwood, Supressed Tree |
| 196 | Black Oak | <i>Quercus kelloggii</i> | | Single Stem | Dead | | Dead - To Be Removed | |
| 197 | Black Oak | <i>Quercus kelloggii</i> | | Single Stem | Dead | | Dead - To Be Removed | Collapsed |
| 198 | Black Oak | <i>Quercus kelloggii</i> | 16 | Single Stem | Poor | Good | Alive - To Be Removed | Deadwood |
| 199 | California Bay | <i>Umbellularia californica</i> | 14 | Single Stem | Fair | Good | Alive - To be Preserved | Fire damage at base |
| 200 | Black Oak | <i>Quercus kelloggii</i> | 17 | Single Stem | Good | Good | Alive - To be Preserved | |
| 201 | Coast Live Oak | <i>Quercus agrifolia</i> | 10 | Single Stem | Fair | Good | Alive - To Be Removed | |
| 203 | California Bay | <i>Umbellularia californica</i> | 15 | Multiple Stems | Fair | Fair | Alive - To Be Removed | |

Emerald Isle Tree Survey

Combined Surveys - All Trees

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|---------|----------------|---------------------------------|-----|-----------------|--------|-----------|-----------------------|-------------------------------|
| 204 | California Bay | <i>Umbellularia californica</i> | 17 | Single Stem | Good | Good | Alive - To Be Removed | |
| 205 | Black Oak | <i>Quercus kelloggii</i> | 17 | Single Stem | Good | Fair | Alive - To Be Removed | |
| 206 | Coast Live Oak | <i>Quercus agrifolia</i> | | Single Stem | Dead | | Dead | Tree missing |
| 207 | Black Oak | <i>Quercus kelloggii</i> | | Single Stem | Dead | | Dead - To Be Removed | |
| 208 | Coast Live Oak | <i>Quercus agrifolia</i> | 13 | Single Stem | Good | Good | Alive - To Be Removed | |
| 209 | Coast Live Oak | <i>Quercus agrifolia</i> | 9 | Single Stem | Fair | Fair | Alive - To Be Removed | |
| 210 | Coast Live Oak | <i>Quercus agrifolia</i> | 13 | Single Stem | Good | Good | Alive - To Be Removed | |
| 211 | Coast Live Oak | <i>Quercus agrifolia</i> | 14 | Single Stem | Good | Good | Alive - To Be Removed | |
| 212 | Coast Live Oak | <i>Quercus agrifolia</i> | 13 | Single Stem | Fair | Good | Alive - To Be Removed | |
| 213 | Coast Live Oak | <i>Quercus agrifolia</i> | 15 | Single Stem | Fair | Good | Alive - To Be Removed | |
| 214 | Coast Live Oak | <i>Quercus agrifolia</i> | 9 | Single Stem | Poor | Good | Alive - To Be Removed | |
| 215 | California Bay | <i>Umbellularia californica</i> | 13 | Single Stem | Dead | | Dead - To Be Removed | |
| 215.1 | California Bay | <i>Umbellularia californica</i> | 20 | Multiple Stems | Dead | | Dead - To Be Removed | |

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|---------|----------------|---------------------------------|-----|-----------------|--------|-----------|-------------------------|----------------------------------|
| 216 | Coast Live Oak | <i>Quercus agrifolia</i> | 10 | Single Stem | Fair | Poor | Alive - To Be Preserved | Trunk Leaning (E) |
| 217 | Black Oak | <i>Quercus kelloggii</i> | 9 | Single Stem | Dead | | Dead - To Be Removed | |
| 218.1 | Black Oak | <i>Quercus kelloggii</i> | 7 | Single Stem | Dead | | Dead - To Be Removed | |
| 219 | Oregon Oak | <i>Quercus garryana</i> | 12 | Single Stem | Fair | Good | Alive - To Be Removed | |
| 220 | Black Oak | <i>Quercus kelloggii</i> | 13 | Single Stem | Poor | Good | Alive - To Be Removed | |
| 221 | California Bay | <i>Umbellularia californica</i> | 14 | Multiple Stems | Good | Fair | Alive - To Be Removed | One stem failed and died in fire |
| 222 | Coast Live Oak | <i>Quercus agrifolia</i> | 16 | Single Stem | Good | Fair | Alive - To Be Removed | |
| 223 | Coast Live Oak | <i>Quercus agrifolia</i> | 9 | Single Stem | Fair | Fair | Alive - To Be Removed | |
| 223.1 | Coast Live Oak | <i>Quercus agrifolia</i> | 23 | Single Stem | Fair | Fair | Alive - To Be Removed | |
| 224 | Black Oak | <i>Quercus kelloggii</i> | 15 | Single Stem | Poor | Fair | Alive - To Be Removed | |
| 225 | California Bay | <i>Umbellularia californica</i> | 9 | Single Stem | Fair | Fair | Alive - To Be Removed | |
| 226 | Coast Live Oak | <i>Quercus agrifolia</i> | 25 | Single Stem | Fair | Good | Alive - To Be Removed | |
| 227 | Coast Live Oak | <i>Quercus agrifolia</i> | 11 | Single Stem | Fair | Fair | Alive - To Be Removed | |

Emerald Isle Tree Survey

Combined Surveys - All Trees

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|----------------|--------------------|---------------------------------|------------|------------------------|---------------|-----------------------|-------------------------|--------------------------------------|
| 227.1 | California Bay | <i>Umbellularia californica</i> | 8 | Multiple Stems | Dead | | Dead - To Be Removed | |
| 228 | Coast Live Oak | <i>Quercus agrifolia</i> | 16 | Single Stem | Fair | Fair | Alive - To Be Removed | |
| 229 | Valley Oak | <i>Quercus lobata</i> | 19 | Single Stem | Fair | Fair | Alive - To Be Removed | |
| 230 | Coast Live Oak | <i>Quercus agrifolia</i> | 21 | Single Stem | Good | Good | Alive - To be Preserved | |
| 231 | Coast Live Oak | <i>Quercus agrifolia</i> | 20" | Single Stem | Good | Good; low branching | Removed | |
| 232 | Coast Live Oak | <i>Quercus agrifolia</i> | 17" | Single Stem | Poor | Poor; extensive decay | Removed | |
| 233 | Olive | <i>Olea europaea</i> | 8" @ 3' | Single Stem | Fair | Good | Removed | |
| 234 | Coast Live Oak | <i>Quercus agrifolia</i> | 23 | Single Stem | Fair | Fair | Alive - To Be Removed | |
| 235 | Coast Live Oak | <i>Quercus agrifolia</i> | 21 | Single Stem | Fair | Fair | Alive - To Be Removed | |
| 236 | California Bay | <i>Umbellularia californica</i> | 11 | Single Stem | Poor | Fair | Alive - To Be Removed | |
| 236.1 | California Bay | <i>Umbellularia californica</i> | 7 | Single Stem | Dead | | Dead - To Be Removed | |
| 237 | Coast Live Oak | <i>Quercus agrifolia</i> | 12 | Single Stem | Fair | Fair | Alive - To Be Removed | |

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|---------|----------------|--------------------------|----------|-----------------|-------------|---|-------------------------|-------------------------------|
| 238 | Coast Live Oak | <i>Quercus agrifolia</i> | 25" | Single Stem | Fire Killed | Poor | Removed | |
| 239 | Coast Live Oak | <i>Quercus agrifolia</i> | 9 | Single Stem | Fair | Good | Alive - To Be Removed | |
| 240.1 | Black Oak | <i>Quercus kelloggii</i> | 6" | Single Stem | Fair | Poor; trunk leans north/west | Alive - To be Preserved | |
| 241 | Coast Live Oak | <i>Quercus agrifolia</i> | 9" | Single Stem | Good | Good | Removed | |
| 242 | Coast Live Oak | <i>Quercus agrifolia</i> | 12" | Single Stem | Fire Killed | Good; trunk leans south/east | Removed | |
| 243 | Coast Live Oak | <i>Quercus agrifolia</i> | 8" | Single Stem | Good | Fair | Removed | |
| 244 | Coast Live Oak | <i>Quercus agrifolia</i> | 16/13" | Multiple Stems | Fair/Good | Good; canopy radius 30' east, 14' north | Removed | |
| 245 | Coast Live Oak | <i>Quercus agrifolia</i> | 21" @ 2' | Single Stem | Fire Killed | Good | Removed | |
| 246 | Coast Live Oak | <i>Quercus agrifolia</i> | 12/17" | Multiple Stems | Fire Killed | Excellent; clearance 8' west, 12' east | Removed | |
| 247 | Coast Live Oak | <i>Quercus agrifolia</i> | 26" @ 2' | Single Stem | Good | Fair/Good | Removed | |

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|---------|----------------|---------------------------------|-----------|-----------------|-------------|---|---------|-------------------------------|
| 248 | Black Oak | <i>Quercus kelloggii</i> | 15" | Single Stem | Fire Killed | Excellent | Removed | |
| 249 | Coast Live Oak | <i>Quercus agrifolia</i> | 17" | Single Stem | Good | Fair | Removed | |
| 250 | Coast Live Oak | <i>Quercus agrifolia</i> | 9" | Single Stem | Fair | Fair | Removed | |
| 251 | Coast Live Oak | <i>Quercus agrifolia</i> | 14" @ 3' | Single Stem | Good | Good | Removed | |
| 252 | California Bay | <i>Umbellularia californica</i> | 9/13/1 3" | Multiple Stems | Fire Killed | Fair | Removed | |
| 253 | Coast Live Oak | <i>Quercus agrifolia</i> | 20" | Single Stem | Fire Killed | Fair; large cavity on E side | Removed | |
| 254 | Coast Live Oak | <i>Quercus agrifolia</i> | 14" | Single Stem | Fire Killed | Good; canopy radius 10' east, 10' west | Removed | |
| 255 | Coast Live Oak | <i>Quercus agrifolia</i> | 7/11" | Multiple Stems | Fire Killed | Good | Removed | |
| 256 | Coast Live Oak | <i>Quercus agrifolia</i> | 10" | Single Stem | Fair | Fair; s-shaped trunk west to south/east | Removed | |
| 257 | Coast Live Oak | <i>Quercus agrifolia</i> | 16" | Single Stem | Fire Killed | Fair; dead stem | Removed | |

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|---------|----------------|---------------------------------|----------|-----------------|----------------------|-------------------------------|-----------------------|-------------------------------|
| 257.1 | Black Oak | <i>Quercus kelloggii</i> | 8" | Single Stem | Poor/Fair | Fair | Removed | |
| 258 | Oregon Oak | <i>Quercus garryana</i> | 13 | Multiple Stems | Fair | Good | Alive - To Be Removed | |
| 259 | California Bay | <i>Umbellularia californica</i> | 9 | Single Stem | Dead | | Dead - To Be Removed | |
| 260 | Coast Live Oak | <i>Quercus agrifolia</i> | 15 | Single Stem | Fair | Fair | Alive - To Be Removed | |
| 261 | Coast Live Oak | <i>Quercus agrifolia</i> | 11 | Single Stem | Fair | Fair | Alive - To Be Removed | |
| 261 | Coast Live Oak | <i>Quercus agrifolia</i> | 10" | Single Stem | Poor/Fair | Fair | Removed | |
| 262 | Coast Live Oak | <i>Quercus agrifolia</i> | 11" | Single Stem | Fire Killed | Fair; cavity in base of trunk | Removed | |
| 263 | California Bay | <i>Umbellularia californica</i> | 12" @ 3' | Single Stem | Possibly Fire Killed | Good | Removed | |
| 264 | Black Oak | <i>Quercus kelloggii</i> | 14" | Single Stem | Good | Good | Removed | |
| 265 | Coast Live Oak | <i>Quercus agrifolia</i> | 19" | Single Stem | Excellent | Excellent | Removed | |
| 266 | Black Oak | <i>Quercus kelloggii</i> | 25" @ 2' | Single Stem | Fire Killed | Fair | Removed | |
| 267 | Black Oak | <i>Quercus kelloggii</i> | 13 | Single Stem | Poor | Poor | Alive - To Be Removed | Trunk Leaning (W) |

Emerald Isle Tree Survey

Combined Surveys - All Trees

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|---------|----------------|---------------------------------|-----|-----------------|--------|-----------|-------------------------|---------------------------------------|
| 268 | Coast Live Oak | <i>Quercus agrifolia</i> | 18 | Single Stem | Good | Good | Alive - To be Preserved | |
| 268.1 | California Bay | <i>Umbellularia californica</i> | 10 | Multiple Stems | Dead | | Dead - To Be Removed | |
| 269 | Black Oak | <i>Quercus kelloggii</i> | 19 | Single Stem | Fair | Fair | Alive - To be Preserved | |
| 270 | Black locust | <i>Robinia pseudoacacia</i> | 12 | Multiple Stems | Poor | Fair | Alive - To Be Removed | |
| 270.1 | Coast Live Oak | <i>Quercus agrifolia</i> | | Single Stem | Dead | | Dead | Tree missing |
| 270.2 | Coast Live Oak | <i>Quercus agrifolia</i> | | Single Stem | Dead | | Dead | Tree missing |
| 271 | Black Oak | <i>Quercus kelloggii</i> | 16 | Single Stem | Good | Fair | Alive - To be Preserved | Trunk Leaning (N) towards parking lot |

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|---------|----------------|--------------------------|-----|-----------------|--------|-----------|-------------------------|----------------------------------|
| 272 | Coast Live Oak | <i>Quercus agrifolia</i> | 14 | Single Stem | Good | Good | Alive - To be Preserved | |
| 273 | Coast Live Oak | <i>Quercus agrifolia</i> | 20 | Multiple Stems | Fair | Good | Alive - To be Preserved | Cavity, Deadwood |
| 274 | Black Oak | <i>Quercus kelloggii</i> | 9 | Single Stem | Fair | Fair | Alive - To be Preserved | Cavity, Crack, Trunk Leaning (W) |
| 275 | Black Oak | <i>Quercus kelloggii</i> | 9 | Single Stem | Fair | Fair | Alive - To Be Removed | |
| 276 | Black Oak | <i>Quercus kelloggii</i> | 14 | Single Stem | Fair | Good | Alive - To Be Removed | |
| 277 | Black Oak | <i>Quercus kelloggii</i> | 11 | Single Stem | Good | Good | Alive - To Be Removed | |
| 278 | Black Oak | <i>Quercus kelloggii</i> | 11 | Single Stem | Good | Good | Alive - To Be Removed | |
| 279 | Black Oak | <i>Quercus kelloggii</i> | 7 | Single Stem | Good | Good | Alive - To Be Removed | |

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations-Characteristics |
|---------|----------------|---------------------------------|-----------|-----------------|--------|-----------|-------------------------|------------------------------|
| 280 | Black Oak | <i>Quercus kelloggii</i> | 12 | Single Stem | Fair | Good | Alive - To Be Removed | |
| 281 | Black Oak | <i>Quercus kelloggii</i> | 10 | Single Stem | Fair | Good | Alive - To Be Removed | |
| 281.1 | Black Oak | <i>Quercus kelloggii</i> | 11 | Single Stem | Good | Good | Alive - To Be Removed | |
| 282 | Coast Live Oak | <i>Quercus agrifolia</i> | 16 | Single Stem | Fair | Good | Alive - To Be Removed | |
| 283 | Black Oak | <i>Quercus kelloggii</i> | 10 | Single Stem | Good | Good | Alive - To Be Removed | |
| 283.1 | Black Oak | <i>Quercus kelloggii</i> | 10 | Single Stem | Fair | Good | Alive - To Be Removed | |
| 283.2 | California Bay | <i>Umbellularia californica</i> | 18 | Single Stem | Good | Fair | Alive - To be Preserved | Cavity |
| 284 | California Bay | <i>Umbellularia californica</i> | 12 | Single Stem | Fair | Fair | Alive - To Be Removed | |
| 285 | Coast Live Oak | <i>Quercus agrifolia</i> | 7 | Single Stem | Poor | Fair | Alive - To Be Removed | |
| 287 | Black Oak | <i>Quercus kelloggii</i> | 15 | Single Stem | Fair | Good | Alive - To Be Removed | |
| 289 | California Bay | <i>Umbellularia californica</i> | 9" @ 2.5' | Single Stem | Fair | Good | Removed | |

Emerald Isle Tree Survey

Combined Surveys - All Trees

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|---------|----------------|--------------------------|-----|-----------------|--------|-----------|-------------------------|-----------------------------------|
| 290 | Black Oak | <i>Quercus kelloggii</i> | 14 | Single Stem | Fair | Good | Alive - To be Preserved | |
| 291 | Coast Live Oak | <i>Quercus agrifolia</i> | 8 | Single Stem | Fair | Fair | Alive - To be Preserved | |
| 292 | Coast Live Oak | <i>Quercus agrifolia</i> | 11 | Single Stem | Good | Good | Alive - To be Preserved | Deadwood |
| 293 | Black Oak | <i>Quercus kelloggii</i> | 6 | Single Stem | Poor | Poor | Alive - To be Preserved | Deadwood, very little live growth |
| 294 | Black Oak | <i>Quercus kelloggii</i> | 7 | Single Stem | Fair | Good | Alive - To be Preserved | |
| 295 | Coast Live Oak | <i>Quercus agrifolia</i> | 7 | Single Stem | Fair | Good | Alive - To be Preserved | Supressed Tree |
| 296 | Coast Live Oak | <i>Quercus agrifolia</i> | 13 | Single Stem | Good | Good | Alive - To be Preserved | |

Emerald Isle Tree Survey

Combined Surveys - All Trees

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|---------|----------------|--------------------------|-----|-----------------|--------|-----------|-------------------------|-------------------------------|
| 296.1 | Coast Live Oak | <i>Quercus agrifolia</i> | 11 | Single Stem | Good | Good | Alive - To be Preserved | Supressed Tree |
| 297 | Black Oak | <i>Quercus kelloggii</i> | 11 | Single Stem | Good | Good | Alive - To Be Removed | |
| 298 | Black Oak | <i>Quercus kelloggii</i> | 10 | Multiple Stems | Fair | Good | Alive - To Be Removed | |
| 299 | Black Oak | <i>Quercus kelloggii</i> | 9 | Single Stem | Good | Fair | Alive - To Be Removed | |
| 300 | Black Oak | <i>Quercus kelloggii</i> | 7 | Single Stem | Good | Good | Alive - To be Preserved | Supressed Tree |
| 301 | Coast Live Oak | <i>Quercus agrifolia</i> | 15 | Multiple Stems | Good | Good | Alive - To be Preserved | |

Emerald Isle Tree Survey

Combined Surveys - All Trees

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|---------|----------------|---------------------------------|-----|-----------------|--------|-----------|--------------------------|--|
| 302 | Black Oak | <i>Quercus kelloggii</i> | 14 | Single Stem | Good | Good | Alive - To be Preserved | Specimen tree |
| 303 | California Bay | <i>Umbellularia californica</i> | 16 | Multiple Stems | Fair | Fair | Alive - To be Preserved | Deadwood, Epicormic shoots |
| 304 | Black Oak | <i>Quercus kelloggii</i> | 19 | Multiple Stems | Good | Fair | Alive - To be Preserved | Cavity, Deadwood |
| 305 | Black Oak | <i>Quercus kelloggii</i> | 11 | Single Stem | Good | Good | Alive - To be Preserved | Deadwood |
| 306 | Coast Live Oak | <i>Quercus agrifolia</i> | 10 | Single Stem | Good | Good | Alive - To be Preserved | Deadwood |
| 307 | Coast Live Oak | <i>Quercus agrifolia</i> | 13 | Single Stem | Good | Good | Alive - To be Preserved | Deadwood |
| 308 | Coast Live Oak | <i>Quercus agrifolia</i> | 6 | Single Stem | Fair | Poor | Alive - To be Preserved | Deadwood, Supressed Tree |
| 309 | Coast Live Oak | <i>Quercus agrifolia</i> | | Single Stem | | | Dead | |
| 310 | Coast Live Oak | <i>Quercus agrifolia</i> | 11 | Single Stem | Good | Fair | Alive - To be Preserved | Deadwood, Epicormic shoots, Supressed Tree |
| 311 | Coast Live Oak | <i>Quercus agrifolia</i> | 9 | Single Stem | Good | Good | Alive - To be Preserved | Deadwood |
| 312 | Coast Live Oak | <i>Quercus agrifolia</i> | 6" | | Fair | Fair | Outside Development Area | |

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|---------|--------------------|---------------------------------|-----|-----------------|--------|-----------|-------------------------|-------------------------------|
| 313 | California Buckeye | <i>Aesculus californica</i> | 10 | Single Stem | Good | Good | Alive - To be Preserved | |
| 315 | Black Oak | <i>Quercus kelloggii</i> | 26 | Single Stem | Good | Fair | Alive - To be Preserved | Deadwood, Vine growth |
| 316 | Coast Live Oak | <i>Quercus agrifolia</i> | 13 | Single Stem | Good | Fair | Alive - To be Preserved | Broken Limb, Deadwood |
| 317 | California Buckeye | <i>Aesculus californica</i> | | Single Stem | Dead | | Dead | |
| 318 | Coast Live Oak | <i>Quercus agrifolia</i> | 10 | Single Stem | Good | Good | Alive - To be Preserved | Deadwood |
| 319 | California Buckeye | <i>Aesculus californica</i> | | Single Stem | Dead | | Dead - To Be Removed | |
| 320 | California Bay | <i>Umbellularia californica</i> | 15 | Multiple Stems | Good | Good | Alive - To be Preserved | Deadwood |
| 321 | Coast Live Oak | <i>Quercus agrifolia</i> | 10 | Single Stem | Good | Good | Alive - To be Preserved | Deadwood |
| 322 | Coast Live Oak | <i>Quercus agrifolia</i> | 11 | Single Stem | Good | Fair | Alive - To be Preserved | Deadwood, Supressed Tree |
| 323 | Coast Live Oak | <i>Quercus agrifolia</i> | 12 | Single Stem | Good | Fair | Alive - To be Preserved | Deadwood, Supressed Tree |
| 324 | Coast Live Oak | <i>Quercus agrifolia</i> | 10 | Single Stem | Good | Good | Alive - To be Preserved | Deadwood |
| 326 | Coast Live Oak | <i>Quercus agrifolia</i> | 10 | Single Stem | Fair | Fair | Alive - To be Preserved | Deadwood, Supressed Tree |
| 327 | Coast Live Oak | <i>Quercus agrifolia</i> | 9 | Single Stem | Fair | Fair | Alive - To be Preserved | Deadwood, Supressed Tree |

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|---------|----------------|---------------------------------|-----------|-----------------|-------------|------------------------|-------------------------|-------------------------------|
| 328 | Coast Live Oak | <i>Quercus agrifolia</i> | 11 | Single Stem | Good | Fair | Alive - To be Preserved | Deadwood |
| 330 | Coast Live Oak | <i>Quercus agrifolia</i> | 17 | Single Stem | Good | Good | Alive - To be Preserved | |
| 331 | Coast Live Oak | <i>Quercus agrifolia</i> | 9" | Single Stem | Fair/Good | Good | Removed | |
| 332 | Coast Live Oak | <i>Quercus agrifolia</i> | 13" | Single Stem | Good | Poor | Removed | |
| 333 | Coast Live Oak | <i>Quercus agrifolia</i> | 9" | Single Stem | Excellent | Excellent | Removed | |
| 335 | Coast Live Oak | <i>Quercus agrifolia</i> | 19" | Single Stem | Excellent | Good; trunk leans east | Removed | |
| 336 | California Bay | <i>Umbellularia californica</i> | 6" | Single Stem | Fire Killed | Good | Removed | |
| 337 | Coast Live Oak | <i>Quercus agrifolia</i> | 9" | Single Stem | Fire Killed | Fair | Removed | |
| 338 | California Bay | <i>Umbellularia californica</i> | 12"/7"/4" | Multiple Stems | Fire Killed | Excellent | Removed | |
| 339 | California Bay | <i>Umbellularia californica</i> | 8" @ 3' | Single Stem | Fire Killed | Good, though damaged | Removed | |
| 340 | Coast Live Oak | <i>Quercus agrifolia</i> | 21" | Single Stem | Good | Excellent | Removed | |
| 341 | California Bay | <i>Umbellularia californica</i> | 7/5/5" | Multiple Stems | Good | Fair; multiple trunks | Removed | |

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|---------|----------------|---------------------------------|------------|-----------------|-------------|-------------------------------|---------|-------------------------------|
| 342 | Coast Live Oak | <i>Quercus agrifolia</i> | 7" | Single Stem | Good | Good | Removed | |
| 343 | Coast Live Oak | <i>Quercus agrifolia</i> | 17" | Single Stem | Fair | Poor | Removed | |
| 344 | California Bay | <i>Umbellularia californica</i> | 5/5/7" | Multiple Stems | Fire Killed | Excellent | Removed | |
| 345 | California Bay | <i>Umbellularia californica</i> | 5"/6" | Multiple Stems | Fire Killed | Good | Removed | |
| 346 | California Bay | <i>Umbellularia californica</i> | 4/4/5/5/8" | Multiple Stems | Good | Good | Removed | |
| 347 | California Bay | <i>Umbellularia californica</i> | 4/5/5/6/6" | Multiple Stems | Excellent | Excellent | Removed | |
| 348 | California Bay | <i>Umbellularia californica</i> | 4/5/6" | Multiple Stems | Good | Good | Removed | |
| 349 | Coast Live Oak | <i>Quercus agrifolia</i> | 17" | Single Stem | Good | Good; canopy radius 20' north | Removed | |
| 350 | Coast Live Oak | <i>Quercus agrifolia</i> | 11" | Single Stem | Fair | Poor | Removed | |
| 351 | Coast Live Oak | <i>Quercus agrifolia</i> | 10" | Single Stem | Good | Good | Removed | |
| 352 | Coast Live Oak | <i>Quercus agrifolia</i> | 16" | Single Stem | Good | Good | Removed | |
| 353 | Coast Live Oak | <i>Quercus agrifolia</i> | 15" | Single Stem | Excellent | Good | Removed | |
| 354 | Black Oak | <i>Quercus kelloggii</i> | 26" | Single Stem | Fair | Fair; trunk leans west | Removed | |

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|---------|----------------|---------------------------------|-------|-----------------|----------------|---|---------|-------------------------------|
| 355 | California Bay | <i>Umbellularia californica</i> | 5/19" | Multiple Stems | Fair | Fair; canopy radius 15' south | Removed | |
| 356 | California Bay | <i>Umbellularia californica</i> | 15" | Single Stem | Good | Good; canopy radius 15' south, low branching | Removed | |
| 357 | Coast Live Oak | <i>Quercus agrifolia</i> | 8" | Single Stem | Fair | Fair | Removed | |
| 358 | Coast Live Oak | <i>Quercus agrifolia</i> | 11" | Single Stem | Good | Good; slight lean north | Removed | |
| 359 | Coast Live Oak | <i>Quercus agrifolia</i> | 12" | Single Stem | Fair | Fair; extensive decay | Removed | |
| 360 | Coast Live Oak | <i>Quercus agrifolia</i> | 19" | Single Stem | Good | Fair | Removed | |
| 361 | Coast Live Oak | <i>Quercus agrifolia</i> | 15" | Single Stem | Good/Excellent | Good | Removed | |
| 362 | Coast Live Oak | <i>Quercus agrifolia</i> | 17" | Single Stem | Good/Excellent | Good; trunk leans south/west, canopy radius 25' south | Removed | |

Emerald Isle Tree Survey

Combined Surveys - All Trees

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|---------|----------------|---------------------------------|----------------|-----------------|----------------|-------------------------------|---------|-------------------------------|
| 363 | Coast Live Oak | <i>Quercus agrifolia</i> | 9" | Single Stem | Fair | Fair | Removed | |
| 364 | California Bay | <i>Umbellularia californica</i> | 15"/10" "7" | | Fair | Fair/Good | Removed | |
| 365 | Coast Live Oak | <i>Quercus agrifolia</i> | 23" | Single Stem | Excellent | Excellent | Removed | |
| 366 | Valley Oak | <i>Quercus lobata</i> | 19" | Single Stem | Fair | Fair | Removed | |
| 367 | Black Oak | <i>Quercus kelloggii</i> | 23" | Single Stem | Fire Killed | Good; canopy radius 20' north | Removed | |
| 368 | Coast Live Oak | <i>Quercus agrifolia</i> | 17" | Single Stem | Good | Good; trunk leans west | Removed | |
| 369 | Coast Live Oak | <i>Quercus agrifolia</i> | 12" | Single Stem | Good | Fair | Removed | |
| 370 | Coast Live Oak | <i>Quercus agrifolia</i> | 17" | Single Stem | Good | Fair | Removed | |
| 371 | California Bay | <i>Umbellularia californica</i> | 6"/5" | | Fire Killed | Good | Removed | |
| 372 | California Bay | <i>Umbellularia californica</i> | 6" | Single Stem | Fair | Fair | Removed | |
| 373 | California Bay | <i>Umbellularia californica</i> | 7" | Single Stem | Good | Good | Removed | |
| 374 | California Bay | <i>Umbellularia californica</i> | 5"/4" | Multiple Stems | Good/Excellent | Excellent | Removed | |

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|---------|----------------|---------------------------------|---------|-----------------|----------------|-------------------------------|-----------------------|-------------------------------|
| 375 | Coast Live Oak | <i>Quercus agrifolia</i> | 17" | Single Stem | Good/Excellent | Excellent | Removed | |
| 376 | California Bay | <i>Umbellularia californica</i> | 6/6/7" | Multiple Stems | Fair | Fair/Good | Removed | |
| 377 | California Bay | <i>Umbellularia californica</i> | 5/6" | Multiple Stems | Fair | Good | Removed | |
| 378 | California Bay | <i>Umbellularia californica</i> | 10 | Multiple Stems | Good | Good | Alive - To Be Removed | Deadwood, Epicormic shoots |
| 379 | Coast Live Oak | <i>Quercus agrifolia</i> | 15" | Single Stem | Good | Fair; trunk leans south | Removed | |
| 380 | Coast Live Oak | <i>Quercus agrifolia</i> | 4/5/11" | Multiple Stems | Good | Excellent | Removed | |
| 381 | California Bay | <i>Umbellularia californica</i> | 6/7" | Multiple Stems | Good | Excellent | Removed | |
| 382 | California Bay | <i>Umbellularia californica</i> | 5/6" | Multiple Stems | Fire Killed | Excellent | Removed | |
| 383 | Coast Live Oak | <i>Quercus agrifolia</i> | 14" | Single Stem | Fair | Fair | Removed | |
| 384 | Coast Live Oak | <i>Quercus agrifolia</i> | 14/16" | Multiple Stems | Fair | Fair; canopy radius 10' south | Removed | |
| 385 | Coast Live Oak | <i>Quercus agrifolia</i> | 14" | Single Stem | Fair | Good | Removed | |
| 387 | Black Oak | <i>Quercus kelloggii</i> | 16" | Single Stem | Fire Killed | Fair | Removed | |

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|---------|----------------|---------------------------------|-------------|-----------------|-------------|--------------------------|---------|-------------------------------|
| 388 | California Bay | <i>Umbellularia californica</i> | 13/26" @ 3' | Multiple Stems | Fire Killed | Good | Removed | |
| 389 | Black Oak | <i>Quercus kelloggii</i> | 13" @ 3' | Single Stem | Fair/Good | Fair/Good | Removed | |
| 390 | California Bay | <i>Umbellularia californica</i> | 11" | Single Stem | Fire Killed | Good | Removed | |
| 391 | Black Oak | <i>Quercus kelloggii</i> | 11" | Single Stem | Fire Killed | Good | Removed | |
| 392 | Black Oak | <i>Quercus kelloggii</i> | 15" | Single Stem | Good | Good | Removed | |
| 393 | Coast Live Oak | <i>Quercus agrifolia</i> | 9" | Single Stem | Fair | Fair | Removed | |
| 394 | California Bay | <i>Umbellularia californica</i> | 4/7/16 " | Multiple Stems | Good | Good | Removed | |
| 395 | Coast Live Oak | <i>Quercus agrifolia</i> | 8/19" | Multiple Stems | Excellent | Excellent | Removed | |
| 396 | Coast Live Oak | <i>Quercus agrifolia</i> | 19" @ 3' | Single Stem | Excellent | Excellent | Removed | |
| 397 | Coast Live Oak | <i>Quercus agrifolia</i> | 12" | Single Stem | Poor | Good | Removed | |
| 398 | California Bay | <i>Umbellularia californica</i> | 12" | Single Stem | Good | Good | Removed | |
| 399 | California Bay | <i>Umbellularia californica</i> | 16" | Single Stem | Fire Killed | Poor; extensive decay | Removed | |
| 400 | Coast Live Oak | <i>Quercus agrifolia</i> | 11" @ 4' | Single Stem | Good | Good | Removed | |

Emerald Isle Tree Survey

Combined Surveys - All Trees

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|---------|----------------|---------------------------------|----------|-----------------|----------------------|----------------------------|---------|-------------------------------|
| 401 | Coast Live Oak | <i>Quercus agrifolia</i> | 20" | Single Stem | Good | Excellent | Removed | |
| 402 | California Bay | <i>Umbellularia californica</i> | 12" | Single Stem | Fire Killed | Fair | Removed | |
| 403 | California Bay | <i>Umbellularia californica</i> | 19" @ 2' | Single Stem | Fire Killed | Fair | Removed | |
| 404 | Coast Live Oak | <i>Quercus agrifolia</i> | 9" | Single Stem | Fire Killed | Good | Removed | |
| 405 | Coast Live Oak | <i>Quercus agrifolia</i> | 22" @ 4' | Single Stem | Fire Killed | Good | Removed | |
| 406 | California Bay | <i>Umbellularia californica</i> | 11" | Single Stem | Fire Killed | Poor | Removed | |
| 407 | California Bay | <i>Umbellularia californica</i> | 6/26" | Multiple Stems | Fire Killed | Fair/Good | Removed | |
| 408 | Coast Live Oak | <i>Quercus agrifolia</i> | 11" @ 4' | Single Stem | Possibly Fire Killed | Fair | Removed | |
| 409 | Coast Live Oak | <i>Quercus agrifolia</i> | 16" | Single Stem | Possibly Fire Killed | Good | Removed | |
| 410 | Coast Live Oak | <i>Quercus agrifolia</i> | 13" | Single Stem | Good | Good | Removed | |
| 411 | Coast Live Oak | <i>Quercus agrifolia</i> | 15" | Single Stem | Good | Good | Removed | |
| 412 | Coast Live Oak | <i>Quercus agrifolia</i> | 14" | Single Stem | Fire Killed | Good | Removed | |
| 413 | Black Oak | <i>Quercus kelloggii</i> | 14" | Single Stem | Fire Killed | Good; good clearance north | Removed | |

Emerald Isle Tree Survey

Combined Surveys - All Trees

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations-Characteristics |
|---------|----------------|---------------------------------|----------|-----------------|----------------------|--------------------------------|---------|------------------------------|
| 415 | California Bay | <i>Umbellularia californica</i> | 17" | Single Stem | Fire Killed | Fair/Poor, decay column | Removed | |
| 416 | California Bay | <i>Umbellularia californica</i> | 13" | Single Stem | Fire Killed | Fair | Removed | |
| 417 | Black Oak | <i>Quercus kelloggii</i> | 13" | Single Stem | Fire Killed | Good | Removed | |
| 418 | Black Oak | <i>Quercus kelloggii</i> | 10" | Single Stem | Fire Killed | Poor | Removed | |
| 419 | Coast Live Oak | <i>Quercus agrifolia</i> | 9" | Single Stem | Fair | Fair | Removed | |
| 420 | Coast Live Oak | <i>Quercus agrifolia</i> | 13"/22" | Multiple Stems | Possibly Fire Killed | Fair | Removed | |
| 422 | Black Oak | <i>Quercus kelloggii</i> | 12 | Single Stem | Fire Killed | Good | Removed | |
| 423 | Black Oak | <i>Quercus kelloggii</i> | 8" | Single Stem | Fire Killed | Fair | Removed | |
| 425 | Coast Live Oak | <i>Quercus agrifolia</i> | 7" | Single Stem | Poor | Poor; decay column | Removed | |
| 426 | Black Oak | <i>Quercus kelloggii</i> | 14" | Single Stem | Good | Good; low branching north/east | Removed | |
| 427 | Coast Live Oak | <i>Quercus agrifolia</i> | 13" @ 3' | Single Stem | Fire Killed | Good | Removed | |
| 428 | Coast Live Oak | <i>Quercus agrifolia</i> | 18" | Single Stem | Possibly Fire Killed | Excellent | Removed | |

Emerald Isle Tree Survey

Combined Surveys - All Trees

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|---------|----------------|---------------------------------|-----|-----------------|-----------|---|-----------------------|-------------------------------|
| 429 | Coast Live Oak | <i>Quercus agrifolia</i> | 12" | Single Stem | Excellent | Excellent | Removed | |
| 430 | Coast Live Oak | <i>Quercus agrifolia</i> | 19" | Single Stem | Good | Good; low lateral; canopy radius 13' east | Removed | |
| 431 | Valley Oak | <i>Quercus lobata</i> | 13" | Single Stem | Fair | Poor | Removed | |
| 432 | California Bay | <i>Umbellularia californica</i> | 20" | Single Stem | Good | Good; low clearance | Removed | |
| 433 | Coast Live Oak | <i>Quercus agrifolia</i> | 9 | Multiple Stems | Fair | Fair | Alive - To Be Removed | |
| 434 | Valley Oak | <i>Quercus lobata</i> | 15 | Single Stem | Poor | Poor | Alive - To Be Removed | |
| 435 | Black Oak | <i>Quercus kelloggii</i> | 10 | Single Stem | Fair | Good | Alive - To Be Removed | |
| 436 | Valley Oak | <i>Quercus lobata</i> | 14 | Multiple Stems | Fair | Fair | Alive - To Be Removed | |
| 437 | Coast Live Oak | <i>Quercus agrifolia</i> | 11 | Single Stem | Fair | Fair | Alive - To Be Removed | |
| 438 | Oregon Oak | <i>Quercus garryana</i> | 10 | Single Stem | Fair | Good | Alive - To Be Removed | |
| 439 | Coast Live Oak | <i>Quercus agrifolia</i> | 13 | Single Stem | Fair | Fair | Alive - To Be Removed | |
| 440 | Coast Live Oak | <i>Quercus agrifolia</i> | 10 | Single Stem | Fair | Good | Alive - To Be Removed | |

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|---------|----------------|--------------------------|-----|-----------------|--------|-----------|-------------------------|-------------------------------|
| 441 | Black Oak | <i>Quercus kelloggii</i> | 11 | Single Stem | Fair | Fair | Alive - To Be Removed | |
| 442 | Coast Live Oak | <i>Quercus agrifolia</i> | 5 | Single Stem | Poor | Poor | Alive - To Be Removed | |
| 443 | Coast Live Oak | <i>Quercus agrifolia</i> | 14 | Multiple Stems | Fair | Poor | Alive - To Be Removed | |
| 444 | Coast Live Oak | <i>Quercus agrifolia</i> | 27 | Single Stem | Fair | Fair | Alive - To Be Removed | |
| 445 | Black Oak | <i>Quercus kelloggii</i> | 14 | Single Stem | Poor | Good | Alive - To Be Removed | |
| 446 | Black Oak | <i>Quercus kelloggii</i> | 16 | Single Stem | Fair | Fair | Alive - To Be Removed | |
| 447 | Coast Live Oak | <i>Quercus agrifolia</i> | 8 | Single Stem | Fair | Good | Alive - To Be Removed | |
| 448 | Coast Live Oak | <i>Quercus agrifolia</i> | 5 | Single Stem | Fair | Fair | Alive - To Be Removed | |
| 449 | Coast Live Oak | <i>Quercus agrifolia</i> | 7 | Single Stem | Fair | Good | Alive - To Be Removed | |
| 450 | Black Oak | <i>Quercus kelloggii</i> | 17 | Single Stem | Fair | Good | Alive - To Be Removed | |
| 451 | Black Oak | <i>Quercus kelloggii</i> | 14 | Single Stem | Fair | Fair | Alive - To be Preserved | |

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|---------|----------------|--------------------------|-----|-----------------|-------------|-----------|-------------------------|-------------------------------|
| 452 | Black Oak | <i>Quercus kelloggii</i> | 11 | Single Stem | Poor | Fair | Alive - To be Preserved | Deadwood, Trunk Leaning (W) |
| 453 | Valley Oak | <i>Quercus lobata</i> | 13 | Single Stem | Fair | Good | Alive - To be Preserved | |
| 454 | Black Oak | <i>Quercus kelloggii</i> | 10 | Single Stem | Fair | Good | Alive - To be Preserved | |
| 455 | Black Oak | <i>Quercus kelloggii</i> | 17 | Multiple Stems | Fair | Fair | Alive - To be Preserved | |
| 456 | Black Oak | <i>Quercus kelloggii</i> | 17 | Multiple Stems | Dead | | Dead | |
| 457 | Black Oak | <i>Quercus kelloggii</i> | | Single Stem | Dead | | Dead - To Be Removed | Only burnt stump remains |
| 458 | Black Oak | <i>Quercus kelloggii</i> | 14 | Single Stem | Poor | Fair | Alive - To Be Removed | |
| 459 | Coast Live Oak | <i>Quercus agrifolia</i> | 16 | Single Stem | Fair | Poor | Alive - To Be Removed | |
| 460 | Black Oak | <i>Quercus kelloggii</i> | 11" | Single Stem | Fire Killed | Poor | Removed | |
| 461 | Valley Oak | <i>Quercus lobata</i> | 12" | Single Stem | Fire Killed | Good | Removed | |
| 462 | Coast Live Oak | <i>Quercus agrifolia</i> | 14" | Single Stem | Fire Killed | Good | Removed | |

Emerald Isle Tree Survey

Combined Surveys - All Trees

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|---------|--------------------|---------------------------------|-----------|-----------------|----------------------|-------------------------|---------|-------------------------------|
| 463 | California Bay | <i>Umbellularia californica</i> | 9"/7"/10" | Multiple Stems | Fire Killed | Good | Removed | |
| 464 | Coast Live Oak | <i>Quercus agrifolia</i> | 9" | Single Stem | Fire Killed | Fair | Removed | |
| 465 | Valley Oak | <i>Quercus lobata</i> | 19" | Single Stem | Fire Killed | Fair | Removed | |
| 466 | Black Oak | <i>Quercus kelloggii</i> | 11" | Single Stem | Possibly Fire Killed | Fair | Removed | |
| 467 | California Bay | <i>Umbellularia californica</i> | 14" | Single Stem | Fire Killed | Good | Removed | |
| 468 | Coast Live Oak | <i>Quercus agrifolia</i> | 8/11" | Multiple Stems | Excellent | Good | Removed | |
| 469 | Valley Oak | <i>Quercus lobata</i> | 17" | Single Stem | Fire Killed | Good | Removed | |
| 470 | California Buckeye | <i>Aesculus californica</i> | 5/6/8" | Multiple Stems | Fire Killed | Fair | Removed | |
| 471 | Valley Oak | <i>Quercus lobata</i> | 9" | Single Stem | Possibly Fire Killed | Good | Removed | |
| 472 | California Bay | <i>Umbellularia californica</i> | 5/6/6" | Multiple Stems | Fire Killed | Excellent | Removed | |
| 473 | California Bay | <i>Umbellularia californica</i> | 12" | Single Stem | Fire Killed | Poor | Removed | |
| 474 | Coast Live Oak | <i>Quercus agrifolia</i> | 15" @ 3' | Single Stem | Fire Killed | Excellent | Removed | |
| 475 | Coast Live Oak | <i>Quercus agrifolia</i> | 13" | Single Stem | Fire Killed | Good; trunk leans south | Removed | |

Emerald Isle Tree Survey

Combined Surveys - All Trees

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|---------|--------------------|---------------------------------|--------|-----------------|----------------------|-----------|-----------------------|-------------------------------|
| 476 | Valley Oak | <i>Quercus lobata</i> | 13/14" | Multiple Stems | Fire Killed | Fair | Removed | |
| 477 | Black Oak | <i>Quercus kelloggii</i> | 9" | Single Stem | Fire Killed | Fair | Removed | |
| 478 | Black Oak | <i>Quercus kelloggii</i> | 10" | Single Stem | Fire Killed | Fair | Removed | |
| 479 | California Bay | <i>Umbellularia californica</i> | 7" | Single Stem | Fire Killed | Good | Removed | |
| 480 | Black Oak | <i>Quercus kelloggii</i> | 11" | Single Stem | Fire Killed | Good | Removed | |
| 481 | Black Oak | <i>Quercus kelloggii</i> | 6" | Single Stem | Fire Killed | Poor | Removed | |
| 482 | Valley Oak | <i>Quercus lobata</i> | 12" | Single Stem | Fair | Good | Removed | |
| 484 | California Buckeye | <i>Aesculus californica</i> | 5" | Single Stem | Poor | Poor | Removed | |
| 485 | Valley Oak | <i>Quercus lobata</i> | 21 | Single Stem | Fair | Fair | Alive - To Be Removed | |
| 485.1 | California Bay | <i>Umbellularia californica</i> | 5 | Single Stem | | | Alive - To Be Removed | |
| 486 | California Buckeye | <i>Aesculus californica</i> | 6 | Single Stem | Poor | Poor | Alive - To Be Removed | |
| 487 | Valley Oak | <i>Quercus lobata</i> | 14" | Single Stem | Fair | Good | Removed | |
| 488 | Coast Live Oak | <i>Quercus agrifolia</i> | 9" | Single Stem | Possibly Fire Killed | Fair | Removed | |

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|---------|--------------------|---------------------------------|-----------|-----------------|-------------|-----------|-----------------------|--|
| 489 | California Bay | <i>Umbellularia californica</i> | 17 | Multiple Stems | Poor | Poor | Alive - To Be Removed | Cavity, Deadwood, Epicormic shoots |
| 490 | California Buckeye | <i>Aesculus californica</i> | 5 | Single Stem | Dead | | Dead - To Be Removed | |
| 491 | Valley Oak | <i>Quercus lobata</i> | 5 | Single Stem | Poor | Good | Alive - To Be Removed | Deadwood |
| 492 | Valley Oak | <i>Quercus lobata</i> | 6 | Single Stem | Poor | Good | Alive - To Be Removed | Deadwood |
| 494 | Coast Live Oak | <i>Quercus agrifolia</i> | 9" @ 3.5' | Single Stem | Fire Killed | Good | Removed | |
| 495 | California Bay | <i>Umbellularia californica</i> | 18 | Multiple Stems | Poor | Poor | Alive - To Be Removed | Broken Limb, Co-dominant Limbs, Deadwood, Epicormic shoots, Weak attachments |
| 496 | Coast Live Oak | <i>Quercus agrifolia</i> | 16 | Multiple Stems | Poor | Poor | Alive - To Be Removed | Co-dominant Limbs, Deadwood, Epicormic shoots, Included Bark |
| 497 | Coast Live Oak | <i>Quercus agrifolia</i> | 9 | Multiple Stems | Poor | Poor | Alive - To Be Removed | Deadwood, Epicormic shoots |
| 498 | Coast Live Oak | <i>Quercus agrifolia</i> | 6 | Single Stem | Poor | | Alive - To Be Removed | Deadwood, Epicormic shoots |
| 499 | Coast Live Oak | <i>Quercus agrifolia</i> | 16 | Multiple Stems | Poor | Fair | Alive - To Be Removed | Deadwood, Epicormic shoots |
| 500 | Valley Oak | <i>Quercus lobata</i> | 13 | Single Stem | Fair | Fair | Alive - To Be Removed | |

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|---------|----------------|---------------------------------|-----|-----------------|--------|-----------|-------------------------|--|
| 501 | Valley Oak | <i>Quercus lobata</i> | 9 | Single Stem | Fair | Fair | Alive - To Be Removed | |
| 502 | Black Oak | <i>Quercus kelloggii</i> | 20 | Single Stem | Fair | Good | Alive - To be Preserved | Deadwood, Epicormic shoots |
| 503 | Valley Oak | <i>Quercus lobata</i> | | Single Stem | Dead | | Dead | |
| 504 | Coast Live Oak | <i>Quercus agrifolia</i> | 14 | Single Stem | Fair | Fair | Alive - To be Preserved | Deadwood, Epicormic shoots, Weak attachments |
| 504.1 | California Bay | <i>Umbellularia californica</i> | 6 | Single Stem | Dead | | Dead | Stump sprouting |
| 505 | Coast Live Oak | <i>Quercus agrifolia</i> | 27 | Multiple Stems | Good | Fair | Alive - To be Preserved | Cavity, Deadwood, Epicormic shoots, Weak attachments |
| 505.1 | California Bay | <i>Umbellularia californica</i> | 4 | Single Stem | Dead | | Dead | |
| 506 | Valley Oak | <i>Quercus lobata</i> | 18 | Single Stem | Fair | Fair | Alive - To be Preserved | Deadwood, Epicormic shoots |
| 507 | Black Oak | <i>Quercus kelloggii</i> | 12 | Single Stem | Good | Good | Alive - To be Preserved | Deadwood |
| 508 | Valley Oak | <i>Quercus lobata</i> | 10 | Single Stem | Good | Good | Alive - To be Preserved | Deadwood |
| 509 | Black Oak | <i>Quercus kelloggii</i> | 18 | Single Stem | Good | Good | Alive - To be Preserved | Deadwood |
| 510 | Coast Live Oak | <i>Quercus agrifolia</i> | 15 | Single Stem | Fair | Good | Alive - To be Preserved | Deadwood |

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|---------|----------------|---------------------------------|-----|-----------------|--------|-----------|-------------------------|------------------------------------|
| 511 | Coast Live Oak | <i>Quercus agrifolia</i> | 19 | Single Stem | Good | Good | Alive - To be Preserved | Deadwood |
| 512 | Coast Live Oak | <i>Quercus agrifolia</i> | 19 | Multiple Stems | Fair | Fair | Alive - To be Preserved | Cavity, Deadwood, Epicormic shoots |
| 513 | Coast Live Oak | <i>Quercus agrifolia</i> | 31 | Single Stem | Fair | Fair | Alive - To be Preserved | Cavity, Deadwood |
| 514 | Valley Oak | <i>Quercus lobata</i> | 8 | Single Stem | Dead | | Dead | |
| 515 | Coast Live Oak | <i>Quercus agrifolia</i> | 22 | Single Stem | Fair | Fair | Alive - To be Preserved | Cavity, Deadwood, Epicormic shoots |
| 515.1 | California Bay | <i>Umbellularia californica</i> | 11 | Multiple Stems | Dead | | Dead | Stump sprouting |
| 515.2 | California Bay | <i>Umbellularia californica</i> | 5 | Single Stem | Dead | | Dead | Stump sprouting |
| 516 | Black Oak | <i>Quercus kelloggii</i> | 13 | Single Stem | Dead | | Dead | |
| 517 | Coast Live Oak | <i>Quercus agrifolia</i> | 10 | Single Stem | Fair | Fair | Alive - To be Preserved | Deadwood, Epicormic shoots |
| 518 | Valley Oak | <i>Quercus lobata</i> | 8 | Single Stem | Dead | | Dead | |
| 519 | Valley Oak | <i>Quercus lobata</i> | 12 | Single Stem | Poor | Good | Alive - To be Preserved | Deadwood, Epicormic shoots |
| 520 | Coast Live Oak | <i>Quercus agrifolia</i> | 9 | Multiple Stems | Poor | Poor | Alive - To Be Removed | Deadwood, Epicormic shoots |
| 521 | Black Oak | <i>Quercus kelloggii</i> | 14 | Single Stem | Poor | Good | Alive - To be Preserved | Deadwood, Epicormic shoots |

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|---------|--------------------|---------------------------------|----------|-----------------|-------------|--------------------|-------------------------|-------------------------------|
| 522 | Coast Live Oak | <i>Quercus agrifolia</i> | 10 | Multiple Stems | Fair | Good | Alive - To be Preserved | Deadwood, Epicormic shoots |
| 523 | California Buckeye | <i>Aesculus californica</i> | 6" | Single Stem | Fire Killed | Good | Removed | |
| 524 | California Bay | <i>Umbellularia californica</i> | 8"/5" | Multiple Stems | Fire Killed | Poor | Removed | |
| 525 | Coast Live Oak | <i>Quercus agrifolia</i> | 13" @ 3' | Single Stem | Fire Killed | Good | Removed | |
| 526 | Coast Live Oak | <i>Quercus agrifolia</i> | 12" | Single Stem | Fire Killed | Good | Removed | |
| 527 | Coast Live Oak | <i>Quercus agrifolia</i> | 10" | Single Stem | Fire Killed | Fair | Removed | |
| 529 | Coast Live Oak | <i>Quercus agrifolia</i> | 7/14" | Multiple Stems | Fair | Good | Removed | |
| 530 | California Bay | <i>Umbellularia californica</i> | 4/4/6/6" | Multiple Stems | Good | Good | Removed | |
| 531 | Coast Live Oak | <i>Quercus agrifolia</i> | 9" | Single Stem | Fair | Fair | Removed | |
| 532 | Coast Live Oak | <i>Quercus agrifolia</i> | 10 | Single Stem | Poor | Poor | Alive - To Be Removed | Deadwood, Epicormic shoots |
| 533 | Coast Live Oak | <i>Quercus agrifolia</i> | 7/8" | Multiple Stems | Fire Killed | Good | Removed | |
| 534 | California Bay | <i>Umbellularia californica</i> | 5/8" | Multiple Stems | Fire Killed | Poor; decay column | Removed | |
| 535 | Coast Live Oak | <i>Quercus agrifolia</i> | 9" | Single Stem | Fire Killed | Fair | Removed | |

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|---------|--------------------|---------------------------------|-----|-----------------|--------|-----------|-----------------------|---|
| 536 | Coast Live Oak | <i>Quercus agrifolia</i> | 8 | Single Stem | Poor | Fair | Alive - To Be Removed | Deadwood, Epicormic shoots |
| 537 | Coast Live Oak | <i>Quercus agrifolia</i> | 10 | Multiple Stems | Dead | Poor | Dead - To Be Removed | |
| 538 | Coast Live Oak | <i>Quercus agrifolia</i> | 6 | Single Stem | Dead | Fair | Dead - To Be Removed | |
| 539 | Coast Live Oak | <i>Quercus agrifolia</i> | 11 | Single Stem | Poor | Fair | Alive - To Be Removed | Deadwood, Epicormic shoots |
| 540 | Coast Live Oak | <i>Quercus agrifolia</i> | 10 | Single Stem | Dead | Poor | Dead - To Be Removed | |
| 541 | Coast Live Oak | <i>Quercus agrifolia</i> | | Single Stem | Dead | Poor | Dead - To Be Removed | |
| 542 | California Bay | <i>Umbellularia californica</i> | 14 | Multiple Stems | Poor | Poor | Alive - To Be Removed | Broken Limb, Deadwood, Decay at base |
| 543 | Coast Live Oak | <i>Quercus agrifolia</i> | 8 | Single Stem | Poor | Poor | Alive - To Be Removed | Deadwood, Epicormic shoots |
| 543.1 | Coast Live Oak | <i>Quercus agrifolia</i> | 11 | Multiple Stems | Poor | Poor | Alive - To Be Removed | Deadwood, Epicormic shoots |
| 544 | Coast Live Oak | <i>Quercus agrifolia</i> | 14 | Single Stem | Poor | Poor | Alive - To Be Removed | Deadwood, Epicormic shoots |
| 545 | California Buckeye | <i>Aesculus californica</i> | 9 | Single Stem | Dead | Poor | Dead - To Be Removed | |
| 546 | Coast Live Oak | <i>Quercus agrifolia</i> | 12 | Multiple Stems | Poor | Poor | Alive - To Be Removed | Deadwood, Epicormic shoots |
| 547 | Coast Live Oak | <i>Quercus agrifolia</i> | 12 | Single Stem | Poor | Poor | Alive - To Be Removed | Broken Limb, Deadwood, Epicormic shoots |

Emerald Isle Tree Survey

Combined Surveys - All Trees

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|---------|--------------------|---------------------------------|-----|-----------------|--------|-----------|-------------------------|--|
| 548 | Coast Live Oak | <i>Quercus agrifolia</i> | 5 | Single Stem | Dead | Poor | Dead - To Be Removed | |
| 549 | Coast Live Oak | <i>Quercus agrifolia</i> | 11 | Single Stem | Poor | Poor | Alive - To Be Removed | Broken Limb, Deadwood, Epicormic shoots |
| 550 | Coast Live Oak | <i>Quercus agrifolia</i> | 21 | Multiple Stems | Fair | Poor | Alive - To Be Removed | Huge burn cavity in crotch, Deadwood, Epicormic shoots |
| 551 | Coast Live Oak | <i>Quercus agrifolia</i> | 8 | Single Stem | Poor | Fair | Alive - To Be Removed | |
| 552 | Coast Live Oak | <i>Quercus agrifolia</i> | 13 | Multiple Stems | Poor | Fair | Alive - To Be Removed | |
| 553 | Coast Live Oak | <i>Quercus agrifolia</i> | 8 | Single Stem | Poor | Fair | Alive - To Be Removed | |
| 554 | California Buckeye | <i>Aesculus californica</i> | 11 | Multiple Stems | Dead | | Dead - To Be Removed | Stump sprouting |
| 555 | Valley Oak | <i>Quercus lobata</i> | 28 | Multiple Stems | Dead | Poor | Dead - To Be Removed | |
| 556 | California Buckeye | <i>Aesculus californica</i> | 10 | Multiple Stems | Dead | | Dead - To Be Removed | |
| 557 | California Bay | <i>Umbellularia californica</i> | 9 | Single Stem | Dead | Poor | Dead - To Be Removed | Stump sprouting |
| 558 | Coast Live Oak | <i>Quercus agrifolia</i> | 7 | Single Stem | Poor | Poor | Alive - To be Preserved | Deadwood, Epicormic shoots, stump sprouting |
| 559 | Coast Live Oak | <i>Quercus agrifolia</i> | 9 | Single Stem | Dead | | Dead | |

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations-Characteristics |
|---------|----------------|---------------------------------|-----|-----------------|--------|-----------|-------------------------|---|
| 560 | Coast Live Oak | <i>Quercus agrifolia</i> | 9 | Single Stem | Poor | Good | Alive - To be Preserved | Deadwood, Epicormic shoots |
| 561 | Coast Live Oak | <i>Quercus agrifolia</i> | 12 | Single Stem | Poor | Poor | Alive - To be Preserved | Cavity, Deadwood, Epicormic shoots |
| 561.1 | California Bay | <i>Umbellularia californica</i> | 5 | Single Stem | | | Dead | Stump sprouting |
| 562 | California Bay | <i>Umbellularia californica</i> | 15 | Multiple Stems | Dead | | Dead | Stump sprouting |
| 563 | Coast Live Oak | <i>Quercus agrifolia</i> | 12 | Single Stem | Fair | Fair | Alive - To be Preserved | Deadwood, Epicormic shoots |
| 564 | Coast Live Oak | <i>Quercus agrifolia</i> | 14 | Single Stem | Fair | Fair | Alive - To be Preserved | Broken Limb, Deadwood, Epicormic shoots |
| 565 | Valley Oak | <i>Quercus lobata</i> | 14 | Single Stem | Poor | Good | Alive - To be Preserved | Deadwood, Epicormic shoots |
| 566 | Coast Live Oak | <i>Quercus agrifolia</i> | 9 | Single Stem | Poor | Fair | Alive - To be Preserved | Deadwood, Epicormic shoots |
| 567 | Coast Live Oak | <i>Quercus agrifolia</i> | | Single Stem | Dead | | Removed | Fire kill |
| 568 | Black Oak | <i>Quercus kelloggii</i> | | Single Stem | Dead | | Dead | |
| 569 | Coast Live Oak | <i>Quercus agrifolia</i> | 15 | Single Stem | Poor | Poor | Alive - To Be Removed | Deadwood, Epicormic shoots |
| 570 | Black Oak | <i>Quercus kelloggii</i> | | Single Stem | Dead | | Dead | Fire killed and collapsed |
| 570.1 | California Bay | <i>Umbellularia californica</i> | 5 | Single Stem | Dead | | Dead | Stump sprouting |

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|---------|----------------|--------------------------|-----|-----------------|--------|-----------|-------------------------|--|
| 571 | Coast Live Oak | <i>Quercus agrifolia</i> | 13 | Single Stem | Poor | Poor | Alive - To Be Removed | Deadwood, stump sprouting |
| 572 | Coast Live Oak | <i>Quercus agrifolia</i> | 6 | Single Stem | Dead | Poor | Dead - To Be Removed | |
| 573 | Black Oak | <i>Quercus kelloggii</i> | 10 | Single Stem | Dead | | Dead | |
| 574 | Coast Live Oak | <i>Quercus agrifolia</i> | 12 | Single Stem | Poor | Fair | Alive - To be Preserved | Deadwood, Epicormic shoots, very little new growth |
| 575 | Coast Live Oak | <i>Quercus agrifolia</i> | 11 | Single Stem | Fair | Good | Alive - To be Preserved | Deadwood, Epicormic shoots |
| 576 | Coast Live Oak | <i>Quercus agrifolia</i> | 12 | Single Stem | Poor | Fair | Alive - To be Preserved | Deadwood, Epicormic shoots |
| 577 | Black Oak | <i>Quercus kelloggii</i> | 15 | Single Stem | Dead | | Dead | |
| 578 | Coast Live Oak | <i>Quercus agrifolia</i> | 14 | Single Stem | Poor | Poor | Alive - To be Preserved | Deadwood, Epicormic shoots |
| 579 | Valley Oak | <i>Quercus lobata</i> | 15 | Single Stem | Dead | | Dead | |
| 580 | Coast Live Oak | <i>Quercus agrifolia</i> | 13 | Multiple Stems | Poor | Fair | Alive - To be Preserved | Deadwood, Epicormic shoots |
| 581 | Coast Live Oak | <i>Quercus agrifolia</i> | 30 | Multiple Stems | Good | Fair | Alive - To be Preserved | Cavity, Deadwood |
| 582 | Coast Live Oak | <i>Quercus agrifolia</i> | 17 | Multiple Stems | Dead | | Dead | Fallen into neighboring tree |
| 583 | Coast Live Oak | <i>Quercus agrifolia</i> | 17 | Multiple Stems | Fair | Fair | Alive - To be Preserved | Deadwood, Epicormic shoots |

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|---------|----------------|---------------------------------|-----|-----------------|--------|-----------|-------------------------|---|
| 584 | Coast Live Oak | <i>Quercus agrifolia</i> | | Single Stem | Dead | | Dead | Fire kill, mostly gone |
| 585 | Coast Live Oak | <i>Quercus agrifolia</i> | 22 | Multiple Stems | Good | Fair | Alive - To be Preserved | Deadwood, Epicormic shoots |
| 586 | Coast Live Oak | <i>Quercus agrifolia</i> | 14 | Single Stem | Poor | Fair | Alive - To be Preserved | Deadwood |
| 587 | Coast Live Oak | <i>Quercus agrifolia</i> | 15 | Single Stem | Good | Good | Alive - To be Preserved | Deadwood |
| 588 | Valley Oak | <i>Quercus lobata</i> | 11 | Single Stem | Good | Good | Alive - To be Preserved | Deadwood, Epicormic shoots |
| 588.1 | California Bay | <i>Umbellularia californica</i> | 7 | Multiple Stems | Dead | | Dead | Stump sprouting |
| 589 | Coast Live Oak | <i>Quercus agrifolia</i> | 17 | Single Stem | Fair | Fair | Alive - To be Preserved | Crack, Deadwood, Epicormic shoots, peeling bark from fire |
| 589.1 | California Bay | <i>Umbellularia californica</i> | 6 | Single Stem | Dead | | Dead | Stump sprouting |
| 590 | Coast Live Oak | <i>Quercus agrifolia</i> | 23 | Multiple Stems | Fair | Fair | Alive - To be Preserved | Deadwood, peeling bark at burnt base |
| 591 | Coast Live Oak | <i>Quercus agrifolia</i> | 23 | Multiple Stems | Good | Fair | Alive - To be Preserved | Deadwood, Epicormic shoots |
| 592 | Valley Oak | <i>Quercus lobata</i> | | Single Stem | Dead | | Dead | |

Emerald Isle Tree Survey

Combined Surveys - All Trees

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|---------|----------------|---------------------------------|-------|-----------------|--------|-----------|--------------------------|--|
| 592.1 | California Bay | <i>Umbellularia californica</i> | 11 | Multiple Stems | Poor | Poor | Alive - To be Preserved | Deadwood, Epicormic shoots, Weak attachments, Stump sprouting, lots of new growth after fire |
| 593 | Coast Live Oak | <i>Quercus agrifolia</i> | 16 | Multiple Stems | Fair | Fair | Alive - To be Preserved | Deadwood |
| 594 | Coast Live Oak | <i>Quercus agrifolia</i> | 16 | Multiple Stems | Fair | Fair | Alive - To be Preserved | Deadwood |
| 595 | Coast Live Oak | <i>Quercus agrifolia</i> | 14 | Multiple Stems | Poor | Poor | Alive - To be Preserved | Included Bark |
| 596 | Coast Live Oak | <i>Quercus agrifolia</i> | 9"/8" | | Fair | Fair | Outside Development Area | |
| 597 | Coast Live Oak | <i>Quercus agrifolia</i> | 17 | Multiple Stems | Poor | Fair | Alive - To be Preserved | Deadwood, Epicormic shoots |
| 598 | Coast Live Oak | <i>Quercus agrifolia</i> | 7 | Single Stem | Poor | Poor | Alive - To be Preserved | Deadwood, Epicormic shoots, Supressed Tree |
| 599 | California Bay | <i>Umbellularia californica</i> | | Multiple Stems | Dead | | Dead - To Be Removed | |
| 600 | Coast Live Oak | <i>Quercus agrifolia</i> | 3 | Single Stem | Poor | Poor | Alive - To Be Removed | Deadwood, Supressed Tree, Trunk Leaning (S) |
| 601 | California Bay | <i>Umbellularia californica</i> | 13 | Multiple Stems | Dead | | Dead - To Be Removed | Stump sprouting |

Emerald Isle Tree Survey

Combined Surveys - All Trees

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|---------|----------------|---------------------------------|------|-----------------|-------------|-----------|-----------------------|-------------------------------|
| 602 | Coast Live Oak | <i>Quercus agrifolia</i> | 8 | Single Stem | Poor | Fair | Alive - To Be Removed | |
| 603 | Coast Live Oak | <i>Quercus agrifolia</i> | 13 | Single Stem | Poor | Poor | Alive - To Be Removed | Cavity, Deadwood |
| 604 | California Bay | <i>Umbellularia californica</i> | | Single Stem | Dead | | Dead - To Be Removed | Stump sprout |
| 605 | Black Oak | <i>Quercus kelloggii</i> | 11 | Single Stem | Poor | Fair | Alive - To Be Removed | |
| 606 | Coast Live Oak | <i>Quercus agrifolia</i> | 12 | Single Stem | Poor | Fair | Alive - To Be Removed | |
| 606.1 | California Bay | <i>Umbellularia californica</i> | 4 | Single Stem | Dead | | Dead - To Be Removed | Stump sprouts |
| 607 | Coast Live Oak | <i>Quercus agrifolia</i> | 13 | Single Stem | Poor | Fair | Alive - To Be Removed | |
| 608 | Coast Live Oak | <i>Quercus agrifolia</i> | 11" | Single Stem | Fire Killed | Fair | Removed | |
| 609 | Coast Live Oak | <i>Quercus agrifolia</i> | 13 | Single Stem | Poor | Poor | Alive - To Be Removed | |
| 609.1 | Coast Live Oak | <i>Quercus agrifolia</i> | 12 | Single Stem | Poor | Fair | Alive - To Be Removed | |
| 609.2 | Coast Live Oak | <i>Quercus agrifolia</i> | 7 | Single Stem | Poor | Poor | Alive - To Be Removed | Deadwood, Epicormic shoots |
| 609.3 | California Bay | <i>Umbellularia californica</i> | 6/9" | Multiple Stems | Good | Poor | Removed | |
| 609.4 | Coast Live Oak | <i>Quercus agrifolia</i> | 9" | Single Stem | Fair | Good | Removed | |

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|---------|----------------|---------------------------------|-----|-----------------|-------------|------------------------------|----------------------|-------------------------------|
| 609.5 | Valley Oak | <i>Quercus lobata</i> | 10 | Single Stem | Dead | | Dead - To Be Removed | |
| 609.6 | California Bay | <i>Umbellularia californica</i> | | Single Stem | Dead | | Dead - To Be Removed | Stump sprouting |
| 609.7 | California Bay | <i>Umbellularia californica</i> | | Single Stem | Dead | | Dead - To Be Removed | Fallen over |
| 609.8 | California Bay | <i>Umbellularia californica</i> | | Single Stem | Dead | | Dead - To Be Removed | Fallen over |
| 609.9 | California Bay | <i>Umbellularia californica</i> | | Single Stem | Dead | | Dead - To Be Removed | Stump sprouts |
| 610 | Coast Live Oak | <i>Quercus agrifolia</i> | 7" | Single Stem | Fair | Fair | Removed | |
| 611 | California Bay | <i>Umbellularia californica</i> | 9" | Single Stem | Fire Killed | Fair | Removed | |
| 612 | California Bay | <i>Umbellularia californica</i> | 14" | Single Stem | Fire Killed | Fair; decay | Removed | |
| 613 | Coast Live Oak | <i>Quercus agrifolia</i> | 13" | Single Stem | Good | Good | Removed | |
| 614 | Coast Live Oak | <i>Quercus agrifolia</i> | 11" | Single Stem | Good | Good | Removed | |
| 615 | Coast Live Oak | <i>Quercus agrifolia</i> | 14" | Single Stem | Good | Good; trunk leans south/east | Removed | |
| 616 | Coast Live Oak | <i>Quercus agrifolia</i> | 5" | Single Stem | Poor | Poor | Removed | |
| 617 | California Bay | <i>Umbellularia californica</i> | 9" | Single Stem | Fire Killed | Good | Removed | |

Emerald Isle Tree Survey

Combined Surveys - All Trees

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|---------|----------------|---------------------------------|-------|-----------------|-------------|------------------------------|---------|-------------------------------|
| 618 | California Bay | <i>Umbellularia californica</i> | 13" | Single Stem | Fire Killed | Fair | Removed | |
| 619 | Coast Live Oak | <i>Quercus agrifolia</i> | 12" | Single Stem | Fire Killed | Good | Removed | |
| 620 | Coast Live Oak | <i>Quercus agrifolia</i> | 10" | Single Stem | Fire Killed | Fair | Removed | |
| 621 | Coast Live Oak | <i>Quercus agrifolia</i> | 9" | Single Stem | Fire Killed | Good | Removed | |
| 622 | Coast Live Oak | <i>Quercus agrifolia</i> | 9/12" | Multiple Stems | Fire Killed | Good | Removed | |
| 623 | California Bay | <i>Umbellularia californica</i> | 12" | Single Stem | Fire Killed | Fair | Removed | |
| 624 | Coast Live Oak | <i>Quercus agrifolia</i> | 6" | Single Stem | Fair | Fair; a failed stem | Removed | |
| 625 | Coast Live Oak | <i>Quercus agrifolia</i> | 12" | Single Stem | Good | Good | Removed | |
| 626 | Coast Live Oak | <i>Quercus agrifolia</i> | 8" | Single Stem | Good | Fair; trunk leans south/east | Removed | |
| 627 | Coast Live Oak | <i>Quercus agrifolia</i> | 6" | Single Stem | Fair | Fair; trunk leans east | Removed | |
| 628 | Coast Live Oak | <i>Quercus agrifolia</i> | 7" | Single Stem | Fair | Fair; trunk leans east | Removed | |
| 629 | Valley Oak | <i>Quercus lobata</i> | 22" | Single Stem | Fair/Good | Good | Removed | |

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|---------|----------------|---------------------------------|-----|-----------------|----------------|------------------------------|---------|-------------------------------|
| 630 | Coast Live Oak | <i>Quercus agrifolia</i> | 18" | Single Stem | Fire Killed | Good; trunk leans south/east | Removed | |
| 631 | Coast Live Oak | <i>Quercus agrifolia</i> | 12" | Single Stem | Good | Good | Removed | |
| 632 | Coast Live Oak | <i>Quercus agrifolia</i> | 20" | Single Stem | Excellent | Excellent | Removed | |
| 633 | Coast Live Oak | <i>Quercus agrifolia</i> | 14" | Single Stem | Good | Good | Removed | |
| 634 | Coast Live Oak | <i>Quercus agrifolia</i> | 9" | Single Stem | Good | Good | Removed | |
| 635 | Coast Live Oak | <i>Quercus agrifolia</i> | 15" | Single Stem | Good | Good | Removed | |
| 636 | Coast Live Oak | <i>Quercus agrifolia</i> | 16" | Single Stem | Good/Excellent | Excellent; high branching | Removed | |
| 637 | Coast Live Oak | <i>Quercus agrifolia</i> | 18" | Single Stem | Good | Excellent | Removed | |
| 638 | Coast Live Oak | <i>Quercus agrifolia</i> | 13" | Single Stem | Good | Good | Removed | |
| 639 | Black Oak | <i>Quercus kelloggii</i> | 16" | Single Stem | Good | Excellent | Removed | |
| 640 | California Bay | <i>Umbellularia californica</i> | 15" | Single Stem | Good | Good | Removed | |
| 642 | Coast Live Oak | <i>Quercus agrifolia</i> | 13" | Single Stem | Good | Fair | Removed | |
| 643 | California Bay | <i>Umbellularia californica</i> | 17" | Single Stem | Good | Fair; decay | Removed | |

Emerald Isle Tree Survey

Combined Surveys - All Trees

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|---------|----------------|---------------------------------|------|-----------------|----------------------|---|---------|-------------------------------|
| 644 | Coast Live Oak | <i>Quercus agrifolia</i> | 21" | Single Stem | Good | Good | Removed | |
| 645 | Coast Live Oak | <i>Quercus agrifolia</i> | 11" | Single Stem | Good | Good; trunk leans east to south/east | Removed | |
| 646 | Coast Live Oak | <i>Quercus agrifolia</i> | 13" | Single Stem | Good | Poor | Removed | |
| 647 | Black Oak | <i>Quercus kelloggii</i> | 16" | Single Stem | Good | Fair | Removed | |
| 648 | California Bay | <i>Umbellularia californica</i> | 11" | Single Stem | Possibly Fire Killed | Poor | Removed | |
| 649 | Coast Live Oak | <i>Quercus agrifolia</i> | 12" | Single Stem | Fair | Fair | Removed | |
| 650 | Coast Live Oak | <i>Quercus agrifolia</i> | 13" | Single Stem | Good | Good | Removed | |
| 651 | Coast Live Oak | <i>Quercus agrifolia</i> | 14" | Single Stem | Good | Good | Removed | |
| 652 | Coast Live Oak | <i>Quercus agrifolia</i> | 14" | Single Stem | Fair | Poor; upper crown deteriorating, hazard | Removed | |
| 653 | Coast Live Oak | <i>Quercus agrifolia</i> | 13" | Single Stem | Fire Killed | Fair | Removed | |
| 653.1 | California Bay | <i>Umbellularia californica</i> | 6/6" | Multiple Stems | Fire Killed | Fair/Good; codominant leaders | Removed | |

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|---------|----------------|---------------------------------|------------|-----------------|-------------|------------------------|-----------------------|---|
| 654 | Coast Live Oak | <i>Quercus agrifolia</i> | 13" @ 3.5' | Single Stem | Fire Killed | Fair | Removed | |
| 656 | Coast Live Oak | <i>Quercus agrifolia</i> | 10" | Single Stem | Fire Killed | Fair; trunk leans east | Removed | |
| 657 | Coast Live Oak | <i>Quercus agrifolia</i> | 9" | Single Stem | Fire Killed | Fair; trunk leans east | Removed | |
| 658 | Coast Live Oak | <i>Quercus agrifolia</i> | 12" | Single Stem | Fire Killed | Fair | Removed | |
| 659 | Coast Live Oak | <i>Quercus agrifolia</i> | 6" | Single Stem | Fire Killed | Fair | Removed | |
| 660 | California Bay | <i>Umbellularia californica</i> | 5"/6" | Multiple Stems | Fire Killed | Good | Removed | |
| 661 | California Bay | <i>Umbellularia californica</i> | 4/5/5/5/6" | Multiple Stems | Excellent | Good | Removed | |
| 662 | Coast Live Oak | <i>Quercus agrifolia</i> | 18" | Single Stem | Fair | Poor | Removed | |
| 663 | Coast Live Oak | <i>Quercus agrifolia</i> | 16" | Single Stem | Good | Good | Removed | |
| 664 | Coast Live Oak | <i>Quercus agrifolia</i> | 6" | Single Stem | Fair | Fair | Removed | |
| 665 | Coast Live Oak | <i>Quercus agrifolia</i> | 16" | Single Stem | Excellent | Good | Removed | |
| 666 | Coast Live Oak | <i>Quercus agrifolia</i> | | Single Stem | Dead | | Removed | |
| 667 | Coast Live Oak | <i>Quercus agrifolia</i> | 17 | Single Stem | Good | Fair | Alive - To Be Removed | Broken Limb, Deadwood, Epicormic shoots |

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|---------|--------------------|---------------------------------|----------|-----------------|----------------------|-----------|-----------------------|------------------------------------|
| 668 | California Bay | <i>Umbellularia californica</i> | | Single Stem | Dead | | Removed | |
| 671 | California Bay | <i>Umbellularia californica</i> | 15 | Single Stem | Fair | Poor | Alive - To Be Removed | Cavity, Deadwood, Epicormic shoots |
| 672 | California Bay | <i>Umbellularia californica</i> | | Single Stem | Dead | | Removed | |
| 673 | Coast Live Oak | <i>Quercus agrifolia</i> | 15 | Single Stem | Good | Fair | Alive - To Be Removed | Deadwood |
| 674 | California Bay | <i>Umbellularia californica</i> | | Single Stem | Dead | | Removed | |
| 675 | California Bay | <i>Umbellularia californica</i> | 16 | Multiple Stems | Fair | Fair | Alive - To Be Removed | Deadwood, Epicormic shoots |
| 676 | Coast Live Oak | <i>Quercus agrifolia</i> | | Single Stem | Dead | | Removed | |
| 678 | Coast Live Oak | <i>Quercus agrifolia</i> | 10" | Single Stem | Fair | Poor | Removed | |
| 679 | Coast Live Oak | <i>Quercus agrifolia</i> | 16" | Single Stem | Possibly Fire Killed | Good | Removed | |
| 680 | California Bay | <i>Umbellularia californica</i> | 4/4/5/8" | Multiple Stems | Fire Killed | Good | Removed | |
| 681 | California Buckeye | <i>Aesculus californica</i> | 5" | Single Stem | Fair | Fair | Removed | |
| 682 | Coast Live Oak | <i>Quercus agrifolia</i> | 11" | Single Stem | Possibly Fire Killed | Fair | Removed | |
| 683 | Black Oak | <i>Quercus kelloggii</i> | | Single Stem | Dead | | Removed | |

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|---------|--------------------|---------------------------------|-----|-----------------|--------|-----------|-----------------------|--|
| 684 | Coast Live Oak | <i>Quercus agrifolia</i> | | Single Stem | Dead | | Removed | |
| 685 | Coast Live Oak | <i>Quercus agrifolia</i> | | Single Stem | Dead | | Removed | |
| 686 | Coast Live Oak | <i>Quercus agrifolia</i> | | Single Stem | Dead | | Removed | |
| 687 | Coast Live Oak | <i>Quercus agrifolia</i> | | Single Stem | Dead | | Removed | |
| 688 | Coast Live Oak | <i>Quercus agrifolia</i> | | Single Stem | Dead | | Removed | |
| 689 | Coast Live Oak | <i>Quercus agrifolia</i> | | Single Stem | Dead | | Removed | |
| 689.1 | California Buckeye | <i>Aesculus californica</i> | | Single Stem | Dead | | Removed | |
| 690 | Coast Live Oak | <i>Quercus agrifolia</i> | 12 | Single Stem | Good | Poor | Alive - To Be Removed | Broken Limb, Deadwood, Decay, Epicormic shoots |
| 691 | Coast Live Oak | <i>Quercus agrifolia</i> | 12 | Single Stem | Dead | | Dead - To Be Removed | |
| 691.1 | Coast Live Oak | <i>Quercus agrifolia</i> | 16 | Multiple Stems | Good | Fair | Alive - To Be Removed | Deadwood, Epicormic shoots |
| 692 | Coast Live Oak | <i>Quercus agrifolia</i> | 15 | Single Stem | Good | Good | Alive - To Be Removed | Deadwood, Epicormic shoots |
| 693 | Coast Live Oak | <i>Quercus agrifolia</i> | 10 | Multiple Stems | Poor | Poor | Alive - To Be Removed | Deadwood, mostly dead foliage |
| 694 | California Bay | <i>Umbellularia californica</i> | 9 | Multiple Stems | Fair | Poor | Alive - To Be Removed | Deadwood, Epicormic shoots |

Emerald Isle Tree Survey

Combined Surveys - All Trees

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|---------|--------------------|---------------------------------|-----|-----------------|--------|-----------|-------------------------|---|
| 695 | Coast Live Oak | <i>Quercus agrifolia</i> | 11 | Single Stem | Fair | Fair | Alive - To Be Removed | Deadwood, Epicormic shoots |
| 696 | Coast Live Oak | <i>Quercus agrifolia</i> | 11 | Single Stem | Fair | Fair | Alive - To Be Removed | Deadwood, sparse foliage |
| 697 | California Bay | <i>Umbellularia californica</i> | 10 | Single Stem | Good | Fair | Alive - To be Preserved | Deadwood, Epicormic shoots |
| 698 | Coast Live Oak | <i>Quercus agrifolia</i> | 18 | Multiple Stems | Fair | Good | Alive - To Be Removed | Epicormic shoots |
| 699 | Coast Live Oak | <i>Quercus agrifolia</i> | 13 | Single Stem | Poor | Poor | Alive - To Be Removed | Cavity, Deadwood, Epicormic shoots |
| 700 | Coast Live Oak | <i>Quercus agrifolia</i> | 11 | Single Stem | Poor | Poor | Alive - To Be Removed | Deadwood, Epicormic shoots |
| 701 | Coast Live Oak | <i>Quercus agrifolia</i> | 20 | Single Stem | Fair | Fair | Alive - To Be Removed | Co-dominant tree, Deadwood, Epicormic shoots, Vine growth |
| 702 | California Buckeye | <i>Aesculus californica</i> | 5 | Single Stem | Dead | | Dead - To Be Removed | Stump sprout |
| 702.1 | California Bay | <i>Umbellularia californica</i> | 5 | Single Stem | Dead | | Dead - To Be Removed | Stump sprouts |
| 703 | Coast Live Oak | <i>Quercus agrifolia</i> | 8 | Single Stem | Poor | Poor | Alive - To Be Removed | Deadwood, Epicormic shoots, Supressed Tree |
| 704 | Coast Live Oak | <i>Quercus agrifolia</i> | 9 | Single Stem | Fair | Fair | Alive - To Be Removed | Deadwood, Epicormic shoots |
| 705 | California Buckeye | <i>Aesculus californica</i> | | Single Stem | | | Dead - To Be Removed | |

Emerald Isle Tree Survey

Combined Surveys - All Trees

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|---------|----------------|---------------------------------|-----|-----------------|--------|-----------|-------------------------|--|
| 706 | Coast Live Oak | <i>Quercus agrifolia</i> | 9 | Single Stem | Fair | Good | Alive - To be Preserved | Deadwood |
| 707 | California Bay | <i>Umbellularia californica</i> | 11 | Single Stem | Good | Fair | Alive - To be Preserved | Deadwood, Epicormic shoots |
| 709 | Coast Live Oak | <i>Quercus agrifolia</i> | 26 | Single Stem | Good | Good | Alive - To be Preserved | Deadwood |
| 709.1 | Coast Live Oak | <i>Quercus agrifolia</i> | 20 | Single Stem | Good | Good | Alive - To be Preserved | Deadwood |
| 709.2 | Coast Live Oak | <i>Quercus agrifolia</i> | 12 | Single Stem | Poor | Fair | Alive - To be Preserved | Deadwood |
| 711 | Coast Live Oak | <i>Quercus agrifolia</i> | 15 | Single Stem | Poor | Fair | Alive - To be Preserved | Deadwood, Epicormic shoots |
| 712 | Black Oak | <i>Quercus kelloggii</i> | 7 | Single Stem | Fair | Good | Alive - To Be Removed | Deadwood |
| 713 | California Bay | <i>Umbellularia californica</i> | 12 | Multiple Stems | Good | Poor | Alive - To Be Removed | Deadwood, Epicormic shoots |
| 714 | Coast Live Oak | <i>Quercus agrifolia</i> | 17 | Single Stem | Fair | Fair | Alive - To Be Removed | Deadwood, Epicormic shoots |
| 715 | Coast Live Oak | <i>Quercus agrifolia</i> | 9 | Single Stem | Poor | Poor | Alive - To Be Removed | Deadwood, Epicormic shoots, Supressed Tree |
| 716 | Coast Live Oak | <i>Quercus agrifolia</i> | 10 | Single Stem | Poor | Poor | Alive - To Be Removed | Broken Limb, Cavity, Deadwood, Decay, Epicormic shoots |
| 717 | Coast Live Oak | <i>Quercus agrifolia</i> | 23 | Multiple Stems | Good | Good | Alive - To be Preserved | Deadwood |

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|---------|----------------|---------------------------------|-----|-----------------|--------|-----------|--------------------------|--|
| 719 | California Bay | <i>Umbellularia californica</i> | 6 | Single Stem | Good | Poor | Alive - To Be Removed | Cavity, Deadwood, Epicormic shoots |
| 720 | California Bay | <i>Umbellularia californica</i> | 13 | Multiple Stems | Fair | Poor | Alive - To Be Removed | Cavity, Deadwood, Epicormic shoots |
| 721 | Coast Live Oak | <i>Quercus agrifolia</i> | 14 | Multiple Stems | Good | Good | Alive - To be Preserved | Deadwood, Epicormic shoots |
| 722 | Coast Live Oak | <i>Quercus agrifolia</i> | 12 | Single Stem | Good | Fair | Alive - To be Preserved | Broken Limb, Deadwood, Decay, Epicormic shoots |
| 723 | Coast Live Oak | <i>Quercus agrifolia</i> | 7 | Single Stem | Poor | Poor | Alive - To be Preserved | Deadwood, Supressed Tree |
| 724 | Coast Live Oak | <i>Quercus agrifolia</i> | | Single Stem | Dead | | Removed | |
| 725 | Coast Live Oak | <i>Quercus agrifolia</i> | 11 | Single Stem | Good | Fair | Alive - To be Preserved | Deadwood |
| 727 | Coast Live Oak | <i>Quercus agrifolia</i> | 16 | Single Stem | Good | Good | Alive - To be Preserved | Crack, Deadwood |
| 728 | Coast Live Oak | <i>Quercus agrifolia</i> | 10 | Single Stem | Good | Good | Alive - To be Preserved | Deadwood |
| 728 | Coast Live Oak | <i>Quercus agrifolia</i> | 10" | Single Stem | Good | Fair | Outside Development Area | |
| 729 | California Bay | <i>Umbellularia californica</i> | | Single Stem | Dead | | Removed | |
| 731 | Coast Live Oak | <i>Quercus agrifolia</i> | 22 | Multiple Stems | Good | Good | Alive - To be Preserved | Deadwood, Included Bark |
| 732 | Coast Live Oak | <i>Quercus agrifolia</i> | 22 | Multiple Stems | Good | Good | Alive - To be Preserved | Deadwood |

Emerald Isle Tree Survey

Combined Surveys - All Trees

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|---------|--------------------|---------------------------------|--------------|-----------------|--------|-----------|-------------------------|--|
| 733 | Coast Live Oak | <i>Quercus agrifolia</i> | 23 | Multiple Stems | Good | Good | Alive - To be Preserved | Deadwood, Included Bark |
| 734 | California Bay | <i>Umbellularia californica</i> | | Single Stem | Dead | | Removed | |
| 735 | California Bay | <i>Umbellularia californica</i> | | Single Stem | Dead | | Removed | |
| 736 | Coast Live Oak | <i>Quercus agrifolia</i> | 6 | Single Stem | Poor | Poor | Alive - To be Preserved | Deadwood, very little live growth |
| 738 | California Bay | <i>Umbellularia californica</i> | 11 | Multiple Stems | | | Removed | |
| 739 | Black Oak | <i>Quercus kelloggii</i> | 8 | Single Stem | Fair | Fair | Alive - To be Preserved | Broken Limb, Deadwood |
| 740 | Coast Live Oak | <i>Quercus agrifolia</i> | 11 | Single Stem | Good | Fair | Alive - To be Preserved | Trunk Leaning (E) |
| 740.1 | California Buckeye | <i>Aesculus californica</i> | 7 | Multiple Stems | Fair | Good | Alive - To be Preserved | Dormant |
| 741 | Coast Live Oak | <i>Quercus agrifolia</i> | 12/13/15/16" | Multiple Stems | | | Dead | |
| 742 | Coast Live Oak | <i>Quercus agrifolia</i> | 22 | Single Stem | Good | Good | Alive - To Be Removed | Deadwood, Epicormic shoots |
| 743 | Coast Live Oak | <i>Quercus agrifolia</i> | 20 | Single Stem | Good | Poor | Alive - To be Preserved | Deadwood, Included Bark, Weak attachments |
| 744 | Coast Live Oak | <i>Quercus agrifolia</i> | 15 | Single Stem | Fair | Fair | Alive - To be Preserved | Deadwood, Epicormic shoots, Weak attachments |

Emerald Isle Tree Survey

Combined Surveys - All Trees

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|---------|----------------|---------------------------------|-----|-----------------|--------|-----------|-------------------------|---|
| 745 | Valley Oak | <i>Quercus lobata</i> | 22 | Single Stem | Good | Good | Alive - To be Preserved | Deadwood |
| 746 | Black Oak | <i>Quercus kelloggii</i> | 19 | Multiple Stems | Good | Good | Alive - To be Preserved | Deadwood, Decay at base |
| 747 | Black Oak | <i>Quercus kelloggii</i> | 14 | Single Stem | Fair | Good | Alive - To be Preserved | Deadwood |
| 748 | Black Oak | <i>Quercus kelloggii</i> | 20 | Single Stem | Fair | Fair | Alive - To Be Removed | Broken Limb, Deadwood |
| 749 | Coast Live Oak | <i>Quercus agrifolia</i> | 11 | Multiple Stems | Good | Fair | Alive - To Be Removed | Deadwood, Epicormic shoots |
| 750 | Coast Live Oak | <i>Quercus agrifolia</i> | 15 | Single Stem | Dead | | Removed | |
| 751 | Coast Live Oak | <i>Quercus agrifolia</i> | 17 | Single Stem | Dead | | Removed | |
| 752 | Coast Live Oak | <i>Quercus agrifolia</i> | 17 | Single Stem | Dead | | Removed | |
| 753 | Coast Live Oak | <i>Quercus agrifolia</i> | 11 | Single Stem | Good | Fair | Alive - To Be Removed | Deadwood, Epicormic shoots |
| 754 | Coast Live Oak | <i>Quercus agrifolia</i> | 13 | Multiple Stems | Poor | Poor | Alive - To Be Removed | Broken Limb, Crack, Deadwood, Epicormic shoots |
| 755 | Coast Live Oak | <i>Quercus agrifolia</i> | 13 | Single Stem | Good | Good | Alive - To Be Removed | Deadwood |
| 756 | California Bay | <i>Umbellularia californica</i> | 15 | Multiple Stems | Fair | Poor | Alive - To Be Removed | Cavity, Deadwood, Decay at base, Epicormic shoots, Weak attachments |

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|---------|----------------|--------------------------|-----|-----------------|--------|-----------|-----------------------|--|
| 757 | Coast Live Oak | <i>Quercus agrifolia</i> | 14 | Single Stem | Good | Fair | Alive - To Be Removed | Cavity, Co-dominant Limbs, Deadwood, Decay, Epicormic shoots |
| 757.1 | Coast Live Oak | <i>Quercus agrifolia</i> | 21 | Multiple Stems | Good | Good | Alive - To Be Removed | Broken Limb, Deadwood |
| 757.2 | Coast Live Oak | <i>Quercus agrifolia</i> | 11 | Single Stem | Fair | Fair | Alive - To Be Removed | Deadwood |
| 758 | Coast Live Oak | <i>Quercus agrifolia</i> | 17 | Single Stem | Good | Poor | Alive - To Be Removed | Cavity, Co-dominant Limbs, Deadwood, Epicormic shoots, Included Bark |
| 759 | Coast Live Oak | <i>Quercus agrifolia</i> | 9 | Single Stem | | Fair | Alive - To Be Removed | Deadwood, Epicormic shoots, Supressed Tree |
| 760 | Coast Live Oak | <i>Quercus agrifolia</i> | 9 | Single Stem | Good | Fair | Alive - To Be Removed | Deadwood, Epicormic shoots, Supressed Tree |
| 761 | Coast Live Oak | <i>Quercus agrifolia</i> | 16 | Multiple Stems | Fair | Fair | Alive - To Be Removed | Deadwood, Epicormic shoots |
| 762 | Coast Live Oak | <i>Quercus agrifolia</i> | 12 | Single Stem | Good | Good | Alive - To Be Removed | Deadwood, Epicormic shoots |
| 762.1 | Coast Live Oak | <i>Quercus agrifolia</i> | 14 | Single Stem | Good | Good | Alive - To Be Removed | Deadwood |

Emerald Isle Tree Survey

Combined Surveys - All Trees

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|---------|----------------|--------------------------|-----|-----------------|--------|-----------|-------------------------|---|
| 763 | Coast Live Oak | <i>Quercus agrifolia</i> | 13 | Single Stem | Fair | Poor | Alive - To Be Removed | Deadwood, Supressed Tree |
| 764 | Coast Live Oak | <i>Quercus agrifolia</i> | 19 | Multiple Stems | Good | Good | Alive - To Be Removed | Deadwood |
| 766 | Coast Live Oak | <i>Quercus agrifolia</i> | 20 | Single Stem | Fair | Poor | Alive - To Be Removed | Broken Limb, Cavity, Deadwood, Supressed Tree |
| 767 | Black Oak | <i>Quercus kelloggii</i> | 10 | Single Stem | Poor | Poor | Alive - To Be Removed | Broken Limb, Deadwood |
| 768 | Coast Live Oak | <i>Quercus agrifolia</i> | 13 | Multiple Stems | Fair | Poor | Alive - To Be Removed | Broken Limb, Co-dominant Limbs, Crack, Epicormic shoots |
| 769 | Coast Live Oak | <i>Quercus agrifolia</i> | 17 | Multiple Stems | Fair | Fair | Alive - To be Preserved | Broken Limb, Deadwood, Vine growth, lots of poison oak |
| 770 | Coast Live Oak | <i>Quercus agrifolia</i> | 11 | Single Stem | Fair | Good | Alive - To be Preserved | Deadwood |
| 771 | Coast Live Oak | <i>Quercus agrifolia</i> | 12 | Single Stem | Good | Fair | Alive - To be Preserved | Deadwood, Supressed Tree |
| 772 | Black Oak | <i>Quercus kelloggii</i> | 12 | Single Stem | Good | Good | Alive - To be Preserved | Deadwood, Supressed Tree |
| 773 | Coast Live Oak | <i>Quercus agrifolia</i> | 11 | Single Stem | Good | Good | Alive - To be Preserved | Deadwood |
| 774 | Coast Live Oak | <i>Quercus agrifolia</i> | 30 | Multiple Stems | Fair | Fair | Alive - To be Preserved | Deadwood, thin canopy, Decay |

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|---------|----------------|---------------------------------|-----|-----------------|--------|-----------|-------------------------|---|
| 775 | California Bay | <i>Umbellularia californica</i> | 14 | Single Stem | Good | Fair | Alive - To be Preserved | Deadwood, lots of new growth, Epicormic shoots |
| 776 | Coast Live Oak | <i>Quercus agrifolia</i> | | Single Stem | | | Removed | Tree missing |
| 777 | Black Oak | <i>Quercus kelloggii</i> | | Single Stem | | | Removed | Tree missing |
| 778 | Coast Live Oak | <i>Quercus agrifolia</i> | 9 | Single Stem | Fair | Fair | Alive - To be Preserved | Deadwood, Supressed Tree, Large dead branch tangled in it from neighboring tree |
| 779 | California Bay | <i>Umbellularia californica</i> | 12 | Multiple Stems | Good | Fair | Alive - To be Preserved | Deadwood, Epicormic shoots |
| 780 | California Bay | <i>Umbellularia californica</i> | 16 | Multiple Stems | Good | Fair | Alive - To be Preserved | Deadwood, Epicormic shoots |
| 781 | Coast Live Oak | <i>Quercus agrifolia</i> | | Single Stem | | | Removed | Tree missing |
| 782 | Coast Live Oak | <i>Quercus agrifolia</i> | 20 | Single Stem | Good | Fair | Alive - To Be Removed | Deadwood |
| 783 | Coast Live Oak | <i>Quercus agrifolia</i> | 15 | Single Stem | Fair | Fair | Alive - To Be Removed | Broken Limb, Deadwood, Decay |
| 783.1 | Coast Live Oak | <i>Quercus agrifolia</i> | 7 | Single Stem | Fair | Fair | Alive - To Be Removed | Broken Limb |
| 784 | Coast Live Oak | <i>Quercus agrifolia</i> | 13 | Single Stem | Good | Good | Alive - To Be Removed | Deadwood |
| 785 | Coast Live Oak | <i>Quercus agrifolia</i> | 17 | Single Stem | Good | Good | Alive - To Be Removed | Deadwood |

Emerald Isle Tree Survey

Combined Surveys - All Trees

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|---------|----------------|--------------------------|---------|-----------------|--------|-----------|-------------------------|---|
| 786 | Coast Live Oak | <i>Quercus agrifolia</i> | 24 | Multiple Stems | Good | Fair | Alive - To Be Removed | Cavity |
| 787 | Coast Live Oak | <i>Quercus agrifolia</i> | 12 | Single Stem | Good | Fair | Alive - To Be Removed | Epicormic shoots |
| 788 | Coast Live Oak | <i>Quercus agrifolia</i> | 8 | Single Stem | | | Dead - To Be Removed | |
| 789 | Coast Live Oak | <i>Quercus agrifolia</i> | | Single Stem | | | Dead - To Be Removed | |
| 791 | Coast Live Oak | <i>Quercus agrifolia</i> | 20 | Multiple Stems | Good | Fair | Alive - To be Preserved | Deadwood |
| 792 | Valley Oak | <i>Quercus lobata</i> | 21 | Single Stem | Good | Fair | Alive - To be Preserved | Deadwood, Included Bark |
| 793 | Valley Oak | <i>Quercus lobata</i> | 17 | Single Stem | Good | Fair | Alive - To Be Removed | Deadwood |
| 794 | Coast Live Oak | <i>Quercus agrifolia</i> | 13 | Single Stem | Good | Fair | Alive - To Be Removed | Deadwood |
| 795 | Coast Live Oak | <i>Quercus agrifolia</i> | 9 | Multiple Stems | Good | Fair | Alive - To Be Removed | Broken Limb, Deadwood, Weak attachments |
| 796 | Coast Live Oak | <i>Quercus agrifolia</i> | 27 | Single Stem | Good | Good | Alive - To Be Removed | Deadwood, Weak attachments |
| 797 | Coast Live Oak | <i>Quercus agrifolia</i> | 12" | Single Stem | Good | Good | Removed | |
| 798 | Black Oak | <i>Quercus kelloggii</i> | 16" | Single Stem | Good | Excellent | Removed | |
| 799 | Coast Live Oak | <i>Quercus agrifolia</i> | 13"/13" | Multiple Stems | Fair | Fair | Removed | |

Emerald Isle Tree Survey

Combined Surveys - All Trees

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|---------|----------------|---------------------------------|-------------|-----------------|-----------|-----------|--------------------------|--|
| 800 | Coast Live Oak | <i>Quercus agrifolia</i> | 5/10/14/17" | Multiple Stems | Good | Fair/Good | Removed | |
| 801 | Coast Live Oak | <i>Quercus agrifolia</i> | 17" | Single Stem | Excellent | Good | Removed | |
| 802 | Coast Live Oak | <i>Quercus agrifolia</i> | 31 | Multiple Stems | Good | Fair | Alive - To be Preserved | Deadwood, Decay at base |
| 816 | California Bay | <i>Umbellularia californica</i> | 11 | Single Stem | Fair | Poor | Alive - To be Preserved | Broken Limb, Deadwood, Decay at base, Epicormic shoots |
| 817 | Coast Live Oak | <i>Quercus agrifolia</i> | 13"/15" | Multiple Stems | Good | Good | Outside Development Area | |
| 818 | Coast Live Oak | <i>Quercus agrifolia</i> | 23 | Single Stem | | | Dead | |
| 819 | Coast Live Oak | <i>Quercus agrifolia</i> | 14 | Single Stem | Good | Good | Alive - To be Preserved | Deadwood |
| 820 | Coast Live Oak | <i>Quercus agrifolia</i> | | Single Stem | Dead | | Dead | Tree missing |
| 821 | Coast Live Oak | <i>Quercus agrifolia</i> | 12 | Single Stem | Good | Good | Alive - To be Preserved | Deadwood |
| 822 | Coast Live Oak | <i>Quercus agrifolia</i> | 11 | Single Stem | Good | Good | Alive - To be Preserved | |
| 823 | California Bay | <i>Umbellularia californica</i> | 18 | Single Stem | Good | Fair | Alive - To be Preserved | Deadwood, Epicormic shoots |
| 823.1 | Coast Live Oak | <i>Quercus agrifolia</i> | 10 | Multiple Stems | Poor | Fair | Alive - To be Preserved | Deadwood, Suppressed Tree |

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|---------|----------------|---------------------------------|-----------|-----------------|-------------|-----------|-------------------------|-------------------------------|
| 824 | Coast Live Oak | <i>Quercus agrifolia</i> | 0 | Single Stem | Good | Good | Alive - To be Preserved | Deadwood |
| 824.1 | Coast Live Oak | <i>Quercus agrifolia</i> | 8 | Single Stem | Fair | Good | Alive - To be Preserved | Deadwood |
| 825 | Coast Live Oak | <i>Quercus agrifolia</i> | | Single Stem | Dead | | Dead | Tree missing |
| 826 | Coast Live Oak | <i>Quercus agrifolia</i> | 11 | Single Stem | Good | Good | Alive - To be Preserved | Co-dominant Limbs, Deadwood |
| 827 | Coast Live Oak | <i>Quercus agrifolia</i> | 12 | Multiple Stems | Fair | Fair | Alive - To be Preserved | Deadwood, Suppressed Tree |
| 828 | California Bay | <i>Umbellularia californica</i> | 13 | Multiple Stems | Good | Poor | Alive - To be Preserved | Deadwood, Epicormic shoots |
| 900 | Coast Live Oak | <i>Quercus agrifolia</i> | 8 | Single Stem | Poor | Poor | Alive - To be Preserved | Deadwood, Suppressed Tree |
| 900.1 | Coast Live Oak | <i>Quercus agrifolia</i> | 12 | Single Stem | Good | Fair | Alive - To be Preserved | Deadwood, Suppressed Tree |
| 900.2 | Coast Live Oak | <i>Quercus agrifolia</i> | 7 | Single Stem | Fair | Fair | Alive - To be Preserved | Deadwood, Suppressed Tree |
| 901 | California Bay | <i>Umbellularia californica</i> | 5/9" @ 2' | Multiple Stems | Good | Fair | Removed | |
| 902 | California Bay | <i>Umbellularia californica</i> | 4/4/7" | Multiple Stems | Fire Killed | Good | Removed | |
| 903 | Coast Live Oak | <i>Quercus agrifolia</i> | 10" | Single Stem | Excellent | Good | Removed | |
| 904 | Coast Live Oak | <i>Quercus agrifolia</i> | 6" | Single Stem | Fair | Good | Removed | |

| Tree Id | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|---------|----------------|---------------------------------|----------------------|-----------------|-------------|-----------------------|-------------------------|--|
| 905 | Coast Live Oak | <i>Quercus agrifolia</i> | 15 | Single Stem | Good | Good | Alive - To Be Removed | Deadwood |
| 906 | California Bay | <i>Umbellularia californica</i> | 6" (+ small stems) | Multiple Stems | Good | Fair; multiple trunks | Removed | |
| 907 | Coast Live Oak | <i>Quercus agrifolia</i> | 6" | Single Stem | Fire Killed | Good | Removed | |
| 908 | California Bay | <i>Umbellularia californica</i> | 4/4" (+ small stems) | Multiple Stems | Fire Killed | Good | Removed | |
| 909 | California Bay | <i>Umbellularia californica</i> | 6" | Single Stem | Fire Killed | Good | Removed | |
| 910 | California Bay | <i>Umbellularia californica</i> | 4" | Single Stem | Excellent | Excellent | Removed | |
| 911 | California Bay | <i>Umbellularia californica</i> | 5" (+ small stems) | Multiple Stems | Fire Killed | Fair; multiple trunks | Removed | |
| 912 | California Bay | <i>Umbellularia californica</i> | 4/5/5" | Multiple Stems | Fair | Fair; multiple trunks | Removed | |
| 913 | California Bay | <i>Umbellularia californica</i> | 5 | Single Stem | Fair | Poor | Alive - To be Preserved | Deadwood, Epicormic shoots, Supressed Tree |
| 914 | California Bay | <i>Umbellularia californica</i> | 4/4" | Multiple Stems | Good | Good | Removed | |
| 915 | California Bay | <i>Umbellularia californica</i> | 12 | Multiple Stems | Good | Fair | Alive - To be Preserved | Cavity, Epicormic shoots |

Emerald Isle Tree Survey

Combined Surveys - All Trees

| | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|-----|--------------------|---------------------------------|----------------------|------------------------|---------------|----------------------------|-----------------------|--------------------------------------|
| 916 | California Bay | <i>Umbellularia californica</i> | 4" (+ small stems) | Multiple Stems | Fire Killed | Fair; multiple trunks | Removed | |
| 917 | California Bay | <i>Umbellularia californica</i> | 4/5" (+ small stems) | Multiple Stems | Fire Killed | Fair; multiple trunks | Removed | |
| 918 | California Bay | <i>Umbellularia californica</i> | 4/5" (+ small stems) | Multiple Stems | Fire Killed | Fair/Good; multiple trunks | Removed | |
| 919 | California Bay | <i>Umbellularia californica</i> | 5" | Single Stem | Excellent | Excellent | Removed | |
| 920 | California Bay | <i>Umbellularia californica</i> | 5 | Single Stem | Fire Killed | Good | Removed | |
| 921 | California Bay | <i>Umbellularia californica</i> | 4/5/5" | Multiple Stems | Excellent | Excellent | Removed | |
| 922 | California Bay | <i>Umbellularia californica</i> | 5/6" | Multiple Stems | Fire Killed | Good | Removed | |
| 923 | California Bay | <i>Umbellularia californica</i> | 10 | Multiple Stems | Fair | Poor | Alive - To Be Removed | |
| 924 | California Bay | <i>Umbellularia californica</i> | 5" | Single Stem | Fire Killed | Good | Removed | |
| 925 | California Bay | <i>Umbellularia californica</i> | 5 | Single Stem | Dead | | Dead - To Be Removed | |

Emerald Isle Tree Survey

Combined Surveys - All Trees

| | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|-----|----------------|---------------------------------|--------------------|-----------------|-------------|-----------------------|-------------------------|------------------------------------|
| 926 | Coast Live Oak | <i>Quercus agrifolia</i> | 12 | Single Stem | Dead | | Dead - To Be Removed | |
| 927 | California Bay | <i>Umbellularia californica</i> | 5" | Single Stem | Good | Good; multiple trunks | Removed | |
| 928 | California Bay | <i>Umbellularia californica</i> | 6" | Single Stem | Excellent | Good; damaged | Removed | |
| 929 | Coast Live Oak | <i>Quercus agrifolia</i> | 10 | Single Stem | Good | Good | Alive - To be Preserved | Deadwood |
| 930 | California Bay | <i>Umbellularia californica</i> | 10 | Multiple Stems | Poor | Poor | Alive - To be Preserved | Cavity, Deadwood, Epicormic shoots |
| 931 | California Bay | <i>Umbellularia californica</i> | 4/6/6" | Multiple Stems | Good | Good | Removed | |
| 932 | California Bay | <i>Umbellularia californica</i> | 4" (+ small stems) | Multiple Stems | Poor | Good | Removed | |
| 933 | Coast Live Oak | <i>Quercus agrifolia</i> | 6 | Single Stem | Fair | Good | Alive - To Be Removed | |
| 934 | California Bay | <i>Umbellularia californica</i> | 4 | Single Stem | Dead | | Dead - To Be Removed | |
| 935 | Olive | <i>Olea europaea</i> | 5 | Single Stem | Poor | Fair | Alive - To Be Removed | |
| 936 | California Bay | <i>Umbellularia californica</i> | 4" | Single Stem | Fire Killed | Good | Removed | |
| 937 | California Bay | <i>Umbellularia californica</i> | 4/5" | Multiple Stems | Fire Killed | Good | Removed | |
| 938 | California Bay | <i>Umbellularia californica</i> | | Single Stem | Dead | | Dead - To Be Removed | |

| | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|-----|--------------------|---------------------------------|--------------------|-----------------|-------------|----------------------------|---------|-------------------------------|
| 939 | California Buckeye | <i>Aesculus californica</i> | 6" | Single Stem | Fire Killed | Poor | Removed | |
| 941 | California Buckeye | <i>Aesculus californica</i> | 4/5" | Multiple Stems | Fair | Good | Removed | |
| 942 | California Buckeye | <i>Aesculus californica</i> | 5/5" @ 3' | Multiple Stems | Fire Killed | Good | Removed | |
| 943 | California Bay | <i>Umbellularia californica</i> | 5/5" | Multiple Stems | Fire Killed | Good | Removed | |
| 944 | California Bay | <i>Umbellularia californica</i> | 4" (+ small stems) | Single Stem | Good | Fair/Good; multiple trunks | Removed | |
| 945 | Coast Live Oak | <i>Quercus agrifolia</i> | 5" @ 3' | Single Stem | Fire Killed | Good | Removed | |
| 946 | California Buckeye | <i>Aesculus californica</i> | 5" @ 3' | Single Stem | Good | Excellent | Removed | |
| 947 | California Bay | <i>Umbellularia californica</i> | 4" (+ small stems) | Single Stem | Fire Killed | Good | Removed | |
| 948 | California Bay | <i>Umbellularia californica</i> | 4" (+ small stems) | Single Stem | Fire Killed | Fair/Good; multiple trunks | Removed | |
| 949 | California Buckeye | <i>Aesculus californica</i> | 7" | Single Stem | Good | Poor | Removed | |
| 950 | California Bay | <i>Umbellularia californica</i> | 4" (+ small stems) | Single Stem | Fire Killed | Good; multiple trunks | Removed | |
| 951 | Coast Live Oak | <i>Quercus agrifolia</i> | 8" | Single Stem | Good | Good | Removed | |

Emerald Isle Tree Survey

Combined Surveys - All Trees

| | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|-----|----------------|---------------------------------|--------------------|-----------------|-------------|----------------------------|---------|-------------------------------|
| 952 | Coast Live Oak | <i>Quercus agrifolia</i> | 5" | Single Stem | Fair | Good | Removed | |
| 953 | Coast Live Oak | <i>Quercus agrifolia</i> | 4" | Single Stem | Fire Killed | Fair; multiple trunks | Removed | |
| 954 | California Bay | <i>Umbellularia californica</i> | 4" | Single Stem | Fire Killed | Excellent | Removed | |
| 955 | California Bay | <i>Umbellularia californica</i> | 4" | Single Stem | Fire Killed | Good; multiple trunks | Removed | |
| 956 | California Bay | <i>Umbellularia californica</i> | 5" | Single Stem | Fair | Fair | Removed | |
| 957 | California Bay | <i>Umbellularia californica</i> | 4" (+ small stems) | Single Stem | Good | Fair | Removed | |
| 958 | California Bay | <i>Umbellularia californica</i> | 5" | Single Stem | Fair | Good | Removed | |
| 959 | California Bay | <i>Umbellularia californica</i> | 5" (+ small stems) | Single Stem | Fair | Fair/Good; multiple trunks | Removed | |
| 960 | California Bay | <i>Umbellularia californica</i> | 5" (+ small stems) | Single Stem | Fair | Fair/Good; multiple trunks | Removed | |
| 961 | California Bay | <i>Umbellularia californica</i> | 5" (+ small stems) | Single Stem | Fire Killed | Fair/Good; multiple trunks | Removed | |
| 962 | Coast Live Oak | <i>Quercus agrifolia</i> | 8" | Single Stem | Good | Excellent | Removed | |

Emerald Isle Tree Survey

Combined Surveys - All Trees

| | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|-----|--------------------|---------------------------------|----------------------|------------------------|---------------|----------------------------|----------------------|--------------------------------------|
| 963 | California Bay | <i>Umbellularia californica</i> | | Single Stem | Dead | | Dead - To Be Removed | |
| 964 | California Bay | <i>Umbellularia californica</i> | 5" (+ small stems) | Single Stem | Fire Killed | Fair/Good; multiple trunks | Removed | |
| 965 | California Bay | <i>Umbellularia californica</i> | 4" (+ small stems) | Single Stem | Fire Killed | Fair/Good; multiple trunks | Removed | |
| 966 | California Bay | <i>Umbellularia californica</i> | 4" (+ small stems) | Single Stem | Fire Killed | Fair/Good; multiple trunks | Removed | |
| 967 | Coast Live Oak | <i>Quercus agrifolia</i> | 4/4/7/9/10" | Multiple Stems | Good | Good; damaged | Removed | |
| 968 | California Bay | <i>Umbellularia californica</i> | 4" | Single Stem | Good | Good | Removed | |
| 969 | California Bay | <i>Umbellularia californica</i> | 6" | Single Stem | Fair | Good | Removed | |
| 970 | California Bay | <i>Umbellularia californica</i> | 5" | Single Stem | Good | Good | Removed | |
| 971 | California Bay | <i>Umbellularia californica</i> | 4/4" (+ small stems) | Multiple Stems | Good | Good | Removed | |
| 972 | California Bay | <i>Umbellularia californica</i> | 4/5" (+ small stems) | Multiple Stems | Good | Fair; multiple trunks | Removed | |
| 973 | California Bay | <i>Umbellularia californica</i> | 5/5/6" | Multiple Stems | Fair | Fair; damaged | Removed | |

Emerald Isle Tree Survey


Combined Surveys - All Trees

| | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|-----|------------------------------|---------------------------------|----------------------|-----------------|-----------|-----------------------|-----------------------|-----------------------------------|
| 974 | Coast Live Oak | <i>Quercus agrifolia</i> | 5" | Single Stem | Good | Good | Removed | |
| 975 | Coast Live Oak | <i>Quercus agrifolia</i> | 6/9" | Multiple Stems | Fair | Good | Removed | |
| 976 | California Bay | <i>Umbellularia californica</i> | 5" | Single Stem | Excellent | Good | Removed | |
| 977 | California Bay | <i>Umbellularia californica</i> | 4" | Single Stem | Good | Fair | Removed | |
| 978 | California Bay | <i>Umbellularia californica</i> | 6" | Single Stem | Excellent | Excellent | Removed | |
| 979 | California Bay | <i>Umbellularia californica</i> | 4" | Single Stem | Good | Good | Removed | |
| 980 | California Bay | <i>Umbellularia californica</i> | 4/4" (+ small stems) | Multiple Stems | Excellent | Good; multiple trunks | Removed | |
| 981 | California Bay | <i>Umbellularia californica</i> | 4" (+ small stems) | Single Stem | Good | Good; multiple trunks | Removed | |
| 982 | Coast Live Oak | <i>Quercus agrifolia</i> | 6" | Single Stem | Good | Good | Removed | |
| 984 | Buckeye/Aesculus californica | | 4 | Single Stem | Fair | Fair; damaged | Removed | |
| 985 | California Bay | <i>Umbellularia californica</i> | | Single Stem | | | Dead - To Be Removed | |
| 986 | California Bay | <i>Umbellularia californica</i> | 10 | Multiple Stems | Poor | Poor | Alive - To Be Removed | Epicormic shoots, stump sprouting |

Emerald Isle Tree Survey

Combined Surveys - All Trees

| | Common Name | Latin Name | DBH | Number of Stems | Health | Structure | Status | Observations- Characteristics |
|-----|----------------|---------------------------------|-----|-----------------|--------|-----------|----------------------|-------------------------------|
| 987 | California Bay | <i>Umbellularia californica</i> | | Single Stem | . | | Dead - To Be Removed | Stump sprouting |



Landesign Group

LANDSCAPE ARCHITECTURE
MASTER PLANNING

3344 Gravenstein Hwy. No.
Sebastopol, CA 95472
(707) 829 - 2580

PETER A. WURTZ, RLA
CA # 2166

2/25/2019

Emerald Isle Senior Condominiums

Gullane Drive, Santa Rosa, CA
APN 173-67-016

TREE REMOVAL MITIGATION REPORT

| | |
|--|--------------------|
| Total Trees (Removed or to be Removed) Requiring Mitigation - Per BRCE Tree Protection Plan | 404 |
| Total Trunk Diameter of Trees Requiring Mitigation | 5238 inches |
| Total 15 gal. Replacement Trees Required | 1746 |

Replacement Trees Calculation (1746 – 15 gal. Size or Equivalent)

Planning Director Approved Mitigation Factor

Equivalent mitigation for tree planting in larger sizes to be:

(3) 15 gal. trees = (1) 24" box size tree

(7) 15 gal. trees = (1) 36" box size tree

Proposed Replacement Trees on Site:

(250) 36" box trees = (1746) 15 gal. trees / 7

Replacement Tree Planting Schedule: 917-138

All Mitigation trees to be planted at time of overall project construction.

See Attached Tree Replacement Mitigation Calculations

OSL COMMUNITIES, LLC

City of Santa Rosa, CA

Emerald Isle

TREE REPLACEMENT MITIGATION CALCULATION

APN 173-670-016

Per Chapter 17-24 existing trees over 4" in girth to be removed shall be replaced by (2) 15 gal. min. size trees for each 6 inches, or fraction thereof, of the diameter of the tree to be removed. Per 17-24-0.050(c) the same genus and species as the removed tree (or another species, if approved by the Director) shall be used.

For all of the multi trunk trees, total diameter is calculated by adding the multiple trunk areas together.
(Per the Council of Tree & Landscape Appraisers Guide)

EXISTING TREES TO BE REMOVED ARE AS FOLLOWS:

| TREE | SPECIES | TRUNK DIAMETER (In.) |
|-------|---|----------------------|
| 20 | Black Oak/ <i>Quercus kelloggii</i> | 15" |
| 21 | Black Oak/ <i>Quercus kelloggii</i> | 18" |
| 22 | Black Oak/ <i>Quercus kelloggii</i> | 14" |
| 23 | Black Oak/ <i>Quercus kelloggii</i> | 14" |
| 24 | Black Oak/ <i>Quercus kelloggii</i> | 17/16" (23") |
| 24.1 | California Bay/ <i>Umbellularia californica</i> | 8" |
| 25 | Valley Oak/ <i>Quercus lobata</i> | 17/13/9" (23") |
| 38 | Valley Oak/ <i>Quercus lobata</i> | 23" |
| 39 | Coast Live Oak/ <i>Quercus agrifolia</i> | 27" |
| 114 | Black Oak/ <i>Quercus kelloggii</i> | 15" |
| 114.5 | Black Oak/ <i>Quercus kelloggii</i> | 5/4" (6") |
| 114.6 | Coast Live Oak/ <i>Quercus agrifolia</i> | 6/7" (9") |
| 119 | Coast Live Oak/ <i>Quercus agrifolia</i> | 16" |
| 119.1 | California Bay/ <i>Umbellularia californica</i> | 6" |
| 120 | Coast Live Oak/ <i>Quercus agrifolia</i> | 20" |
| 121 | Coast Live Oak/ <i>Quercus agrifolia</i> | 18" |
| 121.4 | Coast Live Oak/ <i>Quercus agrifolia</i> | 7/10" (12") |
| 124 | Coast Live Oak/ <i>Quercus agrifolia</i> | 20" |
| 125 | Coast Live Oak/ <i>Quercus agrifolia</i> | 11" |
| 127 | Coast Live Oak/ <i>Quercus agrifolia</i> | 12" |
| 128 | Coast Live Oak/ <i>Quercus agrifolia</i> | 16" |
| 130 | Valley Oak/ <i>Quercus lobata</i> | 12" |
| 132 | Coast Live Oak/ <i>Quercus agrifolia</i> | 11/7" (13") |
| 134 | Coast Live Oak/ <i>Quercus agrifolia</i> | 9" |
| 135 | California Bay/ <i>Umbellularia californica</i> | 15" |
| 137 | Black Oak/ <i>Quercus kelloggii</i> | 22" |
| 139 | Black Oak/ <i>Quercus kelloggii</i> | 21" |
| 140 | Black Oak/ <i>Quercus kelloggii</i> | 12" |
| 141 | Black Oak/ <i>Quercus kelloggii</i> | 18" |
| 142 | Black Oak/ <i>Quercus kelloggii</i> | 37/16" (40") |
| 145 | Black Oak/ <i>Quercus kelloggii</i> | 17" |
| 146 | Black Oak/ <i>Quercus kelloggii</i> | 16" |
| 147 | Coast Live Oak/ <i>Quercus agrifolia</i> | 16/15" (22") |
| 148 | Coast Live Oak/ <i>Quercus agrifolia</i> | 11" |
| 149 | Douglas Fir/ <i>Pseudotsuga menziesii</i> | 35" |
| 151 | Coast Live Oak/ <i>Quercus agrifolia</i> | 12" |
| 153 | Coast Live Oak/ <i>Quercus agrifolia</i> | 11" |
| 154 | Black Oak/ <i>Quercus kelloggii</i> | 15" |
| 174 | Black Oak/ <i>Quercus kelloggii</i> | 18" |
| 175 | Coast Live Oak/ <i>Quercus agrifolia</i> | 16" |
| 176 | Valley Oak/ <i>Quercus lobata</i> | 14" |
| 181 | Coast Live Oak/ <i>Quercus agrifolia</i> | 24/19" (31") |
| 182 | California Bay/ <i>Umbellularia californica</i> | 11/11" (16") |
| 183 | Black Oak/ <i>Quercus kelloggii</i> | 20" |
| 184 | Black Oak/ <i>Quercus kelloggii</i> | 11" |
| 186 | Coast Live Oak/ <i>Quercus agrifolia</i> | 9/8" (12") |
| 187 | Black Oak/ <i>Quercus kelloggii</i> | 11" |
| 188 | Coast Live Oak/ <i>Quercus agrifolia</i> | 9/8" (12") |
| 189 | California Bay/ <i>Umbellularia californica</i> | 14" |
| 190 | Black Oak/ <i>Quercus kelloggii</i> | 8" |
| 191 | California Bay/ <i>Umbellularia californica</i> | 16/15" (22") |
| 192.1 | Black Oak/ <i>Quercus kelloggii</i> | 9" |
| 193 | Black Oak/ <i>Quercus kelloggii</i> | 13" |

| TREE | SPECIES | TRUNK DIAMETER (In.) |
|-------|---|----------------------|
| 193.2 | Black Oak/ <i>Quercus kelloggii</i> | 10" |
| 194 | Black Oak/ <i>Quercus kelloggii</i> | 17/17" (24") |
| 195.1 | Coast Live Oak/ <i>Quercus agrifolia</i> | 10" |
| 198 | Black Oak/ <i>Quercus kelloggii</i> | 16" |
| 201 | Coast Live Oak/ <i>Quercus agrifolia</i> | 10" |
| 203 | California Bay/ <i>Umbellularia californica</i> | 11/10" (15") |
| 204 | California Bay/ <i>Umbellularia californica</i> | 17" |
| 205 | Black Oak/ <i>Quercus kelloggii</i> | 17" |
| 208 | Coast Live Oak/ <i>Quercus agrifolia</i> | 13" |
| 209 | Coast Live Oak/ <i>Quercus agrifolia</i> | 9" |
| 210 | Coast Live Oak/ <i>Quercus agrifolia</i> | 13" |
| 211 | Coast Live Oak/ <i>Quercus agrifolia</i> | 14" |
| 212 | Coast Live Oak/ <i>Quercus agrifolia</i> | 13" |
| 213 | Coast Live Oak/ <i>Quercus agrifolia</i> | 15" |
| 214 | Coast Live Oak/ <i>Quercus agrifolia</i> | 9" |
| 218 | California Bay/ <i>Umbellularia californica</i> | 13" |
| 219 | Oregon Oak/ <i>Quercus garryana</i> | 12" |
| 220 | Black Oak/ <i>Quercus kelloggii</i> | 13" |
| 221 | California Bay/ <i>Umbellularia californica</i> | 11/8" (14") |
| 222 | Coast Live Oak/ <i>Quercus agrifolia</i> | 16" |
| 223 | Coast Live Oak/ <i>Quercus agrifolia</i> | 9" |
| 223.1 | Coast Live Oak/ <i>Quercus agrifolia</i> | 23" |
| 224 | Black Oak/ <i>Quercus kelloggii</i> | 15" |
| 225 | California Bay/ <i>Umbellularia californica</i> | 9" |
| 226 | Coast Live Oak/ <i>Quercus agrifolia</i> | 25" |
| 227 | Coast Live Oak/ <i>Quercus agrifolia</i> | 11" |
| 228 | Coast Live Oak/ <i>Quercus agrifolia</i> | 16" |
| 229 | Valley Oak/ <i>Quercus lobata</i> | 19" |
| 231 | Coast Live Oak/ <i>Quercus agrifolia</i> | 20" |
| 234 | Coast Live Oak/ <i>Quercus agrifolia</i> | 23" |
| 235 | Coast Live Oak/ <i>Quercus agrifolia</i> | 21" |
| 236 | California Bay/ <i>Umbellularia californica</i> | 11" |
| 237 | Coast Live Oak/ <i>Quercus agrifolia</i> | 12" |
| 239 | Coast Live Oak/ <i>Quercus agrifolia</i> | 9" |
| 241 | Coast Live Oak/ <i>Quercus agrifolia</i> | 9" |
| 243 | Coast Live Oak/ <i>Quercus agrifolia</i> | 8" |
| 244 | Coast Live Oak/ <i>Quercus agrifolia</i> | 16/13" (21") |
| 247 | Coast Live Oak/ <i>Quercus agrifolia</i> | 26" @ 2' |
| 249 | Coast Live Oak/ <i>Quercus agrifolia</i> | 17" |
| 250 | Coast Live Oak/ <i>Quercus agrifolia</i> | 9" |
| 251 | Coast Live Oak/ <i>Quercus agrifolia</i> | 14" @ 3' |
| 256 | Coast Live Oak/ <i>Quercus agrifolia</i> | 10" |
| 257.1 | Black Oak/ <i>Quercus kelloggii</i> | 8" |
| 258 | Oregon Oak/ <i>Quercus garryana</i> | 9/10" (13") |
| 260 | Coast Live Oak/ <i>Quercus agrifolia</i> | 15" |
| 261 | Coast Live Oak/ <i>Quercus agrifolia</i> | 11" |
| 264 | Black Oak/ <i>Quercus kelloggii</i> | 14" |
| 265 | Coast Live Oak/ <i>Quercus agrifolia</i> | 19" |
| 267 | Black Oak/ <i>Quercus kelloggii</i> | 13" |
| 268 | Coast Live Oak/ <i>Quercus agrifolia</i> | 18" |
| 269 | Black Oak/ <i>Quercus kelloggii</i> | 19" |
| 270 | Black Locust/ <i>Robinia pseudoacacia</i> | 8/9" (12") |
| 271 | Black Oak/ <i>Quercus kelloggii</i> | 16" |
| 272 | Coast Live Oak/ <i>Quercus agrifolia</i> | 14" |
| 273 | Coast Live Oak/ <i>Quercus agrifolia</i> | 17/11" (20") |
| 274 | Black Oak/ <i>Quercus kelloggii</i> | 9" |
| 275 | Black Oak/ <i>Quercus kelloggii</i> | 9" |
| 276 | Black Oak/ <i>Quercus kelloggii</i> | 14" |
| 277 | Black Oak/ <i>Quercus kelloggii</i> | 11" |
| 278 | Black Oak/ <i>Quercus kelloggii</i> | 11" |
| 279 | Black Oak/ <i>Quercus kelloggii</i> | 7" |
| 280 | Black Oak/ <i>Quercus kelloggii</i> | 12" |
| 281 | Black Oak/ <i>Quercus kelloggii</i> | 10" |
| 281.1 | Black Oak/ <i>Quercus kelloggii</i> | 11" |
| 282 | Coast Live Oak/ <i>Quercus agrifolia</i> | 16" |
| 283 | Black Oak/ <i>Quercus kelloggii</i> | 10" |
| 283.1 | Black Oak/ <i>Quercus kelloggii</i> | 10" |
| 283.2 | California Bay/ <i>Umbellularia californica</i> | 18" |
| 284 | California Bay/ <i>Umbellularia californica</i> | 12" |
| 285 | Coast Live Oak/ <i>Quercus agrifolia</i> | 7" |
| 286 | California Bay/ <i>Umbellularia californica</i> | 15/9/11" (21") |
| 287 | Black Oak/ <i>Quercus kelloggii</i> | 15" |

| TREE | SPECIES | TRUNK DIAMETER (In.) |
|------|---|----------------------|
| 288 | Coast Live Oak/ <i>Quercus agrifolia</i> | 16" |
| 289 | California Bay/ <i>Umbellularia californica</i> | 9" @ 2.5' |
| 297 | Black Oak/ <i>Quercus kelloggii</i> | 11" |
| 298 | Black Oak/ <i>Quercus kelloggii</i> | 8/6" (10") |
| 299 | Black Oak/ <i>Quercus kelloggii</i> | 9" |
| 331 | Coast Live Oak/ <i>Quercus agrifolia</i> | 9" |
| 332 | Coast Live Oak/ <i>Quercus agrifolia</i> | 13" |
| 333 | Coast Live Oak/ <i>Quercus agrifolia</i> | 9" |
| 335 | Coast Live Oak/ <i>Quercus agrifolia</i> | 19" |
| 340 | Coast Live Oak/ <i>Quercus agrifolia</i> | 21" |
| 341 | California Bay/ <i>Umbellularia californica</i> | 7/5/5" (10") |
| 342 | Coast Live Oak/ <i>Quercus agrifolia</i> | 7" |
| 343 | Coast Live Oak/ <i>Quercus agrifolia</i> | 17" |
| 346 | California Bay/ <i>Umbellularia californica</i> | 4/4/5/5/8" (13") |
| 347 | California Bay/ <i>Umbellularia californica</i> | 4/5/5/6/6" (13") |
| 348 | California Bay/ <i>Umbellularia californica</i> | 4/5/6" (9") |
| 349 | Coast Live Oak/ <i>Quercus agrifolia</i> | 17" |
| 350 | Coast Live Oak/ <i>Quercus agrifolia</i> | 11" |
| 351 | Coast Live Oak/ <i>Quercus agrifolia</i> | 10" |
| 352 | Coast Live Oak/ <i>Quercus agrifolia</i> | 16" |
| 353 | Coast Live Oak/ <i>Quercus agrifolia</i> | 15" |
| 355 | California Bay/ <i>Umbellularia californica</i> | 5/19" (20") |
| 356 | California Bay/ <i>Umbellularia californica</i> | 15" |
| 357 | Coast Live Oak/ <i>Quercus agrifolia</i> | 8" |
| 358 | Coast Live Oak/ <i>Quercus agrifolia</i> | 11" |
| 359 | Coast Live Oak/ <i>Quercus agrifolia</i> | 12" |
| 360 | Coast Live Oak/ <i>Quercus agrifolia</i> | 19" |
| 361 | Coast Live Oak/ <i>Quercus agrifolia</i> | 15" |
| 362 | Coast Live Oak/ <i>Quercus agrifolia</i> | 17" |
| 363 | Coast Live Oak/ <i>Quercus agrifolia</i> | 9" |
| 364 | California Bay/ <i>Umbellularia californica</i> | 15"/10"/7" (20") |
| 365 | Coast Live Oak/ <i>Quercus agrifolia</i> | 23" |
| 366 | Valley Oak/ <i>Quercus lobata</i> | 19" |
| 368 | Coast Live Oak/ <i>Quercus agrifolia</i> | 17" |
| 369 | Coast Live Oak/ <i>Quercus agrifolia</i> | 12" |
| 370 | Coast Live Oak/ <i>Quercus agrifolia</i> | 17" |
| 372 | California Bay/ <i>Umbellularia californica</i> | 6" |
| 373 | California Bay/ <i>Umbellularia californica</i> | 7" |
| 374 | California Bay/ <i>Umbellularia californica</i> | 5"/4" (7") |
| 375 | Coast Live Oak/ <i>Quercus agrifolia</i> | 17" |
| 376 | California Bay/ <i>Umbellularia californica</i> | 6/6/7" (11") |
| 377 | California Bay/ <i>Umbellularia californica</i> | 5/6" (8") |
| 378 | California Bay/ <i>Umbellularia californica</i> | 10" |
| 379 | Coast Live Oak/ <i>Quercus agrifolia</i> | 15" |
| 380 | Coast Live Oak/ <i>Quercus agrifolia</i> | 4/5/11" (13") |
| 381 | California Bay/ <i>Umbellularia californica</i> | 6/7" (10") |
| 383 | Coast Live Oak/ <i>Quercus agrifolia</i> | 14" |
| 384 | Coast Live Oak/ <i>Quercus agrifolia</i> | 14/16" (21") |
| 385 | Coast Live Oak/ <i>Quercus agrifolia</i> | 14" |
| 389 | Black Oak/ <i>Quercus kelloggii</i> | 13" @ 3' |
| 392 | Black Oak/ <i>Quercus kelloggii</i> | 15" |
| 393 | Coast Live Oak/ <i>Quercus agrifolia</i> | 9" |
| 394 | California Bay/ <i>Umbellularia californica</i> | 4/7/16" (18") |
| 395 | Coast Live Oak/ <i>Quercus agrifolia</i> | 8/19" (21") |
| 396 | Coast Live Oak/ <i>Quercus agrifolia</i> | 19" @ 3' |
| 397 | Coast Live Oak/ <i>Quercus agrifolia</i> | 12" |
| 398 | California Bay/ <i>Umbellularia californica</i> | 12" |
| 400 | Coast Live Oak/ <i>Quercus agrifolia</i> | 11" @ 4' |
| 401 | Coast Live Oak/ <i>Quercus agrifolia</i> | 20" |
| 410 | Coast Live Oak/ <i>Quercus agrifolia</i> | 13" |
| 411 | Coast Live Oak/ <i>Quercus agrifolia</i> | 15" |
| 419 | Coast Live Oak/ <i>Quercus agrifolia</i> | 9" |
| 425 | Coast Live Oak/ <i>Quercus agrifolia</i> | 7" |
| 426 | Black Oak/ <i>Quercus kelloggii</i> | 14" |
| 429 | Coast Live Oak/ <i>Quercus agrifolia</i> | 12" |
| 430 | Coast Live Oak/ <i>Quercus agrifolia</i> | 19" |
| 431 | Valley Oak/ <i>Quercus lobata</i> | 13" |
| 433 | Coast Live Oak/ <i>Quercus agrifolia</i> | 7/6" (9") |
| 434 | Valley Oak/ <i>Quercus lobata</i> | 15" |
| 435 | Black Oak/ <i>Quercus kelloggii</i> | 10" |
| 436 | Valley Oak/ <i>Quercus lobata</i> | 11/10" (14") |
| 437 | Coast Live Oak/ <i>Quercus agrifolia</i> | 11" |

| TREE | SPECIES | TRUNK DIAMETER (In.) |
|-------|---|----------------------|
| 438 | Oregon Oak/ <i>Quercus garryana</i> | 10" |
| 439 | Coast Live Oak/ <i>Quercus agrifolia</i> | 13" |
| 440 | Coast Live Oak/ <i>Quercus agrifolia</i> | 10" |
| 441 | Black Oak/ <i>Quercus kelloggii</i> | 11" |
| 442 | Coast Live Oak/ <i>Quercus agrifolia</i> | 5" |
| 443 | Coast Live Oak/ <i>Quercus agrifolia</i> | 12/9" (14") |
| 444 | Coast Live Oak/ <i>Quercus agrifolia</i> | 27" |
| 445 | Black Oak/ <i>Quercus kelloggii</i> | 14" |
| 446 | Black Oak/ <i>Quercus kelloggii</i> | 16" |
| 447 | Coast Live Oak/ <i>Quercus agrifolia</i> | 8" |
| 448 | Coast Live Oak/ <i>Quercus agrifolia</i> | 5" |
| 449 | Coast Live Oak/ <i>Quercus agrifolia</i> | 7" |
| 450 | Black Oak/ <i>Quercus kelloggii</i> | 17" |
| 458 | Black Oak/ <i>Quercus kelloggii</i> | 14" |
| 459 | Coast Live Oak/ <i>Quercus agrifolia</i> | 16" |
| 468 | Coast Live Oak/ <i>Quercus agrifolia</i> | 8/11" (14") |
| 482 | Valley Oak/ <i>Quercus lobata</i> | 12" |
| 485 | Valley Oak/ <i>Quercus lobata</i> | 21" |
| 485.1 | California Bay/ <i>Umbellularia californica</i> | 5" |
| 486 | Buckeye/ <i>Aesculus californica</i> | 6" |
| 487 | Valley Oak/ <i>Quercus lobata</i> | 14" |
| 489 | California Bay/ <i>Umbellularia californica</i> | 13/11" (17") |
| 491 | Valley Oak/ <i>Quercus lobata</i> | 5" |
| 492 | Valley Oak/ <i>Quercus lobata</i> | 6" |
| 495 | California Bay/ <i>Umbellularia californica</i> | 13/10/6" (18") |
| 496 | Coast Live Oak/ <i>Quercus agrifolia</i> | 10/13" (16") |
| 497 | Coast Live Oak/ <i>Quercus agrifolia</i> | 7/5" (9") |
| 498 | Coast Live Oak/ <i>Quercus agrifolia</i> | 6" |
| 499 | Coast Live Oak/ <i>Quercus agrifolia</i> | 16/5" (17") |
| 500 | Valley Oak/ <i>Quercus lobata</i> | 13" |
| 501 | Valley Oak/ <i>Quercus lobata</i> | 9" |
| 520 | Coast Live Oak/ <i>Quercus agrifolia</i> | 7/6" (9") |
| 532 | Coast Live Oak/ <i>Quercus agrifolia</i> | 10" |
| 536 | Coast Live Oak/ <i>Quercus agrifolia</i> | 8" |
| 539 | Coast Live Oak/ <i>Quercus agrifolia</i> | 11" |
| 542 | California Bay/ <i>Umbellularia californica</i> | 10/9/5" (14") |
| 543 | Coast Live Oak/ <i>Quercus agrifolia</i> | 8" |
| 543.1 | Coast Live Oak/ <i>Quercus agrifolia</i> | 9/6" (11") |
| 544 | Coast Live Oak/ <i>Quercus agrifolia</i> | 14" |
| 546 | Coast Live Oak/ <i>Quercus agrifolia</i> | 10/6" (12") |
| 547 | Coast Live Oak/ <i>Quercus agrifolia</i> | 12" |
| 549 | Coast Live Oak/ <i>Quercus agrifolia</i> | 11" |
| 550 | Coast Live Oak/ <i>Quercus agrifolia</i> | 17/13" (21") |
| 551 | Coast Live Oak/ <i>Quercus agrifolia</i> | 8" |
| 552 | Coast Live Oak/ <i>Quercus agrifolia</i> | 8/10" (13") |
| 553 | Coast Live Oak/ <i>Quercus agrifolia</i> | 8" |
| 569 | Coast Live Oak/ <i>Quercus agrifolia</i> | 15" |
| 571 | Coast Live Oak/ <i>Quercus agrifolia</i> | 13" |
| 600 | Coast Live Oak/ <i>Quercus agrifolia</i> | 3" |
| 602 | Coast Live Oak/ <i>Quercus agrifolia</i> | 8" |
| 603 | Coast Live Oak/ <i>Quercus agrifolia</i> | 13" |
| 605 | Black Oak/ <i>Quercus kelloggii</i> | 11" |
| 606 | Coast Live Oak/ <i>Quercus agrifolia</i> | 12" |
| 607 | Coast Live Oak/ <i>Quercus agrifolia</i> | 13" |
| 609 | Coast Live Oak/ <i>Quercus agrifolia</i> | 13" |
| 609.1 | Coast Live Oak/ <i>Quercus agrifolia</i> | 12" |
| 609.2 | Coast Live Oak/ <i>Quercus agrifolia</i> | 7" |
| 609.4 | Coast Live Oak/ <i>Quercus agrifolia</i> | 9" |
| 610 | Coast Live Oak/ <i>Quercus agrifolia</i> | 7" |
| 613 | Coast Live Oak/ <i>Quercus agrifolia</i> | 13" |
| 614 | Coast Live Oak/ <i>Quercus agrifolia</i> | 11" |
| 615 | Coast Live Oak/ <i>Quercus agrifolia</i> | 14" |
| 616 | Coast Live Oak/ <i>Quercus agrifolia</i> | 5" |
| 624 | Coast Live Oak/ <i>Quercus agrifolia</i> | 6" |
| 625 | Coast Live Oak/ <i>Quercus agrifolia</i> | 12" |
| 626 | Coast Live Oak/ <i>Quercus agrifolia</i> | 8" |
| 627 | Coast Live Oak/ <i>Quercus agrifolia</i> | 6" |
| 628 | Coast Live Oak/ <i>Quercus agrifolia</i> | 7" |
| 629 | Valley Oak/ <i>Quercus lobata</i> | 22" |
| 631 | Coast Live Oak/ <i>Quercus agrifolia</i> | 12" |
| 632 | Coast Live Oak/ <i>Quercus agrifolia</i> | 20" |
| 633 | Coast Live Oak/ <i>Quercus agrifolia</i> | 14" |

| TREE | SPECIES | TRUNK DIAMETER (In.) |
|-------|---|----------------------|
| 634 | Coast Live Oak/ <i>Quercus agrifolia</i> | 9" |
| 635 | Coast Live Oak/ <i>Quercus agrifolia</i> | 15" |
| 636 | Coast Live Oak/ <i>Quercus agrifolia</i> | 16" |
| 637 | Coast Live Oak/ <i>Quercus agrifolia</i> | 18" |
| 638 | Coast Live Oak/ <i>Quercus agrifolia</i> | 13" |
| 639 | Black Oak/ <i>Quercus kelloggii</i> | 16" |
| 640 | California Bay/ <i>Umbellularia californica</i> | 15" |
| 642 | Coast Live Oak/ <i>Quercus agrifolia</i> | 13" |
| 643 | California Bay/ <i>Umbellularia californica</i> | 17" |
| 644 | Coast Live Oak/ <i>Quercus agrifolia</i> | 21" |
| 645 | Coast Live Oak/ <i>Quercus agrifolia</i> | 11" |
| 646 | Coast Live Oak/ <i>Quercus agrifolia</i> | 13" |
| 647 | Black Oak/ <i>Quercus kelloggii</i> | 16" |
| 649 | Coast Live Oak/ <i>Quercus agrifolia</i> | 12" |
| 650 | Coast Live Oak/ <i>Quercus agrifolia</i> | 13" |
| 651 | Coast Live Oak/ <i>Quercus agrifolia</i> | 14" |
| 652 | Coast Live Oak/ <i>Quercus agrifolia</i> | 14" |
| 661 | California Bay/ <i>Umbellularia californica</i> | 4/5/5/5/6" (12") |
| 662 | Coast Live Oak/ <i>Quercus agrifolia</i> | 18" |
| 663 | Coast Live Oak/ <i>Quercus agrifolia</i> | 16" |
| 664 | Coast Live Oak/ <i>Quercus agrifolia</i> | 6" |
| 665 | Coast Live Oak/ <i>Quercus agrifolia</i> | 16" |
| 667 | Coast Live Oak/ <i>Quercus agrifolia</i> | 17" |
| 671 | California Bay/ <i>Umbellularia californica</i> | 15" |
| 673 | Coast Live Oak/ <i>Quercus agrifolia</i> | 15" |
| 675 | California Bay/ <i>Umbellularia californica</i> | 14/8" (16") |
| 678 | Coast Live Oak/ <i>Quercus agrifolia</i> | 10" |
| 681 | Buckeye/ <i>Aesculus californica</i> | 5" |
| 689.1 | Buckeye/ <i>Aesculus californica</i> | 5" |
| 690 | Coast Live Oak/ <i>Quercus agrifolia</i> | 12" |
| 691.1 | Coast Live Oak/ <i>Quercus agrifolia</i> | 12/10" (16") |
| 692 | Coast Live Oak/ <i>Quercus agrifolia</i> | 15" |
| 693 | Coast Live Oak/ <i>Quercus agrifolia</i> | 8/6" (10") |
| 694 | California Bay/ <i>Umbellularia californica</i> | 7/6" (9") |
| 695 | Black Oak/ <i>Quercus kelloggii</i> | 11" |
| 696 | Coast Live Oak/ <i>Quercus agrifolia</i> | 11" |
| 698 | Coast Live Oak/ <i>Quercus agrifolia</i> | 11/8/10/6" (18") |
| 699 | Coast Live Oak/ <i>Quercus agrifolia</i> | 13" |
| 700 | Coast Live Oak/ <i>Quercus agrifolia</i> | 11" |
| 701 | Coast Live Oak/ <i>Quercus agrifolia</i> | 20" |
| 703 | Coast Live Oak/ <i>Quercus agrifolia</i> | 8" |
| 704 | Coast Live Oak/ <i>Quercus agrifolia</i> | 9" |
| 712 | Black Oak/ <i>Quercus kelloggii</i> | 7" |
| 713 | California Bay/ <i>Umbellularia californica</i> | 7/8/5" (12") |
| 714 | Coast Live Oak/ <i>Quercus agrifolia</i> | 17" |
| 715 | Coast Live Oak/ <i>Quercus agrifolia</i> | 9" |
| 716 | Coast Live Oak/ <i>Quercus agrifolia</i> | 10" |
| 719 | California Bay/ <i>Umbellularia californica</i> | 6" |
| 720 | California Bay/ <i>Umbellularia californica</i> | 8/10" (13") |
| 741 | Coast Live Oak/ <i>Quercus agrifolia</i> | 12/13/15/16" (28") |
| 742 | Coast Live Oak/ <i>Quercus agrifolia</i> | 22" |
| 748 | Coast Live Oak/ <i>Quercus agrifolia</i> | 20" |
| 749 | Coast Live Oak/ <i>Quercus agrifolia</i> | 11" |
| 750 | Coast Live Oak/ <i>Quercus agrifolia</i> | 15" |
| 751 | Coast Live Oak/ <i>Quercus agrifolia</i> | 17" |
| 752 | Coast Live Oak/ <i>Quercus agrifolia</i> | 17" |
| 753 | Coast Live Oak/ <i>Quercus agrifolia</i> | 11" |
| 754 | Coast Live Oak/ <i>Quercus agrifolia</i> | 10/8" (13") |
| 755 | Coast Live Oak/ <i>Quercus agrifolia</i> | 13" |
| 756 | California Bay/ <i>Umbellularia californica</i> | 10/11" (15") |
| 757 | Coast Live Oak/ <i>Quercus agrifolia</i> | 14" |
| 757.1 | Coast Live Oak/ <i>Quercus agrifolia</i> | 19/8" (21") |
| 757.2 | Coast Live Oak/ <i>Quercus agrifolia</i> | 11" |
| 758 | Coast Live Oak/ <i>Quercus agrifolia</i> | 17" |
| 759 | Coast Live Oak/ <i>Quercus agrifolia</i> | 9" |
| 760 | Coast Live Oak/ <i>Quercus agrifolia</i> | 9" |
| 761 | Coast Live Oak/ <i>Quercus agrifolia</i> | 8/14" (16") |
| 762 | Coast Live Oak/ <i>Quercus agrifolia</i> | 12" |
| 762.1 | Coast Live Oak/ <i>Quercus agrifolia</i> | 14" |
| 763 | Coast Live Oak/ <i>Quercus agrifolia</i> | 13" |
| 764 | Coast Live Oak/ <i>Quercus agrifolia</i> | 16/10" (19") |
| 766 | Coast Live Oak/ <i>Quercus agrifolia</i> | 20" |

| TREE | SPECIES | TRUNK DIAMETER (In.) |
|-------|---|---------------------------|
| 767 | Black Oak/ <i>Quercus kelloggii</i> | 10" |
| 768 | California Bay/ <i>Umbellularia californica</i> | 11/6" (13") |
| 782 | Coast Live Oak/ <i>Quercus agrifolia</i> | 20" |
| 783 | Coast Live Oak/ <i>Quercus agrifolia</i> | 15" |
| 783.1 | Coast Live Oak/ <i>Quercus agrifolia</i> | 7" |
| 784 | Coast Live Oak/ <i>Quercus agrifolia</i> | 13" |
| 785 | Coast Live Oak/ <i>Quercus agrifolia</i> | 17" |
| 786 | Coast Live Oak/ <i>Quercus agrifolia</i> | 15/19" (24") |
| 787 | Coast Live Oak/ <i>Quercus agrifolia</i> | 12" |
| 793 | Valley Oak/ <i>Quercus lobata</i> | 17" |
| 794 | Coast Live Oak/ <i>Quercus agrifolia</i> | 13" |
| 795 | Coast Live Oak/ <i>Quercus agrifolia</i> | 5/7" (9") |
| 796 | Coast Live Oak/ <i>Quercus agrifolia</i> | 27" |
| 797 | Coast Live Oak/ <i>Quercus agrifolia</i> | 12" |
| 798 | Black Oak/ <i>Quercus kelloggii</i> | 16" |
| 799 | Coast Live Oak/ <i>Quercus agrifolia</i> | 13"/13" (19") |
| 800 | Coast Live Oak/ <i>Quercus agrifolia</i> | 5/10/14/17" (25") |
| 801 | Coast Live Oak/ <i>Quercus agrifolia</i> | 17" |
| 901 | California Bay/ <i>Umbellularia californica</i> | 5/9" @ 2' (11") |
| 903 | Coast Live Oak/ <i>Quercus agrifolia</i> | 10" |
| 904 | Coast Live Oak/ <i>Quercus agrifolia</i> | 6" |
| 905 | Coast Live Oak/ <i>Quercus agrifolia</i> | 15" |
| 906 | California Bay/ <i>Umbellularia californica</i> | 6" (+ small stems) |
| 910 | California Bay/ <i>Umbellularia californica</i> | 4" |
| 912 | California Bay/ <i>Umbellularia californica</i> | 4/5/5" (8") |
| 914 | California Bay/ <i>Umbellularia californica</i> | 4/4" (6") |
| 919 | California Bay/ <i>Umbellularia californica</i> | 5" |
| 921 | California Bay/ <i>Umbellularia californica</i> | 4/5/5" (8") |
| 923 | California Bay/ <i>Umbellularia californica</i> | 4/4/6/6" (10") |
| 928 | California Bay/ <i>Umbellularia californica</i> | 6" |
| 931 | California Bay/ <i>Umbellularia californica</i> | 4/6/6" (10") |
| 932 | California Bay/ <i>Umbellularia californica</i> | 4" (+ small stems) |
| 933 | Coast Live Oak/ <i>Quercus agrifolia</i> | 6" |
| 935 | Olive/ <i>Olea europaea</i> | 5" |
| 941 | Buckeye/ <i>Aesculus californica</i> | 4/5" (7") |
| 946 | Buckeye/ <i>Aesculus californica</i> | 5" @ 3' |
| 949 | Buckeye/ <i>Aesculus californica</i> | 7" |
| 951 | Coast Live Oak/ <i>Quercus agrifolia</i> | 8" |
| 952 | Coast Live Oak/ <i>Quercus agrifolia</i> | 5" |
| 956 | California Bay/ <i>Umbellularia californica</i> | 5" |
| 957 | California Bay/ <i>Umbellularia californica</i> | 4" (+ small stems) |
| 958 | California Bay/ <i>Umbellularia californica</i> | 5" |
| 959 | California Bay/ <i>Umbellularia californica</i> | 5" (+ small stems) |
| 960 | California Bay/ <i>Umbellularia californica</i> | 5" (+ small stems) |
| 962 | Coast Live Oak/ <i>Quercus agrifolia</i> | 8" |
| 967 | Coast Live Oak/ <i>Quercus agrifolia</i> | 4/4/7/9/10" (17") |
| 968 | California Bay/ <i>Umbellularia californica</i> | 4" |
| 969 | California Bay/ <i>Umbellularia californica</i> | 6" |
| 970 | California Bay/ <i>Umbellularia californica</i> | 5" |
| 971 | California Bay/ <i>Umbellularia californica</i> | 4/4" (+ small stems) (6") |
| 972 | California Bay/ <i>Umbellularia californica</i> | 4/5" (+ small stems) (7") |
| 973 | California Bay/ <i>Umbellularia californica</i> | 5/5/6" (10") |
| 974 | Coast Live Oak/ <i>Quercus agrifolia</i> | 5" |
| 975 | Coast Live Oak/ <i>Quercus agrifolia</i> | 6/9" (11") |
| 976 | California Bay/ <i>Umbellularia californica</i> | 5" |
| 977 | California Bay/ <i>Umbellularia californica</i> | 4" |
| 978 | California Bay/ <i>Umbellularia californica</i> | 6" |
| 979 | California Bay/ <i>Umbellularia californica</i> | 4" |
| 980 | California Bay/ <i>Umbellularia californica</i> | 4/4" (+ small stems) (6") |
| 981 | California Bay/ <i>Umbellularia californica</i> | 4" (+ small stems) |
| 982 | Coast Live Oak/ <i>Quercus agrifolia</i> | 6" |
| 984 | Buckeye/ <i>Aesculus californica</i> | 4" |
| 986 | California Bay/ <i>Umbellularia californica</i> | 5/5/7" (10") |

Total Replacement Trees Required: (total trunk dia.) 5238 / 6 = 873 x 2 = 1746