

Catholic Charities

CLIENT ADDRESS

ENTER

STAMP:

QUADRICA
landscape architecture and planning, inc.
s a c r a m e n t o | s a n t a r o s a 707.546.3561 | www.quadriga-inc.com

ARBORIST EVALUATION

Only a single native tree #56, a 27" Coast Live Oak, is present on site. The Oak is to be removed due to conflicts with proposed improvements.

The bulk of the trees on site are ornamental species that have either been planted or volunteered.

TREE PRESERVATION AND REMOVAL



TREE TO BE PRESERVED



TREE TO BE REMOVED, FOR CONSTRUCTION OR PER FIRE DEPARTMENT REQUIREMENTS

- Tree number from Project Arborist Report Sept. 9th 2014 Tree species

TREE PROTECTION NOTES

- Prior to initiation of any construction activity in the area, including demolition or grading, temporary protective fencing shall be installed at each site tree in the immediate vicinity of construction. Fencing is to
- be located at a minimum of of one foot beyond the canopy drip line.

 2. Fencing shall be a minimum of four foot height at all locations, and shall form a continuous barrier without entry points and around all individual trees, or groups of trees. Barrier type fencing such as chain link or tensar plastic fencing is suggested, but any fencing system which adequately prevents entry of equipment and activity will be acceptable. Post and cable fencing is not recommended. Fencing shall be installed in a professional manner with adequate uprights and appropriate attachments. Concrete footings are not required. Any encroachment into the drip line of for fencing or construction purposes should be discussed and agreed upon in advance.
- 3. The fencing shall serve as a barrier to prevent drip line encroachment of any type by construction activities, equipment, material storage, and
- 4. Contractors and subcontractors shall direct all equipment and personnel to remain outside the fenced area at all times until project is complete. Instruction shall be given as to the purpose and the importance of fencing and preservation.
- Fencing should remain in place and not be removed until ALL construction activities are completed. Temporary access may be granted to facilitate work under specific circumstances when discussed and agreed upon in advance.
- 6. Roots of single standing trees often extend two-three times the distance of the actual drip line. As much area around the circumference of the tree beyond the drip line should have minimum instruction to further ensure tree survival and health.

JOB NUMBER: DRAWN BY: CHECKED BY 06/26/20 PER PLANS TREE REMOVAL AND

PRESERVATION PLAN

PRELIMINARY - Not for Construction -© 2017 PYATOK ARCHITECTURE & URBAN DESIGN

CARITAS HOMES SITE LEGEND

CARITAS VILLAGE SITE PLAN

24" x 24" square concrete —

pavement scoring pattern on sidewalk

24" x 24" square concrete —

pavement scoring

pattern on sidewalk

SEVENTH STREET

CARITAS HOMES

PHASE 1

PARKING LOT

(2) Metal benches

CARITAS HOMES

PHASE 2

PARKING

CARITAS CENTER

SIXTH STREET

(3) Metal benches

- 24" x 24" square concrete

—(1) Metal benches

=24" x 24" square concrete

pavement scoring

pattern on sidewalk

pattern on sidewalk

- COVERED GATHERING AREA
- GATHERING AREA UNDER TREE CANOPY
- SMALL LAWN AREA
- PET RELIEF AREA
- STAIRS TO PODIUM LEVEL TERRACE
- RAISED PODIUM PLANTERS
- PODIUM SEATING AREAS
- MEWS TRELLIS AND GATE
- TENANT PORCH
- TENANT VEGETABLE GARDEN PLANTER
- GARAGE ENTRY
- LOADING ZONES
- PROPERTY LINE


CARITAS CENTER SITE LEGEND

- NAVIGATION CENTER ENTRY COURTYARD
- NAVIGATION CENTER COURTYARD
- FAMILY SUPPORT CENTER COURTYARD GARBAGE ENCLOSURE
- **PLAZA**
- SHADE TRELLIS
- PROPERTY LINE
- DROP OFF
- CITY BUS STOP

PLANTING LEGEND



LARGE SHADE TREE



LARGE | MEDIUM TREE






NEW STREET TREE - HEIGHT LIMIT 15'-0" PER FIRE DEPT.



EXISTING TREE TO REMAIN





VEGETATED STORM WATER PLANTING



PAVEMENT & SITE LEGEND



SIDEWALK PAVEMENT - 2 FT SQUARE SCORING



ENHANCED PODIUM PAVEMENT - CONCRETE, WOOD,

ENHANCED PAVEMENT - INTEGRAL COLOR CONCRETE



CONCRETE PAVEMENT - INTEGRAL COLOR



AC PAVEMENT



SITE FURNISHINGS



PERMEABLE UNIT PAVERS



(5) BENCH - BLACK COLOR WITH BACK AND CENTER ARMRESTS



BIKE PARKING - 18 SPACES TOTAL

SITE LIGHTING - POLE LAMP

SITE LIGHTING - PARKING LOT POLE LAMP





GREEN, LUSH HEALING GARDEN CONCEPT



BUILT GATHERING AREAS



SHADE STRUCTURES



FLOWERING VINES ON TRELLISES



TENANT VEGETABLE GARDEN



DROUGHT TOLERANT, LOW MAINTENANCE, AND VARIED PLANTING

PYATOK OAKLAND, CA 94612 510.465.7010 p | 510.465.8575 f www.pyatok.com

Catholic Charities

CLIENT ADDRESS

QUADRICA
landscape architecture and planning, inc.
s a c r a m e n t o | s a n t a r o s a 707.546.3561 | www.quadriga-inc.com

STAMP:

JOB NUMBER: DRAWN BY: CHECKED BY: 06/26/20 PER PLANS SCALE:

LANDSCAPE SITE PLAN

PRELIMINARY - Not for Construction -© 2017 PYATOK ARCHITECTURE & URBAN DESIGN

STREET FRONTAGE AND COURTYARDS	SIZE	WUCOLS	MEWS AND PODIUM PLANTERS	SIZE	WUCOLS	STORM WATER	SIZE	WUC
Achillea millefolium 'Sonoma Coast'	1 gal	Low	Abutilon striatum	5 gal	Medium	Asclepias fascicularis	1 gal	Low
Agave 'Mr. Ripple'	5 gal	Low	Aristea inaequalis	1 gal	Low	Bidens laevis	1 gal	Mediur
Agave stricta	5 gal	Low	Aspidistra elatior	1 gal	Low	Chondropetalum t. 'El Campo'	1 gal	Low
Agave weberii	5 gal	Low	Banksia ericifolia 'Fireworks'	5 gal	Low	Iris douglasiana 'Canyon Snow'	1 gal	Low
Agave 'Whale's Tongue'	5 gal	Low	Beschorneria albiflora	5 gal	Low	Juncus patens 'Elk Blue'	1 gal	Low
Akebia quinata	5 gal	Medium	Beschorneria sp. 'Queretaro'	1 gal	Low	Lomandra I. 'Breeze'	1 gal	Low
Anchusa 'Dropmore'	1 gal	Medium	Bouteloua gracilis 'Blonde Ambition'	1 gal	Low	SITE TREES		
Arctostaphylos d. 'Howard McMinn'	5 gal	Low	Buddlja lindleyana	1 gal	Low	Acacia stenophylla	15 gal	Low
Atriplex lentiformis ssp. Breweri	5 gal	Very Low	Callistemon 'Green John'	5 gal	Low	Acer Circinatum	15 gal	Mediur
Beschorneria albiflora	5 gal	Low	Callistemon 'Little John'	5 gal	Low	Acer griseum	24" Box	
Bulbine 'African Yellow'	1 gal	Low	Callistemon viridiflorus	5 gal	Low	Acer macrophyllum	15 gal	Mediur
Callistemon 'Cane's Hybrid'	5 gal	Low	Choisya ternata	5 gal	Medium	Arbutus 'Marina'	15 gal	Low
Callistemon 'Green John'	5 gal	Low	Cordyline 'Renegade'	1 gal	Low	Cercidiphyllum japonicum	36" Box	Mediur
Callistemon viridiflorus	1 gal	Low	Dianella tasmanica	1 gal	Medium	Cupressus cashmeriana	24" Box	Mediur
Cannomois grandis	1 gal	Medium	Dicksonia antarctica	1 gal	High	Fagus sylvatica 'Dawyck Green'	24" Box	Mediur
Choisya ternata	5 gal	Medium	Echeveria agavoides	1 gal	Low	Ginkgo biloba 'Fastigiata'	24" Box	Low
Chondropetlaum ch. 'El Campo'	1 gal	Low	Echeveria imbricata	1 gal	Low	Lyonothamnus f. ssp. Asplenifolius	15 gal	Low
Clematis armandii	5 gal	Medium	Grevillea victoriae	5 gal	Low	Luma apiculata	15 gal	Mediur
Correa sp.	1 gal	Low	Heuchera maxima	1 gal	Medium	Parrotia persica	1 5 gal	Mediur
Dasylirion longissimum	5 gal	Low	Inula magnifica	1 gal	Medium	Podocarpus gracillior	15 gal	Mediur
Dodonaea viscosa (green)	5 gal	Low	Iris confusa	1 gal	Medium	Qurecus agrifolia	24" Box	Low
Echeveria sp.	1 gal	Low	Mahonia x media 'Marvel'	5 gal	Medium	Qurecus Iobata	24" Box	Low
Eriogonum umbellatum 'Shasta Sulfur'	1 gal	Low	Mahonia x 'Soft Caress'	2 gal	Low	Pterostyrax hispida	5 gal	Mediur
Garrya elliptica	5 gal	Low	Manfreda maculosa	1 gal	Low	Ulmus parvifolia 'Allee'	24" Box	Low
Grevillea 'Jade Mound'	1 gal	Low	Melianthus major 'Purple Haze'	1 gal	Low	Ulmus parvifolia 'BSNUPF'	24" Box	Low
Grevillea victoriae	5 gal	Low	Nandina domestica 'Emerald Sea'	5 gal	Low	Ulmus parvifolia 'UPMTF'	24" Box	Low
Hesperaloe parvifolia 'Yellow'	5 gal	Low	Nandina domestica 'Flirt'	2 gal	Low	X chitalpa tashkentensis	15 gal	Low
Heuchera maxima	1 gal	Medium	Nandina domestica 'Lemon Lime'	2 gal	Low	Zelkova serrata	24" Box	Low
Holodiscus discolor 'Oceanspray'	1 gal	Low	Olea europaea 'Little Ollie'	15 gal	Low	STREET TREES		
Humulus lupulus	1 gal	Low	Otatea acuminata ssp. Aztecorum	5 gal	Medium	Acer buergeranum	24" Box	Mediur
Kniphofia thomsonii	1 gal	Low	Pelargonium sidoides	1 gal	Low	Cercis canadensis	24" Box	
Laurus nobilis 'Emerald Wave'	5 gal	Low	Rudbeckia californica	1 gal	Medium	Chinoanthus retusa	24" Box	
lomandra longifolia 'Breeze'	1 gal	Low	Saliva spathacea 'Las Pilitas'	1 gal	Low	Koelreuteria bipinnata	24" Box	Low
Mahonia x media 'Marvel'	5 gal	Medium	Sedum palmeri	1 gal	Low	Lagerstroemia indica cv.	24" Box	Low
Mahonia x 'Soft Caress'	2 gal	Low	Sedum spathulifolium	1 gal	Low	Laurus nobilis 'Saratoga'	24" Box	Low
Manfreda maculosa	1 gal	Low	Sedum spurium	1 gal	Low	Parrotia persica	24" Box	Mediur
Melianthus major 'Purple Haze'	1 gal	Low	Westringia 'Morning Light'	2 gal	Low	Pistacia chinensis	24" Box	Low
Nandina domestica 'Emerald Sea'	5 gal	Low	Woodwardia fimbriata	1 gal	Medium			
Nandina domestica 'Lemon Lime'	2 gal	Low	Yucca gloriosa	1 gal	Low			
Olea europaea 'Little Ollie'	15 gal	Low	PLANTERS					
Panicum virgatum 'Dallas Blues'	1 gal	Medium	Aeonium sp.	4"	Low	1		
Parthonocissus tricuspidata 'Veitchii'	5 gal	Low	Beschorneria sp. 'Queretaro'	4"	Low			
Phormium 'Dark Delight'	1 gal	Low	·	4"	Low			
Phormium 'Sea Jade'	1 gal	Low	Calandrinia spectabilis	4"	Low			
Phormium tenax green	5 gal	Low	Cotyledon orbiculata var. oblonga 'Flavida'	4"	Low			
Polystichum munitum	1 gal	Medium	Dichondra 'Silver Falls'	4"	Medium			
Puya mirabilis	1 gal	Low	Dyckia 'Burgundy Ice'	4"	Low			
Rhamnus alaternus	5 gal	Low	Echeveria agavoides	4"	Low			
Ribes viburnifolium	1 gal	Low	Echeveria imbricata	4"	Low			
Rosa chinensis 'Mutabilis'	5 gal	Medium	Graptoveria 'Fred Ives'	4"	Low			
Rosa rugosa	5 gal	Low	Grevillea 'Jade Mound'	4"	Low			
Rosa 'Cecile Brunner'	5 gal	Low	Grevillea juniperina 'Gold Cluster'	4"	Low			
Rosmarinus officinalis 'Roman Beauty'	5 gal	Low	Lomandra I. 'Breeze'	4"	Low			
Salvia clevelandii	1 gal	Low	Puya mirabilis	4"	Low			
Salvia officinalis	1 gal	Low	Sedum palmeri	4"	Low			
Salvia reptans 'Giant'	1 gal	Low	Sedum spathulifolium	4"	Low			
Salvia 'Phyllis Fancy'	1 gal	Medium	Sedum spectabile	4"	Low			
Salvia 'Waverly'	1 gal	Medium	Sedum spurium	4"	Low			
Sarcococca sp.	5 gal	Low	·					
Sideritis cypria	1 gal	Low						
Stipa gigantea	1 gal	Low						
Vitis californica	5 gal	Low						
Westringia fruticosa	5 gal	Low						
Woodwardia fimbriata	1 gal	Medium						
Yucca filamentosa 'Hairy'	1 gal	Low						
	_		1			1		

PLANTING IMAGERY



Achillea millefolium

SIZE WUCOLS

1 gal Medium

15 gal Medium

24" Box Medium

15 gal Medium

36" Box Medium

24" Box Medium 24" Box Medium

15 gal Medium

15 gal Medium

15 gal Medium

5 gal Medium

24" Box Medium

24" Box Medium

24" Box Medium

24" Box Medium



Akebia quinata



Aspidistra elatior



Beschorneria albiflora



Bidens laevis






OUADRICA
landscape architecture and planning, inc.
s a c r a m e n t o | s a n t a r o s a 707.546.3561 | www.quadriga-inc.com

1611 TELEGRAPH AVE. SUITE

Bouteloua gracilis 'Blonde Ambition'







































Melianthus major 'Pruple Haze'

Heseperaloe parvifolia 'Yellow'



Nandina domestica 'Jade Sea'

Rosa chinensis 'Mutabilis'




















06/26/20 PER PLANS PLANTING CANDIDATE LIST

Puya mirabilis

PLANTING CHARACTER IMAGES

Yucca gloriosa Yucca rigida







Sidertis cypria



Rosmarinus o. 'Roman Beauty'







Salvia 'Waverly'




X chitalpa tashkentensis

Sedum spathulifolium

Zelkova serrata

PRELIMINARY - Not for Construction -© 2017 PYATOK ARCHITECTURE & URBAN DESIGN

ESTIMATED MAXIMUM APPLIED WATER ALLOWANCE



IRRIGATION STATEMENT

All irrigation will be designed to meet 2015 Sonoma County Water Efficient Landscape Ordinance and will contain the following components:

- The irrigation system will be designed and installed to meet irrigation efficiency described in the maximum applied water allowance.
- Weather based, self-adjusting irrigation controller with a rain sensor. Emitters to include-subsurface drip irrigation and tree bubblers.
- Spray irrigation will be designed with water-efficient spray heads and to minimize run-off.
- Trees to be placed on separate valves.
- Container planting to be placed on separate valves.
- Isolation valves to be installed at point of connection and before each valve or manifold.
- Pressure regulation to be installed.
- Separate valves to be installed to irrigate zones of low, medium, and high water use plantings.
- Check valves will be installed to prevent low point drainage.

SITE LIGHTING



TYPICAL PARKING LOT POLES - 12FT

D-SERIES SIZE 1 LED AREA LUMINAIRE

LITHONIA LIGHTING



TYPICAL POLES AT COURTYARD AND MEWS - 10FT
RADEAN POST TOP LED AREA LUMINAIRE
LITHONIA LIGHTING

RIGHT OF WAY - SIDEWALK IMPROVEMENTS



BENCH SEATING

BLACK METAL BENCH WITH CENTRAL ARMREST

"COURTYARD SERIES" OUTDOOR BENCH, WABASH VALLEY OR EQUAL



24" x 24" CONCRETE SCORING PATTERN

1611 TELEGRAPH AVE. SUITE 200 OAKLAND, CA 94612 510.465.7010 p | 510.465.8575 f www.pyatok.com

Catholic Charities

CLIENT ADDRESS



CARITAS CENTER, SANTA ROSA, CA

STAMP:

JOB NUMBER: 1601
DRAWN BY: JAB
CHECKED BY: CT
DATE: 06/26/20
SCALE: PER PLANS
TITLE:
MAWA CALCULATION &
IRRIGATION STATEMENT

L.04

PRELIMINARY - Not for Construction -

© 2017 PYATOK ARCHITECTURE & URBAN DESIGN