Water and Wastewater Demand Fee Study

Santa Rosa Water – Board of Public Utilities

May 6, 2021



Agenda

- 1. Demand Fee Framework and Methodology
- 2. Water Use Factors and Demand Fees
- 3. Wastewater Use Factors and Demand Fees
- 4. Combined Water and Wastewater Demand Fees
- 5. Next Steps

Demand Fees

Demand Fees

- Demand fees (capacity charges) are the one-time fees charged to new development for capacity in the water and wastewater systems.
- Fee calculations were last updated in 2014; fee amounts have been adjusted annually for inflation.

Legal Standard

• Section 66013 of the Government Code states that capacity charges shall not exceed the **estimated reasonable cost** of providing the service for which the charges are imposed.

System Buy-In Methodology

Basic Formula

Present Value of Existing Facilities Total Existing Units of Development

Attributes of Methodology

- Methodology is best applied in areas that are largely built out with infrastructure largely in place (i.e., capacity is available for new development)
- Common and well-accepted methodology
- Incorporates cost of existing facilities, rather than relying on plans and estimates
- > Does not rely on capacity analyses or assessment of future needs
- Buy-in fee is a reimbursement for past investments in system capacity, and can be used for any capital project

Demand Fee Calculations

MGD = Millions of gallons per day TGD = Thousands of gallons per day TGM = Thousands of gallons per month

		Water		Wastewater System			System	
		System		Local Collection			Regional Reuse	
Summary of Fixed Asset Valuation (1)								
Land and Land Rights	\$	3,740,000		\$	4,575,000	\$	27,454,000	
Buildings	\$	19,485,000		\$	15,770,000	\$	151,602,000	
Capital Improvements	\$	172,652,000		\$	195,519,000	\$	169,790,000	
Equipment	\$	7,173,000		\$	2,326,000	\$	12,286,000	
Construction in Progress	\$	20,937,000		\$	13,263,000	\$	4,943,000	
Infrastucture Assets	\$	18,120,000		\$	1,028,000	\$	10,587,000	
Current Value of Existing Facilities	\$	242,107,000		\$	232,481,000	\$	376,662,000	
Adjustments of Financial Valuation								
Plus Present Value of Past Debt Issuance Costs	\$	780,000		\$	681,000	\$	11,779,000	
Plus Present Value of Past Debt Interest Costs	\$	30,149,000		\$	8,893,000	\$	121,191,000	
Minus Outstanding Principal on Debt	\$	(18,813,000)		\$	(16,098,000)	\$	(149,563,000)	
Plus Capital Funds Available	\$	40,463,000		\$	62,372,000	\$	22,465,000	
Total System Buy-In Valuation	\$	294,686,000		\$	288,329,000	\$	382,534,000	
Current System Demands (MGD) (2)		21.26			10.43		14.03	
Base Demand Fee (\$/TGD)	\$	13,860		\$	27,644	\$	27,265	
Base Demand Fee (\$/TGM)	\$	456		\$	909	\$	896	
Proposed Base Demand Fee (\$/TGM)	\$456 \$1,805							
Change from Current Demand Fees (3)		55% 15%						
Notos								

Notes:

(1) From fixed asset records as of June 30, 2019.

(2) Based on the average of annual values from 2016 through 2019. Peak month water production was reduced

by 8.0% for system losses to reflect water demand. Average dry weather flows (ADWF) based on data from

City's wastewater collection system and regional water reuse treatment plant values.

(3) Fee increases are offset by reductions in the usage factors.

Demand Fee – Water Use Factors (1)

	Avg. Day Demand During Peak Month		
Type of Development	(GPD)	(TGM)	
Single Family Residential			
Lot over 1 acre	598	18.2	
Lot over 6,000 sq ft up to 1 acre	381	11.6	
Lot up to 6,000 sq ft	260	7.9	
Duplex and Triplex Units	204	6.2	
Condominium, Apartment, and Mobile Home Units			
with Separate Irrigation	122	3.7	
without Separate Irrigation	158	4.8	
Large ADUs, SROs, Senior Housing, and	99	3.0	
Small, High-Density Apartment Units			
Commercial, Industrial, and Irrigation (per TGM) (2)	33	1.0	
Notes:			

GPD = Gallons per day TGM = Thousands of gallons per month

(1) Based on analysis of peak month water usage from 2016 through 2019.

(2) Peak usage for each commercial, industrial, and irrigation account is estimated on a case-by-case basis.

Current and Proposed Water Demand Fees

		Current er Demand	Proposed Water Demand		
Type of Development		Fee	Fee		
Single Family Residential					
Lot over 1 acre	\$	8,114	\$	8,299	
Lot over 6,000 sq ft up to 1 acre	\$	5,645	\$	5,290	
Lot up to 6,000 sq ft	\$	2,881	\$	3,602	
Duplex and Triplex Units	\$	2,646	\$	2,827	
Condominium, Apartment, and Mobile Home Units					
with Separate Irrigation	\$	1,411	\$	1,687	
without Separate Irrigation	\$	2,646	\$	2,189	
Large ADUs, SROs, Senior Housing, and	\$	1,323	\$	1,368	
Small, High-Density Apartment Units					
Commercial, Industrial, and Irrigation (per TGM) (2)	\$	294	\$	456	
Notes:					

(1) Applied to estimated average day demand during peak month in TGM for each non-residential water connection.

Demand Fee – Wastewater Use Factors

	Average Dry Weather Flow		
Type of Development	(GPD)	(TGM)	
Single Family Residential			
Lot over 1 acre	128	3.9	
Lot over 6,000 sq ft up to 1 acre	108	3.3	
Lot up to 6,000 sq ft	105	3.2	
Duplex and Triplex Units	92	2.8	
Condominium, Apartment, and Mobile Home Units	92	2.8	
Large ADUs, SROs, Senior Housing, and	72	2.2	
Small, High-Density Apartment Units			
Commercial and Industrial (per TGM) (2)	33	1.0	

GPD = Gallons per day TGM = Thousands of gallons per month

(1) Based on analysis of winter water usage (sewer cap) from 2016 through 2019.

(2) Wastewater flow for each commercial and industrial account is estimated on a case-by-case basis.

Current and Proposed Wastewater Demand Fees

Type of Development	Wa	Current astewater mand Fee	Proposed Wastewater Demand Fee		
Single Family Residential					
Lot over 1 acre	\$	8,915	\$	7,040	
Lot over 6,000 sq ft up to 1 acre	\$	7,664	\$	5,957	
Lot up to 6,000 sq ft	\$	6,725	\$	5,776	
Duplex and Triplex Units	\$	7,507	\$	5,054	
Condominium, Apartment, and Mobile Home Units	\$	7,507	\$	5,054	
Large ADUs, SROs, Senior Housing, and Small, High-Density Apartment Units	\$	5,630	\$	3,971	
Commercial and Industrial (per TGM) (1)	\$	1,564	\$	1,805	
Notes:					

(1) Applied to estimated average dry weather flow (ADWF) in TGM for each proposed non-residential wastewater connection.

Comparison of Current and Proposed Demand Fees

	Combined Water and Wastewater Demand Fees						
Type of Development	C	Current	t Proposed		\$ Change		% Change
Single Family Residential							
Lot over 1 acre	\$	17,029	\$	15,339	\$	(1,690)	-9.9%
Lot over 6,000 sq ft up to 1 acre	\$	13,309	\$	11,246	\$	(2,063)	-15.5%
Lot up to 6,000 sq ft	\$	9,606	\$	9,378	\$	(228)	-2.4%
Duplex and Triplex Units	\$	10,153	\$	7,881	\$	(2,272)	-22.4%
Condominium, Apartment, and Mobile Home Units with Separate Irrigation	\$	7,507	\$	5,054	\$	(2,453)	-32.7%
Large ADUs, SROs, Senior Housing, and Small, High-Density Apartment Units	\$	6,953	\$	5,339	\$	(1,614)	-23.2%
Commercial, Industrial, and Irrigation (per TGM) (1)	\$	1,858	\$	2,261		n/a (2)	n/a (2)

Notes:


(1) Current non-residential water demand fee is \$288/TGM of average demand in the peak month. Current non-residential wastewater demand fee is \$1,532/TGM of ADWF.

Proposed non-residential water demand fee is \$456/TGM, an increase of about 55 percent.

Proposed non-residential wastewater demand fee is \$1,805/TGM, an increase of about 15.4 percent.

(2) Change will depend on the demand characteristics of each proposed development.

Comparison of Single Family Water/Wastewater Demand Fees with Neighboring Communities



Based on lot size from 6,000 sq. ft. to 1 acre with a ³/₄" water meter. Fees for Rohnert Park not shown due to the complexity of their fee structure.

Outreach to Development Community

- FAQ's Developed
- Website updated with current information
- FAQ's provided to internal departments
- Letters and FAQ's sent to contractors and developers
- Emailed local associations to offer presentations at meetings

Timeline and Next Steps for Demand Fee Adoption

- BPU Budget Subcommittee Meetings December 15, 2020 and January 19, 2021
- BPU Budget Subcommittee April 19, 2021– Recommendation to BPU
- BPU Study Session (Today) May 6
- BPU Recommendation to Council May 20
- City Council Study Session June 8 (still confirming)
- City Council Considers Fees June 29 (still confirming)

Questions/Discussion