

SITE LEGEND

SYMBOL	DESCRIPTION
	(E) CONDITIONS, SEE TOPOGRAPHIC SURVEY
	LIMIT OF WORK
	ALTERNATE

SCOPE OF WORK

SYMBOL	DESCRIPTION
1	ENTRY CROSSWALK FROM PARKING AND PARKING
2	ART INSTALLATION OPPORTUNITY
3	PLAZA STONE SEATWALL (18" WIDE X18" HIGH)
4	DIRECTIONAL SIGN AND SEATING
5	SCULPTURAL SCREENING ELEMENT: COR-TEN METAL PANELS TO SCREEN EXISTING ELECTRICAL BLDG AND FOR WAYFINDING
6	STAGE OPPORTUNITY
7	SLOPED WALK (<5%)
8	RAMP (<8.3%)
9	STAIRS
10	CURB WALL (8" WIDE)
11	STONE RETAINING WALL/SEATWALL - PRODUCTIVE GARDEN (14" WIDE) - GAC GARDEN (18" WIDE X 24" HIGH)
12	STAIRCASE SWITCHMACK, SEE ARCHITECTURAL DWGS
13	EXISTING ELECTRICAL BLDG
14	GREEN HOUSE, SEE ARCHITECTURAL DWGS
15	RENOVATED GAC GARDEN AND OUTDOOR CLASSROOM
16A	EXISTING GRAY WATER DISPERSAL AREA
16B	MODIFICATION OF EXISTING GRAY WATER DISPERSAL AREA (ADD PAVING AND ADJUST PLANTING AND IRRIGATION)
17	COVERED OUTDOOR CLASSROOM GROUND LEVEL 292.5
18	PRODUCTIVE GARDEN 1 AT LEVEL 292.3
19	PRODUCTIVE GARDEN 2 TERRACE: TERRACE 1 (291.5), 2 (293.0) AND 3 (294.5)
20	PRODUCTIVE VINE PANELS
21	EXISTING CISTERNS WITH VINE TRELLIS
22	PRODUCTIVE GARDEN FENCE
23	MECHANICAL ENCLOSURE
24	EXISTING ART INSTALLATION
25	RAIN CHAIN AT BIO FILTRATION
26	URBANITE (REPURPOSED EXISTING CONCRETE)
27	[ALTERNATE]: FENCED FOUNDERS' GROVE (13 ORCHARD TREES, MULCHED SLOPE, LANDINGS AND GATES)

SHEET INDEX

SHEET NUMBER	SHEET TITLE
L0.01	SCOPE OF WORK, SHEET LAYOUT AND SHEET LIST
L0.02	TREE REMOVAL & PROTECTING PLAN
L1.00	MATERIALS LEGEND
L1.01	MATERIALS PLAN
L1.02	MATERIALS PLAN
L2.03	CONSTRUCTION DETAILS - ELEVATIONS
L3.00	IRRIGATION LEGEND
L3.01	IRRIGATION PLAN
L3.02	IRRIGATION PLAN
L6.00	PLANTING LEGEND
L6.01	PLANTING PLAN
L6.02	PLANTING PLAN



QUATTROCCHI KWOK
ARCHITECTS
Main Office:
636 Fifth Street, Santa Rosa, CA 95404
Pleasanton Office:
600 Main Street, Suite E
Pleasanton, CA 94566
(707) 576-0829



CARDUCCI
ASSOCIATES
555 BEACH STREET FOURTH FLOOR
SAN FRANCISCO, CA 94133
www.carducciassociates.com
© 2020 CARDUCCI ASSOCIATES, INC.



QKA19-01

SONOMA
ACADEMY

PERFORMING
ARTS CENTER

2500 FARMERS LANE,
SANTA ROSA, CA 95404

REVISIONS


ARCH PROJECT NO: 1802.00
DRAWN BY:
DRAWING SCALE: AS NOTED


PRELIM DESIGN REVIEW
MARCH 3, 2020

SHEET TITLE
**SCOPE OF
WORK, SHEET
LAYOUT AND
SHEET LIST**

SHEET NUMBER

L0.01





<u>SYMBOL</u>	<u>DESCRIPTION</u>
---------------	--------------------

DEMOLITION LEGEND

1. PRE-CONSTRUCTION MEETING
IT IS IMPORTANT THAT CONSTRUCTION CREWS UNDERSTAND TREE PROTECTION REQUIREMENTS. PERSONNEL WORKING ON-SITE SHOULD BE PROVIDED WITH AN ORIENTATION TO TREE PRESERVATION MEASURES AND MONITORING FOR TREE PRESERVATION.

2. APPRAISED VALUE:
A. IF A TREE IS DAMAGED, A CERTIFIED ARBORIST DETERMINES THE TREE APPRAISAL VALUE BY ADJUSTING THE TREE'S BASIC VALUE BY ITS CONDITION, LOCATION AND SPECIES USING THE MOST RECENT EDITION OF THE GUIDE FOR PLANT APPRAISAL. THE FORMULA USED SHOULD BE NOTED.
B. REFER TO THE COUNCIL OF TREE AND LANDSCAPE APPRAISERS, CURRENT EDITION, GUIDE FOR PLANT APPRAISAL, CHAMPAIGN, IL: INTERNATIONAL SOCIETY OF ARBORICULTURE.

3. TREE PROTECTION ZONE (TPZ):
EACH TREE TO BE PROTECTED SHALL HAVE A DESIGNATED TPZ IDENTIFYING THE AREA SUFFICIENTLY LARGE ENOUGH TO PROTECT THE TREE, ROOTS AND SOIL FROM DISTURBANCE. THE TPZ IS DEFINED AS THE AREA UNDER THE TREE CANOPY AND EXTENDING TO 1'-0" PAST THE DRIPLINE OF THE TREE. FOR EXAMPLE, A TREE WITH A CANOPY 26" WIDE IN DIAMETER WOULD HAVE A TPZ OF 27" WIDE. ANY DEVIATION IN DETERMINING THE TPZ WILL REQUIRE APPROVAL BY THE CONSTRUCTION MANAGER. SEE TREE PROTECTION DETAIL.

4. PROTECTIVE TREE FENCING FOR TREES:
FENCED ENCLOSURES SHALL BE ERRECTED AROUND TREES TO BE PROTECTED TO ESTABLISH THE TPZ IN WHICH NO SOIL OR ROOT DISTURBANCE IS PERMITTED AND ACTIVITIES ARE RESTRICTED. MAINTAIN TPZ FREE OF WEEDS AND TRASH.
A. SIZE AND TYPE OF FENCE: ALL TREES TO BE PRESERVED SHALL BE PROTECTED WITH A 6' HIGH, MINIMUM 11 GAUGE CHAIN LINK FENCE. MOUNT FENCES ON 3/4" DIAMETER GALVANIZED STEEL POSTS MOUNTED ON SUPPORT FEET.
B. DURATION: TREE FENCING SHALL BE ERRECTED BEFORE ANY DEMOLITION, GRADING OR CONSTRUCTION BEGINS AND SHALL REMAIN IN PLACE THROUGH CONSTRUCTION.
C. TREE PROTECTION SIGN: A WARNING SIGN SHALL BE PROMINENTLY DISPLAYED ON EACH FENCE. SIGN SHALL NOT BE LESS THAN 12" X 12" AND SHALL READ: "TREE PROTECTION FENCE. DO NOT REMOVE OR RELOCATE WITHOUT AUTHORIZATION."
D. PLACEMENT: TREE PROTECTION FENCE SHALL BE LOCATED 1'-0" OUTSIDE THE TREE DRIPLINE OR AS OTHERWISE SHOWN ON PLAN. A TREE PROTECTION FENCE LOCATED WITHIN THE TPZ SHALL NOT EXEMPT THE CONTRACTOR FROM COMPLYING WITH THE REQUIREMENTS OF THE TPZ.
E. TEMPORARY REMOVAL OR RELOCATION: RELOCATION OR REMOVAL FOR CONSTRUCTION REQUIRES AUTHORIZATION AND IS PERMITTED ONLY AS REQUIRED FOR CONSTRUCTION. FENCE MUST BE RESTORED TO ORIGINAL LOCATION AS SOON AS PRACTICAL AS CONSTRUCTION ACTIVITIES PERMIT.

5. ACTIVITIES PROHIBITED WITHIN THE TPZ INCLUDE:
A. STORAGE OF PARKED VEHICLES, BUILDING MATERIALS, REFUSE, EXCAVATED SPOILS OR DUMPING OF POISONOUS MATERIALS, INCLUDING BUT NOT LIMITED TO PAVEMENT, PETROLEUM PRODUCTS, CONCRETE, STUCCO MIX OR DIRTY WATER
B. THE USE OF TREE TRUNKS AS A WINCH SUPPORT, ANCHORAGE, AS A TEMPORARY POWER POLE, SIGN POSTS OR OTHER SIMILAR FUNCTION
C. CUTTING OF TREE ROOTS BY UTILITY TRENCHING, FOUNDATION DIGGING, PLACEMENT OF CURBS AND TRENCHES AND OTHER DISTURBANCE
D. SOIL DISTURBANCE, SOIL COMPACTION OR GRADE CHANGES
E. DRAINAGE CHANGES
F. FIRES

6. ACTIVITIES PERMITTED OR REQUIRED WITHIN THE TPZ INCLUDE:
A. MULCHING - DURING CONSTRUCTION, IT IS RECOMMENDED THAT WOOD CHIPS OR SIMILAR MATERIAL BE SPREAD WITHIN THE TPZ TO A 2-INCH DEPTH, LEAVING THE TRUNK CLEAR OF MULCH.
B. ROOT BUFFER - WHEN AREAS WITHIN THE TPZ CANNOT BE FENCED, A ROOT BUFFER IS REQUIRED AND SHALL COVER THE ROOT ZONE.
C. IRRIGATION, AERATION, FERTILIZING OR OTHER BENEFICIAL PRACTICES THAT HAVE BEEN SPECIFICALLY APPROVED FOR USE BY THE LANDSCAPE ARCHITECT WITHIN THE TPZ.
D. EXISTING IRRIGATION IS TO BE MAINTAINED AND OPERATED 100% DURING CONSTRUCTION. SEE IRRIGATION PLANS.

7. ROOT BUFFER SHALL BE DEFINED AS: A TEMPORARY LAYER OF MATERIAL TO PROTECT THE SOIL TEXTURE AND ROOTS. THE BUFFER SHALL CONSIST OF A BASE COURSE OF BARK OR WOOD CHIPS SPREAD OVER THE ROOT AREA, KEEPING ONE FOOT CLEAR OF THE TRUNK CLEAR, TO A 4'-6" DEPTH, CAPPED BY A BASE COURSE OF 3/4-INCH QUARRY GRAVEL TO STABILIZE A 3/4" PLYWOOD ON TOP.

8. EROSION CONTROL
IF A TREE IS ADJACENT TO OR IN THE IMMEDIATE PROXIMITY TO A GRADE SLOPE OF 8% (23 DEGREES) OR MORE, THEN APPROVED EROSION CONTROL OR SILT BARRIERS SHALL BE INSTALLED OUTSIDE THE TPZ TO PREVENT SILTATION AND/OR EROSION WITHIN THE TPZ.

9. TUNNELING AND DIRECTIONAL DRILLING
IF TRENCHING OR PIPE INSTALLATION HAS BEEN APPROVED WITHIN THE TPZ, THEN THE TRENCH SHALL BE EITHER CUT BY HAND, AIR SPADE OR BY MECHANICALLY BORING THE TUNNEL UNDER THE ROOTS WITH A HORIZONTAL DIRECTIONAL DRILL AND HYDRAULIC OR PNEUMATIC AIR EXHAUST TECHNOLOGY. IN ALL CASES, INSTALL THE UTILITY PIPE, IMMEDIATELY BACKFILL WITH SOIL AND SOAK WITHIN THE SAME DAY.

10. TREE PRUNING AND SURGERY
A. ROOT PRUNING: ROOT PROTECTION MEASURES MUST BE IN PLACE PRIOR TO THE COMMENCEMENT OF CONSTRUCTION ACTIVITIES. NECESSARY ROOT PRUNING IS BEST ACCOMPLISHED PRIOR TO THE BEGINNING OF CONSTRUCTION ACTIVITIES WHEN EXCAVATION EQUIPMENT WILL BE USED. AFTER BEING EXPOSED BY HAND OR AIR EXCAVATION, ROOTS ARE PRUNED UNDER ARBORIST SUPERVISION. CONSTRUCTION ACTIVITIES ARE THEN FREE TO OCCUR OUTSIDE OF THE ROOT PRUNING BOUNDARY.
B. DO NOT CUT MAIN LATERAL ROOTS OR TAPROOTS. ONLY SMALLER ROOTS THAT INTERFERE WITH INSTALLATION OF UTILITIES. CUT ROOTS WITH SHARP PRUNING INSTRUMENTS, DO NOT BREAK OR CHOP.

11. TREE REMOVAL PROCEDURE
TREES MAY ONLY BE REMOVED IF SPECIFICALLY NOTED ON PLAN OR APPROVED FOR REMOVAL BY THE OWNER. WHEN TREES ARE REMOVED, TREE REMOVAL PRACTICES APPLY:
A. ANY TREE TO BE REMOVED THAT MAY IMPACT A PROTECTED TREE SHALL BE DONE UNDER THE SUPERVISION OF A CERTIFIED ARBORIST.
B. THE REMOVAL OF TREES THAT EXTEND INTO THE BRANCHES OR ROOTS OF PROTECTED TREES SHALL NOT BE ATTEMPTED BY DEMOLITION OR CONSTRUCTION PERSONNEL, GRADING OR OTHER HEAVY EQUIPMENT. A CERTIFIED ARBORIST OR CERTIFIED TREE REMOVER SHALL REMOVE OR OVERSEE THE REMOVAL OF THE TREE IN A MANNER THAT CAUSES NO DAMAGE ABOVE OR BELOW GROUND TO TREES THAT SHALL REMAIN.

12. SUPPLEMENTAL IRRIGATION:
PROVIDE SUPPLEMENTAL IRRIGATION, AS REQUIRED, BASED ON THE LEVEL OF ROOT LOSS, SOIL CONDITIONS, TREE HEALTH AND TIME OF YEAR.

MATERIALS LEGEND

<u>SYMBOL</u>	<u>KEY</u>	<u>DESCRIPTION</u>
---------------	------------	--------------------

WALLS/SEATWALLS

		WALL TYPE 1: CURB WALL AT RAMP & STAIRS 8" WIDE
		WALL TYPE 2: STONE SEATWALL AT PLAZA 18" WIDE X 18" HIGH
		WALL TYPE 3: STONE RETAINING/ SEATWALL AT GAC GARDEN 18" WIDE X 24" HIGH
		WALL TYPE 4: STONE RETAINING/ SEATWALL AT PRODUCTIVE GARDEN 1 & 2 14" WIDE

FENCING AND GATE

	F1	FENCE TYPE 1: 7' HIGH DEER FENCE AT PRODUCTIVE GARDEN 1 ON TOP OF 14' WIDE X 42' HIGH STONE RETAINING WALL
	F2	FENCE TYPE 2: 7' HIGH DEER FENCE AT PRODUCTIVE GARDEN 2 ON TOP OF 14' WIDE X 24' HIGH STONE RETAINING WALL
	F3	FENCE TYPE 3: 7' HIGH DEER FENCE FOUNDERS ORCHARD & AT GATE
	F4	UTILITY ENCLOSURE AND GATE, SEE ARCHITECTURAL DWGS

		GATE TYPE 1: 3' WIDE ADA GATE
		GATE TYPE 2: 4' WIDE ADA GATE
		GATE TYPE 3: 8' WIDE DOUBLE GATE FOR MAINTENANCE

SPECIAL FEATURES

S1	ART SCREEN		
S2	WATER FEATURE		

SITE LEGEND


<u>SYMBOL</u>	<u>DESCRIPTION</u>
---------------	--------------------

	(E) CONDITIONS, SEE TOPOGRAPHIC SURVEY
	LIMIT OF WORK
	ALTERNATE

MATERIALS LEGEND

<u>SYMBOL</u>	<u>KEY</u>	<u>DESCRIPTION</u>
---------------	------------	--------------------

CONC PAVING SERIES




C1

CONC PAVING TYPE C1: PEDESTRIAN
 COLOR: NATURAL W/ LAMP BLACK
 FINISH: TOP CAST MEDIUM FINISH



C2

CONC PAVING TYPE C2: PEDESTRIAN ON STRUCTURE,
 SEE ARCHITECTURAL DWGS
 COLOR: NATURAL W/ LAMP BLACK
 FINISH: TOP CAST MEDIUM FINISH



C3




CONC PAVING TYPE C3: VEHICULAR
 COLOR: NATURAL W/ LAMP BLACK
 FINISH: TOP CAST MEDIUM FINISH



C4

CONC PAVING BAND C4: DEPTH VARIES PER
 PEDESTRIAN & VEHICULAR CONC
 COLOR: INTEGRAL COLOR TBD
 FINISH: TOP CAST MEDIUM FINISH

PAVING SERIES

	P1	PAVER TYPE: P1: TRUNCATED DOME PAVERS BY QCP SIZE: 12"x12" COLOR: MATCH EXISTING FINISH: NON-SLIP
	P2	CONC PAVING TYPE P2: URBANITE 4" MIN THICKNESS, NO EXPOSED STEEL, WIDTH AND LENGTH VARIES (8" MIN-36" MAX IN ANY DIRECTION), SUPPLEMENT URBANITE AS NEEDED
	D1	DECOMPOSED GRANITE
	D2	DECOMPOSED GRANITE AT PRODUCTIVE GARDEN
	R1	ROCK SWALE: 3" DEEP ROCK SWALE UNDERLAID WITH GEOTEXTILE FABRIC
	M	MULCH

PLANTING SERIES

	PLANTING
	BIORETENTION, SEE CIVIL DWGS

SEE PLANTING PLAN

	TREE
	CLEAN-OUT
	PERFORATED PIPE
	IRRIGATION VALVE BOXES, SEE IRRIGATION PLAN

CC

CLEAN-OUT

PERFORATED PIPE

IRRIGATION VALVE BOXES, SEE IRRIGATION PLAN

IF THE CONTRACTOR ENCOUNTERS TERRORS OR DISCREPANCIES ON THE DRAWINGS, OR SITE CONDITIONS WHICH PREVENT OR DELAY THE COMPLETION OF WORK AS INDICATED, THE CONTRACTOR SHALL NOTIFY THE OWNER AND LANDSCAPE ARCHITECT BY THE TIME OF BID OF ALL SUCH TERRORS, DISCREPANCIES AND OMISSIONS. THE CONTRACTOR SHALL INDEMNIFY AND HOLD THE LANDSCAPE ARCHITECT AND THE OWNER HARMLESS IF AFTER CONTRACTING FOR THE WORK HE HAS MONETARY DAMAGE BECAUSE OF SITE CONDITIONS, ERRORS, DISCREPANCIES OR OMISSIONS AT THE TIME OF BID.

ONLY THE ORIGINAL, SIGNED HARD COPY OF THIS DRAWING CONSTITUTES CARDUCCI & ASSOCIATES, INC. PROFESSIONAL WORK PRODUCT. ELECTRONIC COPIES DO NOT. CARDUCCI & ASSOCIATES, INC. WILL NOT BE RESPONSIBLE FOR ANY MODIFICATIONS MADE TO THIS DRAWING/ELECTRONIC OR OTHERWISE THAT IS NOT SIGNED BY CARDUCCI & ASSOCIATES, INC.



**QUATTROCCHI KWOK
ARCHITECTS**
Main Office:
636 Fifth Street, Santa Rosa, CA 95404
Pleasanton Office:
600 Main Street, Suite E,
Pleasanton, CA 94566
(707) 576-0829



CARDUCCI
ASSOCIATES

555 BEACH STREET FOURTH FLOOR
SAN FRANCISCO, CA 94133
www.carducciassociates.com
© 2020 CARDUCCI ASSOCIATES, INC.



QKA19-01

**SONOMA
ACADEMY**

**PERFORMING
ARTS CENTER**

2500 FARMERS LANE,
SANTA ROSA, CA 95404

REVISIONS

ARCH PROJECT NO: 1802.00

DRAWN BY: _____

DRAWING SCALE: _____ AS NOTED

PRELIM DESIGN REVIEW

MARCH 3, 2020

SHEET TITLE

MATERIALS LEGEND



SHEET NUMBER

L1.00

3/3/2020 10:25 AM



VIEW A
VIEW B



NOTE: SEE SHEET L1.00 FOR LEGEND AND NOTES | PLAN | 0 10 20 FEET NORTH



QUATTROCHI KWOK
ARCHITECTS
Main Office:
636 Fifth Street, Santa Rosa, CA 95404
Pleasanton Office:
600 Main Street, Suite E
Pleasanton, CA 94566
(707) 576-0829



CARDUCCI
ASSOCIATES
555 BEACH STREET FOURTH FLOOR
SAN FRANCISCO, CA 94133
www.carducciassociates.com
© 2020 CARDUCCI ASSOCIATES, INC.



QKA19-01

SONOMA
ACADEMY

PERFORMING
ARTS CENTER

2500 FARMERS LANE,
SANTA ROSA, CA 95404

REVISIONS		

ARCH PROJECT NO: 1802.00

DRAWN BY:

DRAWING SCALE: AS NOTED

PRELIM DESIGN REVIEW


MARCH 3, 2020

SHEET TITLE


MATERIALS
PLAN

SHEET NUMBER

L1.01



VIEW B
VIEW A



NOTE: SEE SHEET L1.00 FOR LEGEND AND NOTES | PLAN | 0 10 20 FEET NORTH



QUATTROCCHI KWOK
ARCHITECTS
Main Office:
636 Fifth Street, Santa Rosa, CA 95404
Pleasanton Office:
600 Main Street, Suite E
Pleasanton, CA 94566
(707) 576-0829



CARDUCCI
ASSOCIATES
555 BEACH STREET FOURTH FLOOR
SAN FRANCISCO, CA 94133
www.carducciassociates.com
© 2020 CARDUCCI ASSOCIATES, INC.



QKA19-01

SONOMA
ACADEMY

PERFORMING
ARTS CENTER

2500 FARMERS LANE,
SANTA ROSA, CA 95404

REVISIONS		

ARCH PROJECT NO: 1802.00
DRAWN BY:
DRAWING SCALE: AS NOTED

PRELIM DESIGN REVIEW
MARCH 3, 2020

SHEET TITLE

MATERIALS
PLAN

SHEET NUMBER

L1.02



QKA19-01

**SONOMA
ACADEMY**

**PERFORMING
ARTS CENTER**

2500 FARMERS LANE,
SANTA ROSA, CA 95404

[illegible]

ARCH PROJECT NO: 1802.00

DRAWN BY: _____

DRAWING SCALE: AS NOTED

PRELIM DESIGN REVIEW


MARCH 3, 2020

SHEET TITLE

CONSTRUCTION DETAILS - SECTIONS

SHEET NUMBER

L2.03



1 **SECTION 3**
SCALE: 3/16" = 1'

3/3/2020 10:28 AM



3/3/2020 10:29 AM



TITLE 23 MODEL WATER EFFICIENT LANDSCAPE ORDINANCE COMPLIANCE:
I HAVE COMPLIED WITH THE CRITERIA OF THE ORDINANCE AND APPLIED THEM ACCORDINGLY FOR THE EFFICIENT USE OF WATER IN THE IRRIGATION DESIGN PLAN.

NOTE: SEE SHEET L3.00 FOR LEGEND AND NOTES

PLAN 0 10 20 FEET NORTH



QUATTROCCHI KWOK
ARCHITECTS
Main Office:
636 Fifth Street, Santa Rosa, CA 95404
Pleasanton Office:
600 Main Street, Suite E
Pleasanton, CA 94566
(707) 576-0829

CARDUCCI
ASSOCIATES
555 BEACH STREET FOURTH FLOOR
SAN FRANCISCO, CA 94133
www.carducciassociates.com
© 2020 CARDUCCI ASSOCIATES, INC.



QKA19-01

SONOMA
ACADEMY

PERFORMING
ARTS CENTER

2500 FARMERS LANE,
SANTA ROSA, CA 95404

REVISIONS

ARCH PROJECT NO: 1802.00

DRAWN BY:

DRAWING SCALE: AS NOTED

PRELIM DESIGN REVIEW

MARCH 3, 2020

SHEET TITLE

IRRIGATION
PLAN

SHEET NUMBER

L3.01

3/3/2020 10:29 AM





TITLE 23 MODEL WATER EFFICIENT LANDSCAPE ORDINANCE COMPLIANCE:
I HAVE COMPLIED WITH THE CRITERIA OF THE ORDINANCE AND APPLIED THEM ACCORDINGLY FOR THE EFFICIENT USE OF WATER IN THE IRRIGATION DESIGN PLAN.

NOTE: SEE SHEET L3.00 FOR LEGEND AND NOTES

PLAN


0 10 20 FEET NORTH



QUATTROCCHI KWOK
ARCHITECTS
Main Office:
636 Fifth Street, Santa Rosa, CA 95404
Pleasanton Office:
600 Main Street, Suite E
Pleasanton, CA 94566
(707) 576-0829



CARDUCCI
ASSOCIATES
555 BEACH STREET FOURTH FLOOR
SAN FRANCISCO, CA 94133
www.carducciassociates.com
© 2020 CARDUCCI ASSOCIATES, INC.



QKA19-01

SONOMA
ACADEMY

PERFORMING
ARTS CENTER

2500 FARMERS LANE,
SANTA ROSA, CA 95404

REVISIONS

NO.	DESCRIPTION	DATE

ARCH PROJECT NO: 1802.00

DRAWN BY: AS NOTED

DRAWING SCALE: AS NOTED

PRELIM DESIGN REVIEW

MARCH 3, 2020

SHEET TITLE

IRRIGATION
PLAN

SHEET NUMBER

L3.02



TITLE 23 MODEL WATER EFFICIENT LANDSCAPE ORDINANCE COMPLIANCE:
I HAVE COMPLIED WITH THE CRITERIA OF THE ORDINANCE AND APPLIED THEM ACCORDINGLY FOR THE EFFICIENT USE OF WATER IN THE LANDSCAPE DESIGN PLAN.

SITE LEGEND

SYMBOL	DESCRIPTION
	(E) CONDITIONS, SEE TOPOGRAPHIC SURVEY
	LIMIT OF WORK
	ALTERNATE

PLANTING LEGEND

SYMBOL	DESCRIPTION
	ROOT BARRIER
	IRRIGATION REMOTE CONTROL VALVES & QUICK COUPLER VALVES, TYP.
	MULCH AREA (3" DEEP)
	SHRUB & GROUND COVER PLANTING SHRUB & GROUND COVER PLANTING INCLUDE AMENDED ON SITE SOIL 12" DEEP 25% SHRUBS 5 GAL @ 48" OC (1 PLANT PER 16 SF) 50% GRASSES AND PERENNIALS 1 GAL @ 36" OC (1 PLANT PER 9 SF) 25% GROUND COVER 1 GAL @ 24" OC (1 PLANT PER 4 SF)
	PRODUCTIVE GARDEN INCLUDE ORGANIC IMPORT GARDEN SOIL 24" DEEP 25% 5 GAL PLANTS @ 36" OC (1 PLANT PER 9 SF) 50% 4" POTS @ 24" OC (1 PLANT PER 4 SF) 25% 1 GAL PLANTS @ 36" OC (1 PLANT PER 9 SF)
	BIO-RETENTION PLANTING
	TREES: 24" BOX SIZE AND SPECIES TBD BY SONOMA ACADEMY EXCEPT AS OTHERWISE NOTED
	TREES: 48" BOX SIZE AND SPECIES TBD BY SONOMA ACADEMY EXCEPT AS OTHERWISE NOTED

PLANTING NOTES


1. PLANT MATERIAL QUANTITIES ARE SHOWN FOR INFORMATION ONLY. CONTRACTOR SHALL VERIFY ALL QUANTITIES PRIOR TO ORDER.
2. SUBSTITUTIONS OF PLANT MATERIAL, SPECIES AND/OR VARIETIES ARE NOT PERMITTED.
3. SUBMIT PLANT LIST SHOWING QUANTITIES AND AVAILABILITY OF PLANT MATERIAL WITHIN 30 DAYS OF NOTICE TO PROCEED.
4. ALL PLANT MATERIAL SHALL CONFORM TO THE ANSI Z601 "STANDARD FOR NURSERY STOCK".
5. AMEND SOILS PER SOIL TEST RECOMMENDATIONS. SEE SPECIFICATIONS.
6. APPLY A THREE INCH (3") LAYER OF MULCH IN ALL NON-TURF AND NON-GRASS/PLUG AREAS AND TREE/SHRUB BASINS. KEEP BARK SIX INCHES (6") AWAY FROM TREE CROWNS.
7. PLACE PLANTS IN PROPOSED LOCATIONS FOR REVIEW AND ACCEPTANCE BY THE PROJECT MANAGER PRIOR TO ACTUAL PLANTING. NOTIFY THE PROJECT MANAGER A MINIMUM OF 48 HOURS PRIOR.
8. ALL LANDSCAPED AREAS SHALL BE MAINTAINED IN A HEALTHY AND WEED-FREE CONDITION. DEAD PLANT MATERIAL SHALL BE REPLACED IMMEDIATELY. ALL TREES SHALL BE MAINTAINED AND PRUNED IN ACCORDANCE TO THE INTERNATIONAL SOCIETY OF ARBORICULTURE (ISA).
9. INSTALL PLANT MATERIAL PER SPECIFICATIONS.
10. NOTIFY PROJECT MANGER 48 HOURS PRIOR TO PLANT DELIVERY. ALL PLANTS TO BE REVIEWED AND ACCEPTED PRIOR TO PLANTING.
11. ALL PLANTS LISTED ABOVE TO BE INSTALLED BY CONTRACTOR.
12. POT HOLE ALL TREE PLANTING LOCATIONS TO IDENTIFY CONFLICTS UNDERGROUND UTILITIES BEFORE TREE PLANTING.
13. WHERE POSSIBLE LOCATE TREES AT LEAST 5' FROM EDGE OF WALKS, PAVING, AND UNDERGROUND UTILITIES. ADJUST LOCATION IN FIELD AS REQUIRED AND AS APPROVED BY LANDSCAPE ARCHITECT.
14. SEE CIVIL DRAWINGS, ELECTRICAL DRAWINGS AND LANDSCAPE DRAWINGS FOR APPROXIMATE LOCATION OF UTILITIES.
15. SLOPE PLANTING AREAS TO DRAIN.

IF THE CONTRACTOR INCURS ANY ERRORS OR DISCREPANCIES ON THE DRAWINGS, ON SITE CONDITIONS OR PRIOR PREVENT DISSEMINATION OF THE DRAWINGS, THE CONTRACTOR SHALL NOTIFY THE OWNER AND LANDSCAPE ARCHITECT BY THE TIME OF BEGINNING OF ALL SUCH WORK. THE CONTRACTOR SHALL BE RESPONSIBLE FOR ANY ERRORS OR DISCREPANCIES ON THE DRAWINGS, ON SITE CONDITIONS OR PRIOR PREVENT DISSEMINATION OF THE DRAWINGS, THE CONTRACTOR SHALL NOTIFY THE OWNER AND LANDSCAPE ARCHITECT BY THE TIME OF BEGINNING OF ALL SUCH WORK. THE CONTRACTOR SHALL BE RESPONSIBLE FOR ANY ERRORS OR DISCREPANCIES ON THE DRAWINGS, ON SITE CONDITIONS OR PRIOR PREVENT DISSEMINATION OF THE DRAWINGS, THE CONTRACTOR SHALL NOTIFY THE OWNER AND LANDSCAPE ARCHITECT BY THE TIME OF BEGINNING OF ALL SUCH WORK.

ONLY THE ORIGINAL, SIGNED AND SEALED COPY OF THIS DRAWING CONSTITUTES CARDUCCI & ASSOCIATES, INC. PROFESSIONAL WORK PRODUCT. ELECTRONIC COPIES DO NOT CONSTITUTE PROFESSIONAL WORK PRODUCT. ANY REVISIONS TO THIS DRAWING SHALL BE MADE BY THE ORIGINAL DESIGNER AND SHALL BE SIGNED AND SEALED BY THE ORIGINAL DESIGNER. ANY REVISIONS TO THIS DRAWING SHALL BE MADE BY THE ORIGINAL DESIGNER AND SHALL BE SIGNED AND SEALED BY THE ORIGINAL DESIGNER. ANY REVISIONS TO THIS DRAWING SHALL BE MADE BY THE ORIGINAL DESIGNER AND SHALL BE SIGNED AND SEALED BY THE ORIGINAL DESIGNER.

QUATTROCCHI KWOK
ARCHITECTS
Main Office:
636 Fifth Street, Santa Rosa, CA 95404
Pleasanton Office:
600 Main Street, Suite E,
Pleasanton, CA 94566
(707) 576-0829

CARDUCCI
ASSOCIATES
555 BEACH STREET FOURTH FLOOR
SAN FRANCISCO, CA 94133
www.carducciassociates.com
© 2020 CARDUCCI ASSOCIATES, INC.



QKA19-01

SONOMA
ACADEMY

PERFORMING
ARTS CENTER

2500 FARMERS LANE,
SANTA ROSA, CA 95404

REVISIONS		

ARCH PROJECT NO:	1802.00
DRAWN BY:	
DRAWING SCALE:	AS NOTED

PRELIM DESIGN REVIEW
MARCH 3, 2020

SHEET TITLE

PLANTING
LEGEND

SHEET NUMBER

L6.00


3/3/2020 10:30 AM




TITLE 23 MODEL WATER EFFICIENT LANDSCAPE ORDINANCE COMPLIANCE:
I HAVE COMPLIED WITH THE CRITERIA OF THE ORDINANCE AND APPLIED THEM ACCORDINGLY FOR THE EFFICIENT USE OF WATER IN THE LANDSCAPE DESIGN PLAN.

NOTE: SEE SHEET L6.00 FOR LEGEND AND NOTES

PLAN 0 10 20 FEET NORTH



VIEW A
VIEW B



QUATTROCCHI KWOK
ARCHITECTS
Main Office:
636 Fifth Street, Santa Rosa, CA 95404
Pleasanton Office:
600 Main Street, Suite E
Pleasanton, CA 94566
(707) 576-0829

CARDUCCI
ASSOCIATES

555 BEACH STREET FOURTH FLOOR
SAN FRANCISCO, CA 94133
www.carducciassociates.com
© 2020 CARDUCCI ASSOCIATES, INC.



QKA19-01

SONOMA
ACADEMY

PERFORMING
ARTS CENTER

2500 FARMERS LANE,
SANTA ROSA, CA 95404

REVISIONS

NO.	DESCRIPTION	DATE

ARCH PROJECT NO. 1802.00

DRAWN BY: AS NOTED

DRAWING SCALE: AS NOTED

PRELIM DESIGN REVIEW




MARCH 3, 2020

SHEET TITLE

PLANTING PLAN

SHEET NUMBER

L6.01



QUATTROCCHI KWOK
ARCHITECTS
Main Office:
636 Fifth Street, Santa Rosa, CA 95404
Pleasanton Office:
600 Main Street, Suite E
Pleasanton, CA 94566
(707) 576-0829

CARDUCCI
ASSOCIATES
555 BEACH STREET FOURTH FLOOR
SAN FRANCISCO, CA 94133
www.carducciassociates.com
© 2020 CARDUCCI ASSOCIATES, INC.

QKA19-01

**SONOMA
ACADEMY**

**PERFORMING
ARTS CENTER**

2500 FARMERS LANE,
SANTA ROSA, CA 95404

REVISIONS	

ARCH PROJECT NO: 1802.00
DRAWN BY:
DRAWING SCALE: AS NOTED

PRELIM DESIGN REVIEW
MARCH 3, 2020

SHEET TITLE

PLANTING PLAN

SHEET NUMBER

L6.02