



CSLB #980409
DIR 1000004282
www.source-mme.com
Toll Free 1-888-484-9968

ATTACHMENT 3

February 18, 2026

City of Santa Rosa
55 Stoney Point Road
Santa Rosa, CA 95401

Tel: 707-543-3717
zbrand@srcity.org

Attention: Zac Brand, Fleet Manager

We are pleased to provide the enclosed contract pricing sheet off the Sourcewell Contract No. 101221-VAC for the One (1) Vac-Con VXP4212LHE/1100 Xcavator mounted on a new Freightliner 114SD Plus 6x4 truck chassis for your review.

Summary:	Complete Unit per attached Sourcewell price sheet	
	Price F.O.B. Santa Rosa, CA	\$620,561.12
	10.0% Estimated Sales Tax	62,056.11
	CA Tire Fee (10 @\$ 1.75 Each)	17.50
	Total	<u>\$682,634.73</u>

- Vac-Con is the Sourcewell contract holder and all purchasing documents are to go directly to them. **City's Purchase Order to be prepared and sent directly to Vac-con, Inc.**
969 Hall Park Drive, Green Cove Springs, FL 32043
Contact: Rachel Deel Email: rdeel@vac-con.com Tel: 904-529-1315
- Municipal Maintenance Equipment, Inc. is the local dealer and will provide on-site training, warranty support, and future service for the Vac-Con products.
- Normal delivery 150-210 days A.R.O., depending on chassis and component availability during production.
- CARB Disclosure: A vehicle operated in California may be subject to California Air Resources Board Advanced Clean Fleets regulations. It therefore could be subject to the requirements to reduce emissions of air pollutants. For more information, please visit the CARB Advanced Clean Fleets webpage at <https://ww2.arb.ca.gov/our-work/programs/advanced-clean-fleets>
- Due to California emissions requirements, special permits may be required on diesel engines. MME cannot provide these permits and we recommend you contact your local Air Resources Management District for the specific requirements.
- Pricing includes delivery and on-site training.
- Sales tax applicable at time of delivery will be shown on invoice.
- Terms: per Sourcewell Program.
- Quotation valid for 45 days.

Thank you for your interest in this fine product. Should you have any questions or need additional information, please let us know. We look forward to being of service.

Sincerely,

Bryce Newell,
Northern Vice President of Sales

Enclosure



DATE: 02.12.2026
QUOTE: 113557

HYDRO-EXCAVATOR
SOURCEWELL CONTRACT: 101221-VAC
Customer: CITY OF SANTA ROSA, CA

Shipping: MME - SACRAMENTO

VYPD4212LHE/1100	
Sourcewell Discount	
Freighliner 114SD Plus 6x4 Cummins L9 370 HP Allison 3000 RDS	
8' x 8' Rear Mounted Telescoping Power Flex Boom with Pendant Control Station	
Mounting body on Chassis	
20 gpm/4000 psi Water System - Hydrostatic Drive	
Robuschi PD Blower	
Cyclone Separator	
Hydrostatic Blower Drive	
8" Vacuum Intake Hose	
1100 Gallons Cross Linked Polyethylene Water Capacity	
Automatic Vacuum Breaker Shut Off-Relief to Atmosphere & Dual Stainless Steel Float Balls	
100' retractable high-pressure hose reel, high-pressure digging wand	
1/4" Content Steel Debris Body with 5 Year Warranty	
5" Butterfly Valve with 10' Layflat Hose	
Debris tank Dumping: minimum 50 deg., hydraulic scissors lift - power up/power down	
Low Pressure Hand Gun with Quick Connect at Pump with 25' of 1/2" Hose	
Full Opening Rear Door / Hydraulic Door Locks / Hydraulic Door Grabber	
Boom Tie Down with Front Mounted Joystick for Ease of Operation	
Passenger Side Controls	
Passenger Control Panel Cabinet Aluminum Diamond Plate (35" x 14" x 24")	
Water Pump and Hose Reel Cabinet / Passenger Side Aluminum Diamond Plate (51" x 20" x 30")	
Storage Box Behind Cab Aluminum Diamond Plate (16" x 42" x 96")	
Drivers Side Storage Cabinet Aluminum Diamond Plate (51" x 44" x 24")	
2 Joystick Controls 1-Passenger Side Control Panel, 1-Front Bumper	
Emergency Shut Off	
Reflective Striping / Side & Chevrons	
20.5" aluminum intake pipe(1-3", 1-5", 1-6", and 1-6.5" nozzle)	
ICC lighting	
12 month standard warranty - see certificate for details	
5# Fire Extinguisher	
Set of Triangles	
6" Knife Valve with Center Post and Handle, in Lieu of the 5" Butterfly Valve (662-0125)	
Built in Body Prop - Rear Support Frame Mounted	
Rear splash guard (2 - 10 O'clock) - tank mounted	
Rubber pad on standard deflector	
100' Capacity Handgun Hose Reel	
Debris Body "Power Flush" System, 8 jets	
Water Pump Remote Oil Drain	
Cone Storage Rack Placement - Best Location CurbSide	
Cone Storage Rack Placement - Rear of Frame	
Long Handle Storage Placement - Rear of Mainframe	

