ICD® Clutter-Hoarding Scale® FIVE LEVELS

Structure and Zoning

Assessment of access to entrances and exits; function of plumbing, electrical, HVAC (any aspect of heating, ventilation or air conditioning) systems and appliances; and structural integrity.

Animals: Wildlife, Pets and Pests

Assessment of animal care and pet control; compliance with local animal regulations; assessment for evidence of infestations of pests (rodents, insects or other vermin).

Household Functions

Assessment of safety, functionality and accessibility of rooms for intended purposes.

Health and Safety

Assessment of sanitation levels in household; household management of any kind of medications.

Personal Protective Equipment (PPE)

Recommendations for PPE (face masks, gloves, eye shields or clothing that protect wearer from environmental health and safety hazards); additional supplies as appropriate to observational level.

SCOPE OF THE SCALE

The Institute for Challenging Disorganization (ICD®) developed the Clutter–Hoarding Scale® (C–HS®) as an observational guideline tool for assessing only the residential environment. The

scale focuses exclusively on environmental severity and functional impact, independent of psychiatric diagnosis. It is designed to support both non-clinical and clinical professionals in assessing safety, sanitation, and usability in residential settings.

The C– HS^{\otimes} assesses various types of dwellings. It focuses on the condition of the interior space and its functionality. This tool is not meant for clinical diagnosis or to evaluate an individual's behavior or tendencies. The five scale levels measure different amounts of clutter, ranging from spaces with minimal clutter (Level I - green) to spaces with extreme clutter (Level V - red).

ICD® is not responsible for any work performed by a professional organizer or other related professional using ICD® C–HS® or C–HS® Quick Reference Guide.

REPRINTING: ICD® grants permission to copy, reprint, and transmit the Clutter–Hoarding Scale® (C–HS®) Quick Reference Guide for educational, not-for-profit purposes provided credit is given to ICD®. Requests for permission to quote, copy, reproduce, or redistribute all or parts of this guide for commercial purposes should be submitted in writing to challengingdisorganization.org. COPYRIGHT: @2003-2025

The Institute for Challenging Disorganization® (ICD®), Larchmont, NY, U.S.A. ACKNOWLEDGEMENTS:

2011 C-HS® Quick Reference Guide adaptation by Donna Rosman, CPO-CD®. 2011 C-HS® written by Sheila Delson, CPO-CD®, Randi Lyman, CPO-CD®; Lynn Mino, CPO-CD®; and Heidi Schulz, CPO-CD®. 2025 update with the help of Sheila Delson, Laurene Livesey Park, Estela García, Melissa Autry, and Nacho Equiarte.

The full version of the Clutter-Hoarding Scale® is available on the ICD® website.

ICD® Clutter–Hoarding Scale® FIVE LEVELS

The C-HS® has five levels. Level I is the lowest on the scale, where the quantity of clutter is minimal: Level V is the highest, where the clutter is extreme. The C-HS® considers that Level III is the pivot point between a household that might be cluttered and a household assessment that may require the deeper considerations of working in a hoarded environment.

LEVEL I GREEN LOV

Household environment is considered standard with little or no clutter. Special knowledge is always required when working with individuals affected by chronic disorganization and organizing challenges.

LEVEL II BLUE GUARDED

Household environment with evidence of clutter. Specific knowledge is always required when working with individuals affected by chronic disorganization and organizing challenges.

LEVEL III YELLOW ELEVATED

ICD considers Level III to be the pivot point between a household environment that can be assessed as cluttered and a household assessment that may require the deeper considerations of working in a hoarded environment. Organizing professionals, related professionals or other individuals who are working with Level III household environments should have advanced knowledge in chronic disorganization and have developed a network of resources, especially mental health professionals.

LEVEL IV ORANGE HIGH

Household environment requires a coordinated collaborative team of service providers. Health, financial, legal, and social issues are frequently involved. Providers might include organizing professionals, health professionals, social workers, legal and financial professionals, pest and animal control officers, biohazard cleaners, licensed contractors. Advanced knowledge in hoarding behavior and coexisting conditions is required.

LEVEL V RED SEVERE

Household environment will require intervention. The individual living in Level V conditions might be involved in legal proceedings, such as a conservatorship, guardianship, divorce, custody, eviction or condemnation proceedings. Formal written agreements among the parties should be in place before proceeding. Health, financial, legal, and complex social issues are common. The team of related professionals needs to be assembled to create and implement clearly defined goals and negotiated timetables. Providers might include organizing professionals, health professionals, social workers, legal and financial professionals, pest and animal control officers, biohazard cleaners, licensed contractors, building management, zoning, fire, and/or safety agencies. The most advanced knowledge and access to resources for hoarding behavior and coexisting conditions is required.

ATTACHMENT 12

Clutter–Hoarding Scale®

a residential observational tool to assess the volume of clutter and environmental risks

Quick Reference Guide



For:

Professional Organizers
Related Professionals
Collaborating Team Members

Contact ICD® and Learn More!

Institute for Challenging Disorganization®

2005 Palmer Avenue, #1068 Larchmont, NY 10538

Call: (800) 674-7818

Email: icd@challengingdisorganization.org

Visit: challengingdisorganization.org



CLUTTER-HOARDING SCALE® (C-HS®) QUICK REFERENCE GUIDE

ATTACHMENT 12

	Structure and Zoning	Animals	Household Functions	Health and Safety	Personal Protective
		Wildlife, Pets and Pests			Equipment (PPE)
LEVEL I	 ☐ All doors, stairs and windows accessible ☐ All plumbing, electrical, HVAC (heating, ventilation and air conditioning) systems fully functional ☐ Fire and carbon monoxide (CO) detectors installed and functional 	☐ Appropriate animal control (behavior and sanitation) ☐ Number of animals in compliance with zoning regulations ☐ No evidence of non-pet rodents or insects	☐ No excessive clutter ☐ All rooms are used for intended purposes ☐ All household appliances fully functional ☐ Consistent routine housekeeping and maintenance	☐ Safe and maintained sanitation conditions ☐ Good air quality; no odors, animal or food waste, or natural propane/gas ☐ Medication: appropriately stored, current dates and child-proof lids as indicated	OPTIONAL First aid kit, hand sanitizer, flashlight and insect repellent
LEVEL II	 ☐ One major exit blocked ☐ One major appliance or HVAC device not working for longer than one season (regionally appropriate) ☐ Some plumbing or electrical systems not fully functional ☐ Non-existent or non-functional fire and carbon monoxide (CO) detectors 	Evidence of inappropriate animal control (behavior and sanitation) Visible or odorous pet waste Visible pet fur/hair/feathers Light to medium evidence of common household pests/insects	□ Clutter obstructing some functions of key living areas □ Slight congestion of exits, entrances, hallways and stairs □ Some household appliances not fully functional □ Inconsistent routine housekeeping and maintenance	□ Evidence of non-maintained sanitation conditions □ Moderate air quality, odors related to dirty dishes, food preparation surfaces, laundry, toilets, sewer, or natural/propane gas. □ Mildew in bathroom or kitchen □ Medication accessible to others and pets; presence of some expired medication	LIGHT PPE Medical or industrial grade latex or nitrile gloves Caps (such as baseball) or disposable bouffant caps Disposable shoe covers First aid kit, hand sanitizer, flashlight and insect repellent
LEVEL III	□ Visible outdoor clutter, minimal garden/backyard maintenance, overflow of recycling materials, furniture, building materials, etc. □ HVAC devices not working for longer than one season (regionally appropriate) □ Non-existent or non-functional fire and carbon monoxide (CO) detectors □ Sections of the home with light structural damage (having occurred in preceding six months)	□ Animal population exceeds local legal regulations □ Evidence of inappropriate animal control □ Inadequate sanitation (fish tank stagnant, reptile aquarium not well maintained, animal odor and waste, bird droppings) □ Audible evidence of pests; medium level of spider webs in house □ Light insect infestation (bed bugs, lice, fleas, cockroaches, ants, silverfish, etc.)	□ Clutter obstructing functions of key living areas □ Clutter exists around exits, entrances, hallways and stairs □ At least one room not being used for intended purpose, e.g., items stored in the shower, limited bed access or space □ Several appliances not fully functional □ Inappropriate usage of electric appliances and extension cords □ Substandard housekeeping and maintenance □ One or two obvious hazardous materials in small quantities, such as chemical spills, broken glass, etc.	□ Evidence of non-maintained sanitation conditions (food preparation surfaces heavily soiled, dirty dishes, dirty toilets, visible mildew in bathroom or kitchen) □ Unhealthy air quality, odors obvious and irritating. Possible natural/propane gas leakage □ Garbage cans not in use, full or overflowing □ Presence of accumulated dust, dirt and debris □ Dirty laundry scattered throughout the house □ Medication easily accessible to others and pets; presence of expired medication	MEDIUM PPE Face masks: surgical mask or particulate respirator mask Eye protection and gloves: eyeglasses, safety goggles, medical/industrial grade latex/nitrile gloves Disposable coveralls, bouffant caps, work shoes/boots First aid kit, hand sanitizer, flashlight and insect repellent
LEVEL IV	Excessive outdoor clutter, random broken items, untended garden/backyard, piled recycling materials, large pieces of, building materials, etc. HVAC devices not working for longer than one year Non-existent or non-functional fire and carbon monoxide (CO) detectors Structural damage to home existing longer than six months Water damaged floors, damaged walls and foundations, broken windows, doors or plumbing Odor or evidence of sewer backup	□ Animal population exceeds local ordinances □ Evidence of poor animal sanitation; destructive behavior □ Excessive spiders and webs □ Bats, squirrels, rodents in attic or basement (audible and visible) □ Medium insect infestation (bedbugs, lice, fleas, cockroaches, ants, silverfish, etc.)	☐ Diminished use of and accessibility to key living areas ☐ Several rooms cluttered preventing intended purposes, e.g., items stored in the shower, limited bed access or space ☐ Clutter inhibits access to exits, entrances, hallways and stairs ☐ Inappropriate storage of hazardous/combustible materials, e.g., gasoline, leaking paint or chemicals ☐ Appliances used inappropriately, e.g., fridge being used for storing non-food items ☐ Improper use of electric space heaters, fans or extension cords	Rotting food, organic contamination Expired, leaking or buckling cans and/or jars Dishes and utensils unusable No linens on beds; sleeping on mattress, chair or floor; infestation of bedding and/or furniture Very unhealthy air quality. Obvious mold/mildew; visible moisture or standing water Medication inappropriately stored and scattered in different places, easily accessible to others and pets; presence of expired medication	FULL PPE Face masks: particulate respirator mask, or respirator with organic filter(s) Safety goggles; medical/industrial grade latex/nitrile gloves; heavy duty work gloves Disposable coveralls, caps, and shoe covers; work shoes/boots First aid kit, hand sanitizer, headlamp/flashlight and insect repellent
LEVEL V	□ Extreme indoor/outdoor clutter; foliage overgrowth; abandoned machinery; large quantity of recycling materials, large pieces of furniture, building materials, etc. □ Inadequate or non-existent ventilation; HVAC systems not working □ Non-existent or non-functional fire and carbon monoxide (CO) detectors □ Water damaged floors, walls and foundation; broken windows, doors or plumbing □ Unreliable electrical, no running water, broken sewer/septic systems; sewer backup □ Irreparable damage to exterior and interior structure	☐ Animals at risk and dangerous to people due to behavior, health and numbers ☐ Pervasive spiders, mice, rats, squirrels, raccoons, bats, snakes, etc. ☐ Heavy insect infestation (bed bugs, lice, fleas, cockroaches, ants, silverfish, etc.)	□ Key living spaces not usable □ All rooms not used for intended purposes □ Exits, entrances, hallways and stairs blocked □ Toilets, sinks and tubs not functioning □ Hazardous conditions obscured by clutter □ Appliances unusable □ Hazardous and primitive use of kerosene, lanterns, candles, fireplace/woodstove as primary source of heat and/or light		FULL PPE REQUIRED Face masks: particulate respirator mask or respirator with organic filter(s) Safety goggles; medical/industrial grade latex/nitrile gloves; heavy duty work gloves Disposable coveralls, caps and shoe covers; work shoes/boots First aid kit, hand sanitizer, headlamp/flashlight and insect repellent