

GENERAL NOTES

THE PROPOSED DEVELOPMENT WILL BE IN CONFORMANCE WITH THE CITY OF SANTA ROSA ZONING CODE, GENERAL PLAN AND DESIGN & CONSTRUCTION STANDARDS OR AS MODIFIED BY THIS TENTATIVE MAP AND AS APPROVED BY THE REVIEWING AGENCY.

WATER SUPPLY CITY OF SANTA ROSA

SEWAGE DISPOSAL ----- SOUTH PARK COUNTY SANITATION DISTRICT

PRESENT ZONING ----- GENERAL COMMERCIAL (CG)

PROPOSED ZONING ----- GENERAL COMMERCIAL (CG)

THIS SUBDIVISION IS NOT WITHIN AN AREA DESIGNATED AS A HIGH FIRE SEVERITY ZONE.

GRADING NOTES

SOILS ON THIS SITE ARE NOT ANTICIPATED TO PROHIBIT THIS TYPE OF DEVELOPMENT.

REMEDIATION IS BEING PREPARED BY GEOSYNTEC CONSULTANTS TO MITIGATE THE POTENTIAL FOR HAZARDOUS MATERIALS ON THIS SITE.

FEMA FLOOD MAPS REVEAL THAT THIS SITE LIES WITHIN THE "OTHER AREAS -ZONE X", OR AREAS DETERMINED TO BE OUTSIDE THE 0.2% ANNUAL CHANCE FLOODPLAIN.

STREET TREES WILL BE PROVIDED IN ACCORDANCE WITH MUNICIPAL STANDARDS.

PROVISIONS FOR EROSION CONTROL WILL BE INCORPORATED INTO THIS PROJECT.

UTILITY NOTES

EXISTING SEWER AND WATER SERVICES WHICH WILL NOT BE USED WITH THESE SUBDIVISION IMPROVEMENTS WILL BE ABANDONED AT THE MAIN IN ACCORDANCE WITH THE CITY OF SANTA ROSA DESIGN AND CONSTRUCTION STANDARDS.

EXISTING SEPTIC SYSTEMS WILL BE ABANDONED IN ACCORDANCE WITH PERMITS FROM THE CITY BUILDING DEPARTMENT AND THE SONOMA COUNTY PERMIT AND RESOURCE MANAGEMENT DEPARTMENT.

ANY EXISTING WELLS TO BE ABANDONED WILL BE DONE SO IN ACCORDANCE WITH CITY WELL ORDINANCE AS ADMINISTERED BY THE CITY BUILDING OFFICIAL. PERMITS ARE REQUIRED FROM THE SONOMA COUNTY PERMIT & RESOURCE MANAGEMENT DEPARTMENT.

ELECTRICAL SERVICE FOR THIS SUBDIVISION WILL BE UNDERGROUND.

ALL OVERHEAD WIRES WILL BE UNDERGROUNDED IN ACCORDANCE WITH THE CITY OF SANTA ROSA'S UNDERGROUNDING ORDINANCE. THIS INCLUDES ALL OVERHEAD WIRES ALONG THE JOE RODOTA TRAIL.

DESIGN AND CONSTRUCTION WILL BE COORDINATED WITH ALL UTILITY COMPANIES TO MINIMIZE DISRUPTION TO EXISTING IMPROVEMENTS, LOCAL BUSINESSES AND TRAFFIC.

RECORD INFORMATION FOR THE DOWNSTREAM STORM DRAIN SYSTEMS HAS BEEN REVIEWED AT A PRELIMINARY LEVEL AND THEY APPEAR TO HAVE SUFFICIENT CAPACITY TO SUPPORT THE PROPOSED DEVELOPMENT. IF THE DOWNSTREAM STORM DRAIN SYSTEMS ARE DETERMINED TO BE DEFICIENT THE DEVELOPER MAY BE REQUIRED TO PROVIDE ADDITIONAL DRAINAGE IMPROVEMENTS.

STRIPING NOTES

ALL PAVEMENT MARKINGS WILL BE IN ACCORDANCE WITH CITY OF SANTA ROSA STANDARDS AND THE 2014 CA MUTCD.

GENERAL MAP INFORMATION

TOPOGRAPHIC INFORMATION SHOWN HEREON WAS MAPPED BY BKF ENGINEERS FOLLOWING A FIELD SURVEY ON MARCH 1, 2016.

DISTANCES AND ELEVATIONS ARE SHOWN IN FEET AND DECIMALS THEREOF.

PROPOSED

BASIS OF BEARINGS: BETWEEN FOUND MONUMENTS ALONG THE CENTERLINE OF SEBASTOPOL ROAD AS SHOWN ON THAT RECORD OF SURVEY FILED IN BOOK 588 OF MAPS, AT PAGES 18-25, SONOMA COUNTY RECORDS.

BENCHMARK: 3 1/2" BRASS DISK IN WELL MONUMENT, STAMPED "SONOMA COUNTY DEPARTMENT OF TRANSPORTATION AND PUBLIC WORKS" IN SEBASTOPOL ROAD, APPROXIMATELY 100 FEET EAST OF WEST AVENUE - ELEV. 139.95 (DATUM NGVD 1929).

BOUNDARY LEGEND

EXISTING


SUBDIVISION BOUNDARY



PROPERTY LINE TO BE EXTINGUISHED

KEYNOTES

3 EXISTING PROPERTY LINE TO BE EXTINGUISHED.





4 MULTIFAMILY RESIDENTIAL/COMMERCIAL LOTS AND 1 COMMON PARCEL


BEING A SUBDIVISION OF THE LANDS OF SONOMA COUNTY COMMUNITY DEVELOPMENT COMMISSION AS DESCRIBED IN THAT GRANT DEED FILED UNDER DOCUMENT NO. 2011-025368, SONOMA COUNTY RECORDS, AND THE LANDS OF MIDPEN HOUSING CORPORATION AS DESCRIBED IN THAT GRANT DEED FILED UNDER DOCUMENT NO. 2017-064613, SONOMA COUNTY RECORDS.

675 AND 883 SEBASTOPOL ROAD, SANTA ROSA, CALIFORNIA APN 125-111-037 AND 125-101-031

7.41± ACRES FEBRUARY 2019







Category	Quantity	Unit	Ratio	Required
Residential				•
1 space per 1BD	70	1-BD units	1.0 per BD	70
2 spaces per 2BD or 3BD	105	2-3BD units	2.0 per BD	210
Residential Total				280
Retail				
Retail	1,000	square feet	1 per 250 sf	4
Mercado	7,000	square feet	1 per 250 sf	28
Retail Total				32
Office				
Office	11,000	square feet	1 per 250 sf	44
Office Total				44
Library				
1 space per 300 sf	11,000	square feet	1 per 300 sf	37
Library Total				37
TOTAL SPACES REQUIRED				393
Proposed Spaces				324
Parking Reduction Needed				69 spaces
				18%

